

**Trenbolone / Estradiol Formulation**

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : Trenbolone / Estradiol Formulation

Other means of identification : COOPERS REVALOR 400 GROWTH PROMOTANT FOR GRASS FED HEIFERS AND STEERS (48945)  
COOPERS REVALOR FLEX GROWTH PROMOTANT FOR NON BREEDING CATTLE (58656)  
COOPERS REVALOR S STEER GROWTH PROMOTANT AND FINISHING IMPLANTS (46111)  
COOPERS REVALOR-H GROWTH PROMOTANT AND FINISHING IMPLANTS (47248)

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

**1.3 Details of the supplier of the safety data sheet**

Company : MSD  
20 Spartan Road  
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

**1.4 Emergency telephone number**

+1-908-423-6000

---


**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Carcinogenicity, Category 1A	H350: May cause cancer.
Reproductive toxicity, Category 1A	H360FD: May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

**2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)**

## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H350 May cause cancer.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P260 Do not breathe dust.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

Hazardous components which must be listed on the label:  
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate  
Estradiol

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9 233-432-5	Carc. 2; H351 Repr. 2; H361fd STOT RE 1; H372 (Endocrine system, Blood) Aquatic Chronic 1; H410	>= 58,8686 - <= 74,07

## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
 Date of first issue: 05.11.2014

		M-Factor (Chronic aquatic toxicity): 1.000	
Estradiol	50-28-2 200-023-8	Carc. 1A; H350 Repr. 1A; H360FD STOT RE 1; H372 (Liver, Bone, Blood, Endocrine system) Aquatic Chronic 1; H410	>= 6,9027 - <= 12,5
		M-Factor (Chronic aquatic toxicity): 1.000	

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause cancer.  
May damage fertility. May damage the unborn child.  
Causes damage to organs through prolonged or repeated

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
5.3	07.12.2023	28299-00027	Date of first issue: 05.11.2014

---

exposure.

Contact with dust can cause mechanical irritation or drying of the skin.

Dust contact with the eyes can lead to mechanical irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.

---

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
5.3	07.12.2023	28299-00027	Date of first issue: 05.11.2014

---

Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	TWA	0.2 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
		Wipe limit	2 $\mu\text{g}/100 \text{ cm}^2$	Internal
Estradiol	50-28-2	TWA	0.05 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
	Further information: Skin			
		Wipe limit	0.5 $\mu\text{g}/100 \text{ cm}^2$	Internal

### 8.2 Exposure controls

#### Engineering measures

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
5.3	07.12.2023	28299-00027	Date of first issue: 05.11.2014

---

Hand protection	:	aerosols.
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type (P)

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available

**Trenbolone / Estradiol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
5.3	07.12.2023	28299-00027	Date of first issue: 05.11.2014

---

Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**9.2 Other information**

Flammability (liquids)	:	No data available
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Not classified as a reactivity hazard.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
---------------------	---	--

**10.4 Conditions to avoid**

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
---------------------	---	---

**10.5 Incompatible materials**

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

**10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--



**Trenbolone / Estradiol Formulation**

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

---

**Acute toxicity**

Not classified based on available information.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
LD50 (Mouse): 2.700 mg/kg

**Estradiol:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg  
Application Route: Subcutaneous

**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Estradiol:**

Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Estradiol:**

Exposure routes : Skin contact  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Test system: Salmonella typhimurium  
Result: negative

Test Type: Micronucleus test

## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
 Date of first issue: 05.11.2014

---

Test system: Chinese hamster fibroblasts  
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Result: negative

Test Type: Micronucleus test  
 Species: Rat  
 Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Estradiol:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
 Test system: mammalian cells  
 Result: positive

Test Type: Chromosome aberration test in vitro  
 Test system: mammalian cells  
 Result: positive

Test Type: Chromosomal aberration  
 Test system: mammalian cells  
 Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration  
 Species: Rat  
 Cell type: Bone marrow  
 Result: negative

Test Type: Chromosomal aberration  
 Species: Mouse  
 Cell type: Bone marrow  
 Result: negative

**Carcinogenicity**

May cause cancer.

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Species : Mouse, male and female  
 Application Route : Oral  
 Result : positive  
 Target Organs : Liver

Species : Rat, male and female  
 Application Route : Oral  
 Result : positive  
 Target Organs : Pancreas

## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
 Date of first issue: 05.11.2014

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**Estradiol:**

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 24 Months  
 LOAEL : 100 µg/kg  
 Result : positive  
 Target Organs : female reproductive organs

Species : Rat  
 Application Route : Subcutaneous  
 Exposure time : 13 weeks  
 LOAEL : 20 mg/kg body weight  
 Result : positive  
 Target Organs : Endocrine system

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Effects on fertility : Test Type: Two-generation study  
 Species: Rat  
 Application Route: Oral  
 Fertility: LOAEL: 0,18 mg/kg body weight  
 Result: Postimplantation loss.

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: oral (feed)  
 Developmental Toxicity: LOAEL: 20 mg/kg body weight  
 Result: Malformations were observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**Estradiol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Fertility: LOAEL: 0,5 mg/kg body weight  
 Result: Effects on fertility

Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Duration of Single Treatment: 90 d  
 Fertility: LOAEL: 0,69 mg/kg body weight

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
5.3	07.12.2023	28299-00027	Date of first issue: 05.11.2014

---

Result: Effects on fertility

Test Type: Two-generation study

Species: Mouse

Application Route: Oral

Fertility: LOAEL: 0,1 mg/kg body weight

Result: Effects on fertility

Effects on foetal development

: Test Type: Embryo-foetal development

Species: Mouse, female

Application Route: Subcutaneous

Teratogenicity: LOAEL: 4 mg/kg body weight

Symptoms: Malformations were observed.

Result: positive, Teratogenic effects

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Subcutaneous

Teratogenicity: LOAEL: 2,5 µg/kg body weight

Symptoms: Reduced body weight

Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 0,2 mg/kg body weight

Symptoms: Early Resorptions / resorption rate, Reduced number of viable fetuses, Reduced body weight

Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment

: May damage fertility. May damage the unborn child.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### Components:

#### **17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Exposure routes : Ingestion

Target Organs : Endocrine system, Blood

Assessment : Causes damage to organs through prolonged or repeated exposure.

#### **Estradiol:**

Target Organs : Liver, Bone, Blood, Endocrine system

Assessment : Causes damage to organs through prolonged or repeated exposure.

## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
 Date of first issue: 05.11.2014

---

### Repeated dose toxicity

#### Components:

##### **17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Species : Pig  
 NOAEL : 0,004 mg/kg  
 LOAEL : 0,08 mg/kg  
 Exposure time : 14 Weeks  
 Target Organs : Testis, Ovary, Liver, Uterus (including cervix)

Species : Rat  
 NOAEL : 0,04 mg/kg  
 LOAEL : 3,6 mg/kg  
 Application Route : Oral  
 Exposure time : 23 Weeks  
 Target Organs : Blood

Species : Monkey, female  
 NOAEL : 0,01 mg/kg  
 LOAEL : 0,04 mg/kg  
 Application Route : Oral  
 Exposure time : 122 Days  
 Target Organs : female reproductive organs

Species : Monkey, male  
 NOAEL : 0,002 mg/kg  
 LOAEL : 0,04 mg/kg  
 Application Route : Oral  
 Exposure time : 30 Days  
 Target Organs : male reproductive organs

Species : Rat  
 NOAEL : 0,05 mg/kg  
 LOAEL : 0,1 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months  
 Target Organs : male reproductive organs, Ovary, Uterus (including cervix)

#### **Estradiol:**

Species : Rat  
 LOAEL :  $\geq 0,17$  mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 d  
 Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
 Date of first issue: 05.11.2014

Ingestion : Symptoms: male reproductive effects, gynecomastia, changes in libido

**Estradiol:**

Inhalation : Symptoms: tingling, Nose bleeding

Skin contact : Symptoms: Skin irritation, Redness, pruritis

Ingestion : Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhoea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

## SECTION 12: Ecological information

## 12.1 Toxicity

**Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Toxicity to fish (Chronic toxicity) : NOEC: 0,000035 mg/l  
 Exposure time: 21 d  
 Species: Pimephales promelas (fathead minnow)  
 Method: OECD Test Guideline 229  
 Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1.000

**Estradiol:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 3,9 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,7 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 1,7 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1,7 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 100 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

NOEC : 100 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,000003 mg/l

**Trenbolone / Estradiol Formulation**

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

---

icity)      Exposure time: 160 d  
Species: *Oryzias latipes* (Japanese medaka)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,2 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 1.000

**12.2 Persistence and degradability****Components:****Estradiol:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 84 %  
Exposure time: 24 hrs

**12.3 Bioaccumulative potential****Components:****17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate:**

Partition coefficient: n-octanol/water : log Pow: 3,77

**Estradiol:**

Partition coefficient: n-octanol/water : log Pow: 4,01

**12.4 Mobility in soil****Components:****Estradiol:**

Distribution among environmental compartments : log Koc: 3,81

**12.5 Results of PBT and vPvB assessment****Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects****Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
 Date of first issue: 05.11.2014

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

### SECTION 14: Transport information

#### 14.1 UN number

- ADN : UN 3077  
 ADR : UN 3077  
 RID : UN 3077  
 IMDG : UN 3077  
 IATA : UN 3077

#### 14.2 UN proper shipping name

- ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)
- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)
- RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)
- IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
 (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)
- IATA : Environmentally hazardous substance, solid, n.o.s.  
 (Estradiol, 17 $\beta$ -hydroxyestra-4,9,11-trien-3-one 17-acetate)

#### 14.3 Transport hazard class(es)

- |      | Class | Subsidiary risks |
|------|-------|------------------|
| ADN  | : 9   |                  |
| ADR  | : 9   |                  |
| RID  | : 9   |                  |
| IMDG | : 9   |                  |



## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

---

**IATA** : 9

**14.4 Packing group****ADN**

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**ADR**

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**IMDG**

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

**IATA (Passenger)**

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

**14.5 Environmental hazards****ADN**

Environmentally hazardous : yes

**ADR**

Environmentally hazardous : yes

**RID**

Environmentally hazardous : yes

**IMDG**

Marine pollutant : yes

**IATA (Passenger)**

Environmentally hazardous : yes

**IATA (Cargo)**

Environmentally hazardous : yes

## Trenbolone / Estradiol Formulation

Version 5.3      Revision Date: 07.12.2023      SDS Number: 28299-00027      Date of last issue: 02.11.2023  
Date of first issue: 05.11.2014

---

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H350 : May cause cancer.  
H351 : Suspected of causing cancer.  
H360FD : May damage fertility. May damage the unborn child.  
H361fd : Suspected of damaging fertility. Suspected of damaging the unborn child.  
H372 : Causes damage to organs through prolonged or repeated exposure.  
H372 : Causes damage to organs through prolonged or repeated exposure if swallowed.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard  
Carc. : Carcinogenicity  
Repr. : Reproductive toxicity  
STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard

## Trenbolone / Estradiol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 02.11.2023
5.3	07.12.2023	28299-00027	Date of first issue: 05.11.2014

of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Classification of the mixture:**

Carc. 1A	H350
Repr. 1A	H360FD
STOT RE 1	H372
Aquatic Chronic 1	H410

**Classification procedure:**

Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN