

Version 8.0	Revision Date: 28.09.2024	•-	S Number:)93-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014	
SECTION	1. IDENTIFICATION				
Produ	Product identifier		Trenbolone / Est	tradiol LA Formulation	
Manu	afacturer or supplier'	s deta	ils		
Com	Company		MSD		
Addre	Address		Rua Coronel Bento Soares, 530 Cruzeiro - Sao Paulo - Brazil CEP 12730-340		
Telep	Telephone		908-740-4000		
Emer	Emergency telephone		1-908-423-6000		
E-ma	E-mail address		EHSDATASTEWARD@msd.com		
Reco	mmended use of the	e chem	ical and restriction	ons on use	
	Recommended use Restrictions on use		Veterinary produ Not applicable	uct	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accord Carcinogenicity	lan :	ce with ABNT NBR 14725 Standard Category 1A
Reproductive toxicity	:	Category 1A
Specific target organ toxicity - repeated exposure	:	Category 1 (Liver, Bone, Blood, Endocrine system)
Specific target organ toxicity - repeated exposure (Oral)	:	Category 1 (Endocrine system, Blood)
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: H350 May cause cancer.



Version 8.0	Revision Date: 28.09.2024	SDS Number: 26093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
		H372 Causes crine system) H372 Causes through prolo H402 Harmful	damage fertility. May damage the unborn child. damage to organs (Liver, Bone, Blood, Endo- through prolonged or repeated exposure. damage to organs (Endocrine system, Blood) nged or repeated exposure if swallowed. to aquatic life. kic to aquatic life with long lasting effects.
Preca	utionary Statements	Prevention:	
		P260 Do not l P264 Wash s P270 Do not e P273 Avoid re	kin thoroughly after handling. eat, drink or smoke when using this product. elease to the environment. rotective gloves/ protective clothing/ eye protec-
		Response: P308 + P313 attention. P391 Collect	IF exposed or concerned: Get medical advice/
		Storage: P405 Store lo	cked up.
Other	hazards which do no	ot result in classific	ation

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
17β-hydroxyestra-4,9,11-trien- 3-one 17-acetate	10161-34-9	Carc., 2 Repr., 2 STOT RE, (Oral)(Endocrine sys- tem, Blood) , 1 Aquatic Chronic, 1	>= 50 -< 70
Estradiol	50-28-2	Acute Tox. (Oral), 5 Carc., 1A Repr., 1A STOT RE, (Liver, Bone, Blood, Endo- crine system) , 1 Aquatic Acute, 2 Aquatic Chronic, 1	>= 5 -< 10
Magnesium stearate	557-04-0		>= 1 -< 5



Version 8.0	Revision Date: 28.09.2024		OS Number: 093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014		
SECTION	4. FIRST AID MEASUR	RES				
Gene	General advice		advice immed	accident or if you feel unwell, seek medical iately. ms persist or in all cases of doubt seek medical		
If inha	aled	:	If inhaled, rem	ove to fresh air.		
In case of skin contact		:	 Get medical attention. In case of contact, immediately flush skin with soap and plent of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. 			
In ca	se of eye contact	:	If in eyes, rins	e well with water.		
lf swa	If swallowed		If swallowed, I Get medical a			
	important symptoms effects, both acute and /ed	:	 Rinse mouth thoroughly with water. May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying the skin. 			
Prote	ection of first-aiders	:	First Aid respo and use the re	with the eyes can lead to mechanical irritation. Inders should pay attention to self-protection, ecommended personal protective equipment ntial for exposure exists (see section 8).		
Notes	s to physician	ian :		natically and supportively.		
SECTION	5. FIRE-FIGHTING ME	ASI	JRES			
Suita	ble extinguishing media	:	Water spray Alcohol-resista Carbon dioxid Dry chemical			
Unsu media	itable extinguishing a	:	None known.			
•	Specific hazards during fire : fighting			ing dust; fine dust dispersed in air in sufficient s, and in the presence of an ignition source is a		

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Metal oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.



Version 8.0	Revision Date: 28.09.2024		OS Number: 093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014	
	ial protective equipment e-fighters	:		re, wear self-contained breathing apparatus. otective equipment.	
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES		
tive e	Personal precautions, protec- tive equipment and emer- gency procedures		Follow safe han	otective equipment. dling advice (see section 7) and personal ment recommendations (see section 8).	
Envir	Environmental precautions		Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
	Methods and materials for containment and cleaning up		Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surface with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and it employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regar certain local or national requirements.		
SECTION	7. HANDLING AND ST	OR	AGE		
Tech	Technical measures		Static electricity may accumulate and ignite suspended causing an explosion. Provide adequate precautions, such as electrical ground and bonding, or inert atmospheres.		
Loca	/Total ventilation	:		lation is unavailable, use with local exhaust	
Advic	e on safe handling	:	Do not get on sk Do not breathe o Do not swallow. Avoid contact wi Wash skin thoro Handle in accord	dust.	

Minimize dust generation and accumulation.

Keep container closed when not in use.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Do not eat, drink or smoke when using this product.



Version 8.0	Revision Date: 28.09.2024	SDS Numb 26093-000	••••	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014	
Hygiene measures		 Take care to prevent spills, waste and minimize release to environment. If exposure to chemical is likely during typical use, provide flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review engineering controls, proper personal protective equipme appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and th use of administrative controls. 			
Conditions for safe storage		Store lo Keep ti	ocked up. ghtly closed		
Materi	als to avoid	: Do not Strong Self-rea	store with t oxidizing ag active subst c peroxides	stances and mixtures	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
17β-hydroxyestra-4,9,11-trien- 3-one 17-acetate	10161-34-9	TWA	0.2 µg/m3 (OEB 5)	Internal
		Wipe limit	2 µg/100 cm ²	Internal
Estradiol	50-28-2	TWA	0.05 µg/m3 (OEB 5)	Internal
	Further inform	ation: Skin		
		Wipe limit	0.5 µg/100 cm ²	Internal
Magnesium stearate	557-04-0	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH

Engineering measures

: Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted.



Version 8.0	Revision Date: 28.09.2024	SDS Number: 26093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
		are required. Operations re	sed processes and materials transport systems equire the use of appropriate containment esigned to prevent leakage of compounds into e.
Perso	onal protective equip	ment	
Respi Fil	iratory protection ter type protection	: If adequate lo exposure ass	ocal exhaust ventilation is not available or sessment demonstrates exposures outside the d guidelines, use respiratory protection. ype
Tianu	protection		
Ma	aterial	: Chemical-res	istant gloves
Eye p	emarks protection and body protection	If the work en mists or aero Wear a faces potential for o aerosols. : Work uniform Additional bo	ble gloving. glasses with side shields or goggles. nvironment or activity involves dusty conditions, sols, wear the appropriate goggles. shield or other full face protection if there is a direct contact to the face with dusts, mists, or or laboratory coat. dy garments should be used based upon the erformed (e.g., sleevelets, apron, gauntlets,
		disposable su	uits) to avoid exposed skin surfaces. ate degowning techniques to remove potentially

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	powder
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available



Vers 8.0	sion	Revision Date: 28.09.2024		S Number: 193-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	oressure	:	No data available)
	Relative	e vapor density	:	No data available)
	Relative	e density	:	No data available	9
	Density	/	:	No data available	9
	Solubili Wat	ity(ies) er solubility	:	No data available	9
	Partitio octanol	n coefficient: n-	:	No data available)
		nition temperature	:	No data available)
	Decom	position temperature	:	No data available)
	Viscosi Visc	ty cosity, kinematic	:	No data available)
	Explosi	ve properties	:	Not explosive	
	Oxidizii	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available)
	Particle Particle	e characteristics e size	:	No data available)

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact



ersion 0	Revision Date: 28.09.2024		S Number: 093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
			Ingestion Eye contact	
Acute	e toxicity			
Not cl	assified based on availa	ble	information.	
<u>Produ</u>				
Acute	oral toxicity	:	Acute toxicity esti Method: Calculati	mate: > 5.000 mg/kg on method
Comp	oonents:			
17β-h	ydroxyestra-4,9,11-trie	en-3	-one 17-acetate:	
Acute	oral toxicity	:	LD50 (Rat): > 5.0	00 mg/kg
			LD50 (Mouse): 2.	700 mg/kg
Estra	diol:			
Acute	oral toxicity	:	LD50 (Rat): > 2.0	00 mg/kg
Acute admir	toxicity (other routes of histration)	:	LD50 (Rat): > 300 Application Route	
Magn	esium stearate:			
Acute	oral toxicity	:	icity	
Acute	dermal toxicity	:	LD50 (Rabbit): > : Remarks: Based	2.000 mg/kg on data from similar materials
	corrosion/irritation	bla	information	
	assified based on availa	bie	iniormation.	
	oonents:			
	esium stearate:		Dabbit	
Speci Resul		÷	Rabbit No skin irritation	
Rema	irks	:	Based on data fro	om similar materials
	us eye damage/eye irri assified based on availa			
	oonents:	-	-	
Estra				
Resul			No eye irritation	



sion	Revision Date: 28.09.2024	SDS Number: 26093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
Magn	esium stearate:		
Speci Resu Rema	es It	: Rabbit : No eye irrita : Based on d	ation ata from similar materials
Resp	iratory or skin sens	itization	
-	sensitization lassified based on av	ailable information.	
Resp	iratory sensitizatior lassified based on av	n	
_	ponents:		
Speci	es of exposure les ssment	: Skin contac : Guinea pig : Does not ca : negative	t ause skin sensitization.
	esium stearate:		
Test	Type es of exposure es od It	: negative	
Not c	a cell mutagenicity lassified based on av ponents:	ailable information.	
17 6 -h	nydroxyestra-4,9,11	trien-3-one 17-ace	tate:
	toxicity in vitro	: Test Type:	Bacterial reverse mutation assay (AMES) n: Salmonella typhimurium
		Result: neg	
		Result: neg Test Type: I	ative Micronucleus test n: Chinese hamster fibroblasts
Geno	toxicity in vivo	Result: neg Test Type: I Test system Result: neg	ative Micronucleus test n: Chinese hamster fibroblasts ative Micronucleus test puse
Geno	toxicity in vivo	Result: neg Test Type: I Test system Result: neg : Test Type: I Species: Mo Result: neg	ative Micronucleus test h: Chinese hamster fibroblasts ative Micronucleus test puse ative Micronucleus test at



rsion)	Revision Date: 28.09.2024	SDS Number: 26093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
Estra	diol:		
Geno	toxicity in vitro	thesis in mami	IA damage and repair, unscheduled DNA syn- malian cells (in vitro) nammalian cells e
			romosome aberration test in vitro nammalian cells e
			romosomal aberration nammalian cells e
Geno	toxicity in vivo	: Test Type: Ch Species: Rat Cell type: Bon Result: negativ	
		Test Type: Ch Species: Mous Cell type: Bon Result: negativ	e marrow
Magn	esium stearate:		
Geno	toxicity in vitro	Result: negativ	vitro mammalian cell gene mutation test ve ed on data from similar materials
		Method: OECI Result: negative	romosome aberration test in vitro D Test Guideline 473 /e ed on data from similar materials
		Result: negativ	cterial reverse mutation assay (AMES) ve ed on data from similar materials
Carci	nogenicity		
-	cause cancer.		
<u>Com</u>	oonents:		
		trien-3-one 17-acetat	
Speci Applio	es cation Route	: Mouse, male a : Oral	and temale
Resu		: positive : Liver	
Speci		: Rat, male and	female
Applic	cation Route	: Oral : positive	
	et Organs	: Pancreas	



Version 8.0	Revision Date: 28.09.2024	-	DS Number: Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
Carci ment	nogenicity - Assess-	:	Limited evidence of carcinogenicity in animal studies
Expos LOAE Resu Targe Speci Applic	es cation Route sure time EL It of Organs es cation Route sure time		Mouse Ingestion 24 Months 100 µg/kg positive female reproductive organs Rat Subcutaneous 13 weeks 20 mg/kg body weight
Resu		:	positive Endocrine system
Carci ment	nogenicity - Assess-	:	Positive evidence from human epidemiological studies
May o <u>Com</u> j 17β-h	oductive toxicity damage fertility. May dar <u>ponents:</u> nydroxyestra-4,9,11-trie ts on fertility	-	
Effect	ts on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: oral (feed) Developmental Toxicity: LOAEL: 20 mg/kg body weight Result: Malformations were observed.
Repro sessr	oductive toxicity - As- nent	:	Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.
Estra	diol:		
Effect	ts on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Fertility: LOAEL: 0,5 mg/kg body weight Result: Effects on fertility. Test Type: One-generation reproduction toxicity study Species: Rat Duration of Single Treatment: 90 d Fertility: LOAEL: 0,69 mg/kg body weight



Versio 8.0	on	Revision Date: 28.09.2024		S Number: 093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
				Result: Effects on	fertility.
				Test Type: Two-g Species: Mouse Application Route Fertility: LOAEL: 0 Result: Effects on	: Oral),1 mg/kg body weight
E	Effects	on fetal development	:	Species: Mouse, f Application Route Teratogenicity: LC Symptoms: Malfor	
				Species: Rat Application Route Teratogenicity: LC Symptoms: Reduc	DAEL: 2,5 µg/kg body weight body weight mbryotoxic effects and adverse effects on
				Species: Rat Application Route Developmental To Symptoms: Early number of viable f Result: Embryotox	o-fetal development : Subcutaneous oxicity: LOAEL: 0,2 mg/kg body weight Resorptions / resorption rate., Reduced etuses., Reduced body weight kic effects and adverse effects on the off- ted only at high maternally toxic doses
	Reprod sessme	uctive toxicity - As- ent	:	May damage fertil	ity. May damage the unborn child.
Ν	Magne	sium stearate:			
	-	on fertility	:	reproduction/dever Species: Rat Application Route Method: OECD Te Result: negative	
E	Effects	on fetal development	:	Species: Rat Application Route Result: negative	o-fetal development : Ingestion on data from similar materials

STOT-single exposure

Not classified based on available information.



Version 8.0	Revision Date: 28.09.2024	SDS Number: 26093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
STOT	-repeated exposure		
Caus expos	U U	(Liver, Bone, Blood,	Endocrine system) through prolonged or repeated
	es damage to organs	(Endocrine system,	Blood) through prolonged or repeated exposure if
Com	ponents:		
	ydroxyestra-4,9,11-		ate:
	es of exposure	: Ingestion	rotom Blood
	et Organs ssment	: Endocrine sy : Causes dam exposure.	age to organs through prolonged or repeated
Estra	diol:		
	et Organs		Blood, Endocrine system
Asses	ssment	: Causes dam exposure.	age to organs through prolonged or repeated
Repe	ated dose toxicity		
Com	oonents:		
	ydroxyestra-4,9,11-		ate:
Speci		: Pig	
NOAE LOAE		: 0,004 mg/kg : 0,08 mg/kg	
	sure time	: 14 Weeks	
Targe	et Organs	: Testis, Ovar	y, Liver, Uterus (including cervix)
Speci		: Rat	
NOAE LOAE		: 0,04 mg/kg	
	cation Route	: 3,6 mg/kg : Oral	
Expo	sure time	: 23 Weeks	
	et Organs	: Blood	
Speci		: Monkey, fem	nale
NOA		: 0,01 mg/kg	
LOAE	L Cation Route	: 0,04 mg/kg : Oral	
	sure time	: 122 Days	
	et Organs		ductive organs
Spec		: Monkey, ma	
NOA		: 0,002 mg/kg	
LOAE	L Cation Route	: 0,04 mg/kg : Oral	
	sure time	: 30 Days	
	et Organs		uctive organs
Speci		: Rat	
		: 0,05 mg/kg	
LOAE	IL.	: 0,1 mg/kg	



Trenbolone / Estradiol LA Formulation

rsion)	Revision Date: 28.09.2024	SDS Number: 26093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014					
Applic	cation Route	: Oral						
	sure time	: 3 Months						
Target Organs		: male reprodu	: male reproductive organs, Ovary, Uterus (including cervix)					
Estra	diol:							
Speci	es	: Rat						
LOAE		: >= 0,17 mg/k	g					
	cation Route	: Ingestion						
	sure time	: 90 d						
Targe	et Organs		and, Ovary, Uterus (including cervix), Liver, Bon stem, Blood, Testis					
Magn	esium stearate:							
Speci		: Rat						
NOAE		: > 100 mg/kg						
	cation Route	: Ingestion						
	sure time	: 90 Days	te from cimiler motoriale					
Rema	arks	: Based on dat	ta from similar materials					
Not cl Expe	ation toxicity lassified based on ava rience with human e ponents:							
Not cl Expe Comp	lassified based on ava rience with human e <u>ponents:</u> hydroxyestra-4,9,11-1	xposure trien-3-one 17-aceta : Symptoms: n						
Not cl Exper Comr 17β-h	lassified based on ava rience with human e <u>ponents:</u> hydroxyestra-4,9,11-6 tion	xposure trien-3-one 17-aceta						
Not cl Exper Comr 17β-h Inges Estra	lassified based on ava rience with human e <u>conents:</u> hydroxyestra-4,9,11-t tion diol:	xposure trien-3-one 17-aceta : Symptoms: n in libido	nale reproductive effects, gynecomastia, change					
Not cl Exper Comr 17β-h Inges Estra	lassified based on ava rience with human e <u>conents:</u> hydroxyestra-4,9,11-t tion diol: ation	xposure trien-3-one 17-aceta : Symptoms: n in libido : Symptoms: ti	nale reproductive effects, gynecomastia, change ngling, Nose bleeding					
Not cl Exper Comr 17β-h Inges Estra	lassified based on ava rience with human e <u>conents:</u> hydroxyestra-4,9,11-t tion diol: ation contact	xposure trien-3-one 17-aceta : Symptoms: n in libido : Symptoms: ti : Symptoms: S : Symptoms: H ness, Vomitir	nale reproductive effects, gynecomastia, change ngling, Nose bleeding Skin irritation, Redness, pruritis leadache, Gastrointestinal disturbance, Dizzi- ng, Diarrhea, water retention, liver function					
Not cl Exper Comr 17β-h Inges Estra Skin c Inhala	lassified based on ava rience with human e <u>conents:</u> hydroxyestra-4,9,11-t tion diol: ation contact	xposure trien-3-one 17-aceta : Symptoms: n in libido : Symptoms: ti : Symptoms: S : Symptoms: H ness, Vomitir change, char ularities	nale reproductive effects, gynecomastia, change ngling, Nose bleeding Skin irritation, Redness, pruritis leadache, Gastrointestinal disturbance, Dizzi- ng, Diarrhea, water retention, liver function					
Not cl Exper Comr 17β-h Inges Estra Skin c Inges	lassified based on ava rience with human e <u>conents:</u> hydroxyestra-4,9,11-t tion diol: ation contact tion	xposure trien-3-one 17-aceta : Symptoms: n in libido : Symptoms: ti : Symptoms: S : Symptoms: H ness, Vomitir change, char ularities	nale reproductive effects, gynecomastia, change ngling, Nose bleeding Skin irritation, Redness, pruritis leadache, Gastrointestinal disturbance, Dizzi- ng, Diarrhea, water retention, liver function					
Not cl Exper Comr 17β-h Inges Estra Skin c Inges CTION Ecoto	assified based on ava rience with human e <u>ponents:</u> hydroxyestra-4,9,11-4 tion diol: ation contact tion	xposure trien-3-one 17-aceta : Symptoms: n in libido : Symptoms: ti : Symptoms: S : Symptoms: H ness, Vomitir change, char ularities	nale reproductive effects, gynecomastia, change ngling, Nose bleeding Skin irritation, Redness, pruritis leadache, Gastrointestinal disturbance, Dizzi- ng, Diarrhea, water retention, liver function					
Not cl Exper Comr 17β-h Inges Estra Inhala Skin c Inges CTION Ecoto Comr	lassified based on ava rience with human e <u>ponents:</u> hydroxyestra-4,9,11-4 tion diol: ation contact tion	xposure trien-3-one 17-aceta : Symptoms: n in libido : Symptoms: ti : Symptoms: S : Symptoms: H ness, Vomitir change, char ularities	nale reproductive effects, gynecomastia, change ngling, Nose bleeding Skin irritation, Redness, pruritis leadache, Gastrointestinal disturbance, Dizzi- ng, Diarrhea, water retention, liver function nges in libido, breast tenderness, menstrual irreg					
Not cl Exper Comr 17β-h Inges Estra Inhala Skin c Inges CTION Ecoto Comr 17β-h	lassified based on ava rience with human e <u>ponents:</u> hydroxyestra-4,9,11-4 tion diol: ation contact tion 12. ECOLOGICAL IN pxicity	trien-3-one 17-aceta Symptoms: n in libido Symptoms: ti Symptoms: S Symptoms: S Symptoms: F ness, Vomitir change, char ularities IFORMATION trien-3-one 17-aceta - : NOEC (Pime mg/l Exposure tim Method: OEC	nale reproductive effects, gynecomastia, change ngling, Nose bleeding Skin irritation, Redness, pruritis leadache, Gastrointestinal disturbance, Dizzi- ng, Diarrhea, water retention, liver function nges in libido, breast tenderness, menstrual irreg					



ersion 0	Revision Date: 28.09.2024		0S Number: 093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
Estrad	diol:			
Toxicit	ty to fish	:	LC50 (Oryzias lati Exposure time: 96	pes (Japanese medaka)): 3,9 mg/l 5 h
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 2,7 mg/l s h
Toxicit plants	ty to algae/aquatic	:	NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
			EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD Te	
Toxicit icity)	ty to fish (Chronic tox-	:	NOEC (Oryzias la Exposure time: 16 Method: OECD Te	
aquati	ty to daphnia and other c invertebrates (Chron-	:	NOEC (Daphnia n Exposure time: 21	nagna (Water flea)): 0,2 mg/l d
	tor (Chronic aquatic	:	1.000	
toxicity Toxicit	y) ty to microorganisms	:	EC50: > 100 mg/l Exposure time: 3 Test Type: Respir Method: OECD Te	ation inhibition
			NOEC: 100 mg/l Exposure time: 3 Test Type: Respir Method: OECD Te	ation inhibition
	esium stearate:			
	ty to fish	:	Exposure time: 48 Method: DIN 3841	
	ty to daphnia and other c invertebrates	:	Exposure time: 47 Test substance: W Method: Directive	Vater Accommodated Fraction 67/548/EEC, Annex V, C.2. on data from similar materials
Toxicit plants	ty to algae/aquatic	:	mg/l Exposure time: 72	Vater Accommodated Fraction



ersion D	Revision Date: 28.09.2024		DS Number: 093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014
			Remarks: Based No toxicity at the	on data from similar materials limit of solubility.
			mg/l Exposure time: 7 Test substance: Method: OECD 1	kirchneriella subcapitata (green algae)): > 2 h Water Accommodated Fraction Test Guideline 201 on data from similar materials
Toxici	ty to microorganisms	:	Exposure time: 1 Test substance:	onas putida): > 100 mg/l 6 h Water Accommodated Fraction on data from similar materials
Persi	stence and degradabi	lity		
<u>Comp</u>	oonents:			
Estra				
Biode	gradability	:	Result: rapidly de Biodegradation: Exposure time: 2	84 %
Magn	esium stearate:			
Biode	gradability	:	Result: Not biode Remarks: Based	gradable on data from similar materials
Bioac	cumulative potential			
Comp	oonents:			
17β-h	ydroxyestra-4,9,11-tri	en-3	one 17-acetate:	
octan	on coefficient: n- ol/water	:	log Pow: 3,77	
	diol: on coefficient: n- ol/water	:	log Pow: 4,01	
Partiti	esium stearate: on coefficient: n- ol/water	:	log Pow: > 4	
	ity in soil			
<u>Comp</u>	oonents:			
Estra	diol:			
	oution among environ- al compartments	:	log Koc: 3,81	
	adverse effects ta available			



Version 8.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 16.11.202326093-00023Date of first issue: 28.10.2014						
SECTION 13. DISPOSAL CONSIDERATIONS								
Dispo	sal methods							
-	from residues	: Do not dispose of waste into sewer.						
Contai	minated packaging	 Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. 						
SECTION '	14. TRANSPORT INFO	MATION						
Intern	ational Regulations							
UNRT	DG							
UN nu Bropol		: UN 3077 : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SO						
Fiopei	r shipping name	N.O.S.	JLID,					
		(Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-ace	etate)					
Class Packir	ng group	: 9 : III						
Labels		: 9						
Enviro	nmentally hazardous	: yes						
IATA-								
UN/ID		: UN 3077						
Prope	r shipping name	: Environmentally hazardous substance, solid, n.o.s. (Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-ace	etate)					
	ng group	: 9 : III						
Labels		: Miscellaneous						
Packir aircraf	ng instruction (cargo t)	: 956						
Packir ger air	ng instruction (passen-	: 956						
Ĕnviro	nmentally hazardous	: yes						
IMDG-								
UN nu								
Proper	r shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, S(N.O.S.	JLID,					
		(Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-ace	tate)					
Class		: 9						
Packir Labels	ng group	: III : 9						
EmS (: 5-A, S-F						
	e pollutant	: yes						
Trans	port in bulk according	to Annex II of MARPOL 73/78 and the IBC Code						
Not ap	plicable for product as	upplied.						
Dome	stic regulation							
ANTT								
UN nu		: UN 3077						
Prope	r shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SO N.O.S.	JLID,					



Version 8.0	Revision Date: 28.09.2024		DS Number: 093-00023	Date of last issue: 16.11.2023 Date of first issue: 28.10.2014					
Labe	ing group		 (Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate) 9 III 9 9 90 						
The t base Shee	Special precautions for user The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.								
	SECTION 15. REGULATORY INFORMATION								
	Safety, health and environmental regulations/legislation specific for the substance or mixture								
	National List of Carcinogenic Agents for Humans - : Not applicable (LINACH)								
	Brazil. List of chemicals controlled by the Federal : Not applicable Police								
The i AICS	The ingredients of this product are reported in the following inventories: AICS : not determined								
DSL									
		•	not determined						
IECS	С	:	not determined						
SECTION	SECTION 16. OTHER INFORMATION								
	sion Date format	:	28.09.2024 dd.mm.yyyy						
Furth	ner information								
comp	ces of key data used to bile the Material Safety Sheet	:		data, data from raw material SDSs, OECD arch results and European Chemicals Agen- ropa.eu/					
	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.								
Full t	Full text of other abbreviations								
ACG	IH	:	USA. ACGIH Thr	eshold Limit Values (TLV)					
ACG	IH / TWA	:	8-hour, time-weig	hted average					
Land Carci Stand	AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;								



Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2023
8.0	28.09.2024	26093-00023	Date of first issue: 28.10.2014

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8