according to GB/T 16483 and GB/T 17519



### Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Trenbolone / Estradiol LA Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

**Appearance** : powder

Colour: No data availableOdour: No data available

May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

**GHS Classification** 

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1A

Specific target organ toxicity - :

repeated exposure

: Category 1

\_\_\_\_\_\_

Short-term (acute) aquatic : Category 3

hazard

Long-term (chronic) aquatic : Category 1

hazard

according to GB/T 16483 and GB/T 17519



### Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

#### **GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs through prolonged or repeated

exposure.

H402 Harmful to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P203 Obtain, read and follow all safety instructions before use.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P318 IF exposed or concerned, get medical advice.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

according to GB/T 16483 and GB/T 17519



## Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
17β-hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	>= 50 -< 70
Estradiol	50-28-2	>= 2.5 -< 10
Magnesium stearate	557-04-0	>= 1 -< 10

#### 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of contact, immediately flush skin with soap and plenty In case of skin contact

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

Contact with dust can cause mechanical irritation or drying of

and effects, both acute and

the skin.

Dust contact with the eyes can lead to mechanical irritation.

May cause cancer.

May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

delayed

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

according to GB/T 16483 and GB/T 17519



### Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

### Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

according to GB/T 16483 and GB/T 17519



### Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

**Storage** 

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
17β-hydroxyestra-4,9,11-trien-	10161-34-9	TWA	0.2 μg/m3 (OEB	Internal	
3-one 17-acetate			5)		
		Wipe limit	2 μg/100 cm <sup>2</sup>	Internal	
Estradiol	50-28-2	TWA	0.05 µg/m3 (OEB 5)	Internal	
	Further information: Skin				
		Wipe limit	0.5 μg/100 cm <sup>2</sup>	Internal	
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH	
		TWA (Respirable particulate mat-	3 mg/m3	ACGIH	

according to GB/T 16483 and GB/T 17519



## Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

ter)

### **Engineering measures**

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

according to GB/T 16483 and GB/T 17519



### Trenbolone / Estradiol LA Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/12/03

 10.0
 2025/04/14
 26100-00026
 Date of first issue: 2014/10/28

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

according to GB/T 16483 and GB/T 17519



# **Trenbolone / Estradiol LA Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 2025/04/14 26100-00026 Date of first issue: 2014/10/28 10.0

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

### 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

products

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

Oxidizing agents

No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes Inhalation

> Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

according to GB/T 16483 and GB/T 17519



# **Trenbolone / Estradiol LA Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 2025/04/14 26100-00026 10.0 Date of first issue: 2014/10/28

### **Components:**

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): 2,700 mg/kg

**Estradiol:** 

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute toxicity (other routes of : LD50 (Rat): > 300 mg/kg

administration)

Application Route: Subcutaneous

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

### Magnesium stearate:

Species : Rabbit

Result No skin irritation

Remarks Based on data from similar materials

#### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

**Estradiol:** 

Result No eye irritation

Magnesium stearate:

Species Rabbit

Result No eye irritation

Remarks Based on data from similar materials

according to GB/T 16483 and GB/T 17519



# **Trenbolone / Estradiol LA Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 26100-00026 10.0 2025/04/14 Date of first issue: 2014/10/28

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

### **Components:**

### **Estradiol:**

Exposure routes : Skin contact Species

: Guinea pig: Does not cause skin sensitisation. Assessment

Result : negative

### Magnesium stearate:

Test Type : Maximisation Test Exposure routes Skin contact Species Guinea pig

: OECD Test Guideline 406 Method

Result negative

Remarks Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Test system: Salmonella typhimurium

Result: negative

Test Type: Micronucleus test

Test system: Chinese hamster fibroblasts

Result: negative

Genotoxicity in vivo Test Type: Micronucleus test

> Species: Mouse Result: negative

Test Type: Micronucleus test

Species: Rat Result: negative

Germ cell mutagenicity -

: Weight of evidence does not support classification as a germ

Assessment cell mutagen.

#### **Estradiol:**

according to GB/T 16483 and GB/T 17519



### Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro) Test system: mammalian cells

Result: positive

Test Type: Chromosome aberration test in vitro

Test system: mammalian cells

Result: positive

Test Type: Chromosomal aberration Test system: mammalian cells

Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow Result: negative

Test Type: Chromosomal aberration

Species: Mouse

Cell type: Bone marrow

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

### Carcinogenicity

May cause cancer.

#### **Components:**

#### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Species : Mouse, male and female

Application Route : Oral
Result : positive
Target Organs : Liver

Species : Rat, male and female

Application Route : Oral

according to GB/T 16483 and GB/T 17519



## Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

Result positive Target Organs **Pancreas** 

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in animal studies

**Estradiol:** 

Species Mouse Application Route Ingestion Exposure time 24 Months LOAEL 100 µg/kg positive Result

Target Organs female reproductive organs

Species Rat

Subcutaneous Application Route Exposure time 13 weeks

LOAEL : 20 mg/kg body weight

Result : positive

Target Organs : Endocrine system

ment

Carcinogenicity - Assess- : Positive evidence from human epidemiological studies

### Reproductive toxicity

May damage fertility. May damage the unborn child.

### **Components:**

### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

: Test Type: Two-generation study Effects on fertility

Species: Rat

Application Route: Oral

Fertility: LOAEL: 0.18 mg/kg body weight

Result: Postimplantation loss.

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: oral (feed)

Developmental Toxicity: LOAEL: 20 mg/kg body weight

Result: Malformations were observed.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experi-

ments.

**Estradiol:** 

Effects on fertility Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Fertility: LOAEL: 0.5 mg/kg body weight

according to GB/T 16483 and GB/T 17519



### Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

Result: Effects on fertility

Test Type: One-generation reproduction toxicity study

Species: Rat

Duration of Single Treatment: 90 d Fertility: LOAEL: 0.69 mg/kg body weight

Result: Effects on fertility

Test Type: Two-generation study

Species: Mouse

Application Route: Oral

Fertility: LOAEL: 0.1 mg/kg body weight

Result: Effects on fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse, female

Application Route: Subcutaneous

Teratogenicity: LOAEL: 4 mg/kg body weight Symptoms: Malformations were observed. Result: positive, Teratogenic effects

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Subcutaneous

Teratogenicity: LOAEL: 2.5 µg/kg body weight

Symptoms: Reduced body weight

Result: positive, Embryotoxic effects and adverse effects on

the offspring were detected.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 0.2 mg/kg body weight Symptoms: Early Resorptions / resorption rate, Reduced

number of viable fetuses, Reduced body weight

Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - As-

sessment

May damage fertility. May damage the unborn child.

### Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

according to GB/T 16483 and GB/T 17519



## Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### **Components:**

#### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Exposure routes : Ingestion

Target Organs : Endocrine system, Blood

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### **Estradiol:**

Target Organs : Liver, Bone, Blood, Endocrine system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

#### **Components:**

### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Species : Pig

 NOAEL
 : 0.004 mg/kg

 LOAEL
 : 0.08 mg/kg

 Exposure time
 : 14 Weeks

Target Organs : Testis, Ovary, Liver, Uterus (including cervix)

Species : Rat

NOAEL : 0.04 mg/kg
LOAEL : 3.6 mg/kg
Application Route : Oral
Exposure time : 23 Weeks
Target Organs : Blood

Species : Monkey, female
NOAEL : 0.01 mg/kg
LOAEL : 0.04 mg/kg
Application Route : Oral
Exposure time : 122 Days

Target Organs : female reproductive organs

Species : Monkey, male NOAEL : 0.002 mg/kg

according to GB/T 16483 and GB/T 17519



### Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 2025/04/14 26100-00026 10.0 Date of first issue: 2014/10/28

LOAEL 0.04 mg/kg Application Route Oral 30 Days

Exposure time Target Organs : male reproductive organs

Species Rat

Species
NOAEL
LOAEL
Application Route 0.05 mg/kg 0.1 mg/kg Oral 3 Months

Target Organs male reproductive organs, Ovary, Uterus (including cervix)

**Estradiol:** 

Species Rat

LOAEL >= 0.17 mg/kgApplication Route Ingestion Exposure time 90 d

Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone,

Endocrine system, Blood, Testis

Magnesium stearate:

Species Rat

NOAEL > 100 mg/kg Application Route : Ingestion Exposure time 90 Days

Remarks Based on data from similar materials

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Ingestion Symptoms: male reproductive effects, gynecomastia, changes

in libido

**Estradiol:** 

Inhalation Symptoms: tingling, Nose bleeding

Skin contact Symptoms: Skin irritation, Redness, pruritis

Ingestion Symptoms: Headache, Gastrointestinal disturbance, Dizzi-

ness, Vomiting, Diarrhoea, water retention, liver function change, changes in libido, breast tenderness, menstrual irreg-

ularities

according to GB/T 16483 and GB/T 17519



## Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Components:**

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 0.000035

icity) mg/l

Exposure time: 21 d

Method: OECD Test Guideline 229

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic :

toxicity)

: 1,000

**Estradiol:** 

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.7 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): 0.000003 mg/l

Exposure time: 160 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

aqualic iliverle

NOEC (Daphnia magna (Water flea)): 0.2 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

ic toxicity)

1,000

ivi-Factor (Critoriic aquati

Toxicity to microorganisms

toxicity)

EC50: > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 100 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

according to GB/T 16483 and GB/T 17519



## **Trenbolone / Estradiol LA Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

П

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Persistence and degradability

**Components:** 

**Estradiol:** 

Biodegradability : Result: rapidly degradable

Biodegradation: 84 % Exposure time: 24 hrs

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

according to GB/T 16483 and GB/T 17519



## Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 2025/04/14 26100-00026 10.0 Date of first issue: 2014/10/28

#### Bioaccumulative potential

## Components:

### 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Partition coefficient: n-

octanol/water

: log Pow: 3.77

**Estradiol:** 

Partition coefficient: n-

octanol/water

log Pow: 4.01

Magnesium stearate:

Partition coefficient: n-

log Pow: > 4

octanol/water

Mobility in soil

**Components:** 

**Estradiol:** 

Distribution among environ- : log Koc: 3.81

mental compartments

Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

### International Regulations

**UNRTDG** 

**UN** number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)

Class 9 Packing group Ш Labels 9 Environmentally hazardous yes

**IATA-DGR** 

UN/ID No. **UN 3077** 

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

according to GB/T 16483 and GB/T 17519



## Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

(Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

### GB 6944/12268

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : no

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 15. REGULATORY INFORMATION

## **National regulatory information**

### Law on the Prevention and Control of Occupational Diseases

#### **Regulations on Safety Management of Hazardous Chemicals**

Catalogue of Hazardous Chemicals : This product is not listed in the cata-

logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de-

termination.

according to GB/T 16483 and GB/T 17519



## Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Catalogue of Specially Controlled Hazardous Chemi- : Not listed

cals

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

**Regulation on the Administration of Precursor Chemicals** 

Catalogue and Classification of Precursor Chemicals : Not listed

**Yangtze River Protection Law** 

This product does not contain any dangerous chemicals prohibited for inland river transport.

**Regulations of Ozone Depleting Substances Management** 

List of Controlled Ozone Depleting Substances Import : Not listed

and Export

List of Controlled Ozone Depleting Substances : Not listed

**Environmental Protection Law** 

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

**16. OTHER INFORMATION** 

Revision Date : 2025/04/14

according to GB/T 16483 and GB/T 17519



### Trenbolone / Estradiol LA Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

#### **Further information**

Sources of key data used to compile the Safety Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only

according to GB/T 16483 and GB/T 17519



# **Trenbolone / Estradiol LA Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/12/03 10.0 2025/04/14 26100-00026 Date of first issue: 2014/10/28

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN