



Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
8.2	16.11.2023	26113-00022	Date of first issue: 28.10.2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Trenbolone / Estradiol LA Formulation Manufacturer or supplier's details

manalastarsi er sappner s								
Company name of supplier	:	MSD						
Address	:	126 E. Lincoln Avenue						
		Rahway, New Jersey U.S.A. 07065						
Telephone	:	908-740-4000						
Emergency telephone	:	1-908-423-6000						
E-mail address	:	EHSDATASTEWARD@msd.com						
Recommended use of the chemical and restrictions on use								

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Carcinogenicity	:	Category 1A
Reproductive toxicity	:	Category 1A
Specific target organ toxicity - repeated exposure	:	Category 1 (Liver, Bone, Blood, Endocrine system)
Specific target organ toxicity - repeated exposure (Oral)	:	Category 1 (Endocrine system, Blood)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	 H350 May cause cancer. H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure. H372 Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.
Precautionary Statements	:	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.





ersion .2	Revision Date: 16.11.2023	SDS Number: 26113-00022		ssue: 29.09.2023 ssue: 28.10.2014				
		P280 Wear pr face protectio		rotective clothing/ eye protection				
		Response: P308 + P313 attention.	IF exposed or con	cerned: Get medical advice/				
		Storage: P405 Store lo	Storage: P405 Store locked up.					
		Disposal: P501 Dispose posal plant.	e of contents/ conta	ainer to an approved waste dis-				
Dust Conta May f	act with dust can caus form explosive dust-a 3. COMPOSITION/I	can lead to mechanic se mechanical irritation ir mixture during proce	n or drying of the s essing, handling or					
	tance / Mixture	: Mixture						
	ponents							
	nical name		CAS-No.	Concentration (% w/w)				
		ien-3-one 17-acetate	10161-34-9	>= 50 -< 70				
Estra	-		50-28-2	>= 5 -< 10				
Magn	esium stearate		557-04-0	>= 1 -< 5				
ECTION	4. FIRST AID MEAS	URES						
Gene	advice	advice immed	liately.	feel unwell, seek medical cases of doubt seek medical				

		advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes.
		Get medical attention.
		Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention.
		Rinse mouth thoroughly with water.
Most important symptoms	:	May cause cancer.
and effects, both acute and		May damage fertility. May damage the unborn child.
delayed		Causes damage to organs through prolonged or repeated exposure.
		Contact with dust can cause mechanical irritation or drying of



Version 8.2	Revision Date: 16.11.2023		OS Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
	ction of first-aiders s to physician	:	First Aid respond and use the reco when the potentia	the eyes can lead to mechanical irritation. ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8). ically and supportively.
SECTION	5. FIRE-FIGHTING ME	ASL	IRES	
Suital	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (Dry chemical	
Unsui media	itable extinguishing	:	None known.	
	fic hazards during fire	:	concentrations, a potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a plosion hazard. bustion products may be a hazard to health.
Hazaı ucts	rdous combustion prod-	:	Carbon oxides Metal oxides	
Speci ods	fic extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to c
	al protective equipment e-fighters	:		e, wear self-contained breathing apparatus. tective equipment.
SECTION	6. ACCIDENTAL RELE	ASI	E MEASURES	
tive e	onal precautions, protec- quipment and emer- / procedures	:	Follow safe hand	tective equipment. ling advice (see section 7) and personal nent recommendations (see section 8).
Enviro	onmental precautions	:	Retain and dispo	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages
	ods and materials for inment and cleaning up	:	container for disp Avoid dispersal o with compressed Dust deposits sho surfaces, as thes released into the Local or national disposal of this m employed in the o	f dust in the air (i.e., clearing dust surfaces

determine which regulations are applicable.





Version 8.2	Revision Date: 16.11.2023	SDS Number: 26113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
			nd 15 of this SDS provide information regarding r national requirements.
SECTION	7. HANDLING AND ST	ORAGE	
Tech	nnical measures	causing an ex Provide adequ	ty may accumulate and ignite suspended dust plosion. uate precautions, such as electrical grounding or inert atmospheres.
Loca	l/Total ventilation		ntilation is unavailable, use with local exhaust
	ce on safe handling	: Do not get on Do not breath Do not swallo Avoid contact Wash skin the Handle in acc practice, base assessment Keep containe Keep containe Keep away fre Take precauti Do not eat, dr Take care to p environment.	w. with eyes. proughly after handling. ordance with good industrial hygiene and safety ed on the results of the workplace exposure er tightly closed. generation and accumulation. er closed when not in use. om heat and sources of ignition. onary measures against static discharges. ink or smoke when using this product. prevent spills, waste and minimize release to the
Hygi	ene measures	flushing syste place. When using d Wash contam The effective engineering c appropriate de industrial hygi	chemical is likely during typical use, provide eye ms and safety showers close to the working o not eat, drink or smoke. inated clothing before re-use. operation of a facility should include review of ontrols, proper personal protective equipment, egowning and decontamination procedures, ene monitoring, medical surveillance and the strative controls.
Cond	ditions for safe storage	: Keep in prope Store locked u Keep tightly c	rly labeled containers. .p.
Mate	erials to avoid	: Do not store v Strong oxidizi	with the following product types: ng agents substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis	
------------	---------	------------	-----------------	-------	--

Magnesium stearate



Internal

ACGIH

NOM-010-STPS-2014

Trenbolone / Estradiol LA Formulation

Ver 8.2	sion	Revision Date: 16.11.2023	SDS Number: 26113-00022		t issue: 29.09.2023 t issue: 28.10.2014	
				(Form of	ters / Permissible	
				exposure)	concentration	
	17β-hy	droxyestra-4,9,11-trien	- 10161-34-9	TWA	0.2 µg/m3 (OEB	Internal
	3-one	17-acetate			5)	
				Wipe limit	2 µg/100 cm ²	Internal
	Estrad	iol	50-28-2	TWA	0.05 µg/m3 (OEB	Internal

Further information: Skin

557-04-0

Wipe limit

VLE-PPT

TWA

5)

0.5 µg/100 cm²

10 mg/m³

10 mg/m³

			(Inhalable particulate matter)	ro mg/m²	ACGIT	
			TWA (Respirable particulate matter)	3 mg/m ³	ACGIH	
Engineering measures	:	 Use closed processing systems or containment technologi to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport system are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace. 				
Personal protective equip	ment					
Respiratory protection Filter type Hand protection	:	 If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Particulates type 				
Material	:	Chemical-resi	stant gloves			
Remarks Eye protection	:	If the work en mists or aeros Wear a facesh	lasses with side vironment or act sols, wear the ap nield or other ful	e shields or goggles. tivity involves dusty c opropriate goggles. I face protection if the he face with dusts, n	ere is a	
Skin and body protection	:	aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.				

Use appropriate degowning techniques to remove potentially



Version 3.2	Revision Date: 16.11.2023		S Number: 13-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
			contaminated clot	thing.
SECTIO	N 9. PHYSICAL AND CH	ΞΜΙΟ		S
Арр	earance	:	powder	
Cold	or	:	No data available	e
Odd	r	:	No data available	e
Odc	or Threshold	:	No data available	e
pН		:	No data available	e
Melt	ting point/freezing point	:	No data available	e
Initia ranç	al boiling point and boiling ge	:	No data available	e
Flas	sh point	:	Not applicable	
Eva	poration rate	:	No data available	e
Flar	nmability (solid, gas)	:	May form explos handling or other	ive dust-air mixture during processing, r means.
Flar	nmability (liquids)	:	No data available	e
	er explosion limit / Upper mability limit	:	No data available	e
	er explosion limit / Lower mability limit	:	No data available	e
Vap	or pressure	:	No data available	e
Rela	ative vapor density	:	No data available	e
Rela	ative density	:	No data available	e
Den	sity	:	No data available	e
	ubility(ies) Vater solubility	:	No data available	e
	ition coefficient: n-	:	No data available	e
	nol/water bignition temperature	:	No data available	e
Dec	omposition temperature	:	No data available	e
	cosity /iscosity, kinematic	:	No data available	e
Exp	losive properties	:	Not explosive	



sion	Revision Date: 16.11.2023		0S Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014			
Oxidiz	zing properties	:	The substance	or mixture is not classified as oxidizing.			
Molec	ular weight	:	No data availa	ble			
Partic	le size	:	No data availa	ble			
CTION	10. STABILITY AND RE	EAC	TIVITY				
Reactivity Chemical stability Possibility of hazardous reac- tions		:	Stable under n May form explo handling or oth	as a reactivity hazard. ormal conditions. osive dust-air mixture during processing, er means. strong oxidizing agents.			
Condi	tions to avoid	:	Heat, flames a Avoid dust forr				
Incompatible materials Hazardous decomposition			 Oxidizing agents No hazardous decomposition products are known. 				
produ CTION Inform	cts 11. TOXICOLOGICAL I nation on likely routes		ORMATION				
CTION Inform Inhala Skin c Ingest	cts 11. TOXICOLOGICAL I nation on likely routes ation contact		ORMATION				
produ CTION Inform Inhala Skin c Ingest Eye c Acute	cts 11. TOXICOLOGICAL I nation on likely routes ation contact tion	ofe	ORMATION exposure				
Diright production of the second seco	tts 11. TOXICOLOGICAL I nation on likely routes ation contact tion ontact toxicity assified based on availa	of e	DRMATION exposure information.	stimate: > 5,000 mg/kg			
Diright String S	cts 11. TOXICOLOGICAL I nation on likely routes ation contact tion ontact e toxicity assified based on availa <u>uct:</u>	of e	DRMATION exposure information. Acute toxicity e	stimate: > 5,000 mg/kg			
produ TION Inforr Inhala Skin c Ingest Eye c Acute Not cl <u>Produ</u> Acute <u>Comp</u> 17β-h	tts 11. TOXICOLOGICAL I nation on likely routes ation contact tion ontact toxicity assified based on availa <u>uct:</u> oral toxicity	of e ble : m-3	DRMATION exposure information. Acute toxicity e Method: Calcula	stimate: > 5,000 mg/kg ation method			
produ TION Inforr Inhala Skin c Ingest Eye c Acute Not cl <u>Produ</u> Acute <u>Comp</u> 17β-h	tion contact tion contact tion contact tion contact toxicity assified based on availa <u>uct:</u> oral toxicity conents: ydroxyestra-4,9,11-trie	of e ble : m-3	DRMATION exposure information. Acute toxicity e Method: Calcula	stimate: > 5,000 mg/kg ation method : ,000 mg/kg			
produ TION Inforr Inhala Skin c Ingest Eye c Acute Not cl <u>Produ</u> Acute <u>Comp</u> 17β-h	tts 11. TOXICOLOGICAL I mation on likely routes ation contact tion ontact toxicity assified based on availa <u>uct:</u> oral toxicity oral toxicity oral toxicity	of e ble : m-3	DRMATION exposure information. Acute toxicity e Method: Calcula -one 17-acetate LD50 (Rat): > 5	stimate: > 5,000 mg/kg ation method : ,000 mg/kg			
produ CTION Inform Inhala Skin c Ingest Eye c Acute Not cl Produ Acute Comp 17β-h Acute	tts 11. TOXICOLOGICAL I mation on likely routes ation contact tion ontact toxicity assified based on availa <u>uct:</u> oral toxicity oral toxicity oral toxicity	of e ble : : :	DRMATION exposure information. Acute toxicity e Method: Calcula -one 17-acetate LD50 (Rat): > 5	stimate: > 5,000 mg/kg ation method : ,000 mg/kg 2,700 mg/kg			
produ CTION Inform Inhala Skin c Ingest Eye c Acute Not cl <u>Produ</u> Acute Comp 17β-h Acute Acute Acute	tts 11. TOXICOLOGICAL I nation on likely routes ation contact tion ontact toxicity assified based on availa <u>uct:</u> oral toxicity oral toxicity diol:	of e ble : : :	DRMATION exposure information. Acute toxicity e Method: Calcula -one 17-acetate LD50 (Rat): > 5 LD50 (Mouse): LD50 (Rat): > 2 LD50 (Rat): > 3	stimate: > 5,000 mg/kg ation method : ,000 mg/kg 2,700 mg/kg ,000 mg/kg			



ersion 2	Revision Date: 16.11.2023		0S Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
Acute oral toxicity		:	Assessment: Th icity	Test Guideline 423 e substance or mixture has no acute oral tox-
			Remarks: Based	l on data from similar materials
Acute	e dermal toxicity	:	LD50 (Rabbit): > Remarks: Based	2,000 mg/kg I on data from similar materials
Skin	corrosion/irritation			
Not cl	lassified based on avai	lable	information.	
Com	ponents:			
Magn	esium stearate:			
Speci	ies	:	Rabbit	
Resu		:	No skin irritation	
Rema	arks	:	Based on data f	rom similar materials
Serio	ous eye damage/eye iı	ritati	on	
	lassified based on avai			
Com	ponents:			
Estra	diol:			
Resul		:	No eye irritation	
Mogu				
Speci	nesium stearate:		Rabbit	
Resul		:	No eye irritation	
Rema		:		om similar materials
Resp	iratory or skin sensit	izatio	n	
Skin	sensitization			
-	lassified based on avai	lable	information.	
Resp	iratory sensitization			
	lassified based on avai	lable	information.	
Com	ponents:			
_	diol:			
Estra			.	
	es of exposure	:	Skin contact	
	es of exposure ies	:	Skin contact Guinea pig	
Route Speci		:	Guinea pig Does not cause	skin sensitization.
Route Speci	ies ssment	:	Guinea pig	skin sensitization.
Route Speci Asses Resul	ies ssment	:	Guinea pig Does not cause	skin sensitization.
Route Speci Asses Resul	ies ssment It nesium stearate:	:	Guinea pig Does not cause	
Route Speci Asses Resul Magn Test	ies ssment It nesium stearate: Type es of exposure	:	Guinea pig Does not cause negative Maximization Te Skin contact	
Route Speci Asses Resul	ies ssment It nesium stearate: Type es of exposure ies	:	Guinea pig Does not cause negative Maximization Te	st



Vers 8.2	sion	Revision Date: 16.11.2023		0S Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014		
	Result Remarks		: negative : Based on data from similar materials				
		cell mutagenicity ssified based on availa	able	information.			
	Compo	onents:					
	17β-hy	droxyestra-4,9,11-tri	en-3	-one 17-acetate:			
	Genoto	oxicity in vitro	:		ial reverse mutation assay (AMES) nonella typhimurium		
				Test Type: Micror Test system: Chir Result: negative	nucleus test nese hamster fibroblasts		
	Genoto	oxicity in vivo	:	Test Type: Micror Species: Mouse Result: negative	nucleus test		
				Test Type: Micror Species: Rat Result: negative	nucleus test		
	Germ o Assess	cell mutagenicity - ment	:	Weight of evidend cell mutagen.	e does not support classification as a germ		
	Estrad	iol:					
	Genoto	oxicity in vitro	:	Test Type: DNA c thesis in mammal Test system: man Result: positive			
				Test Type: Chrom Test system: man Result: positive	nosome aberration test in vitro nmalian cells		
				Test Type: Chrom Test system: man Result: positive	nosomal aberration nmalian cells		
	Genoto	oxicity in vivo	:	Test Type: Chrom Species: Rat Cell type: Bone m Result: negative	nosomal aberration arrow		
				Test Type: Chrom Species: Mouse Cell type: Bone m Result: negative	nosomal aberration arrow		

Magnesium stearate:



Trenbolone / Estradiol LA Formulation

rsion	Revision Date: 16.11.2023		DS Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
Genot	toxicity in vitro	:	Result: negativ	itro mammalian cell gene mutation test e ed on data from similar materials
			Method: OECD Result: negativ	omosome aberration test in vitro Test Guideline 473 e ed on data from similar materials
			Result: negativ	eterial reverse mutation assay (AMES) e ed on data from similar materials
	nogenicity ause cancer.			
Comp	oonents:			
17β-h	ydroxyestra-4,9,11-tr	ien-3	one 17-acetate	2:
Resul	ation Route	:	Mouse, male a Oral positive Liver	nd female
Speci	05		Rat, male and	iomalo
	ation Route	÷	Oral	
Resul		:	positive	
Targe	t Organs	:	Pancreas	
Carcir ment	nogenicity - Assess-	:	Limited eviden	ce of carcinogenicity in animal studies
Estra	diol:			
Speci		:	Mouse	
	ation Route	:	Ingestion	
LOAE	sure time	:	24 Months 100 µg/kg	
Resul		÷	positive	
Targe	t Organs	:	female reprodu	ctive organs
Speci	es	:	Rat	
Applic	ation Route	:	Subcutaneous	
	sure time	:	13 weeks	
LOAE		:	20 mg/kg body	weight
Resul Targe	t t Organs	:	positive Endocrine syst	em
Carcir ment	nogenicity - Assess-	:	Positive evider	ce from human epidemiological studies

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:



Versio 8.2	n Revision Date: 16.11.2023		0S Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
E	Effects on fertility Effects on fetal development Reproductive toxicity - As- sessment		Test Type: Two-g Species: Rat Application Route Fertility: LOAEL: 0 Result: Postimpla	: Oral 0.18 mg/kg body weight
E			Species: Rat Application Route Developmental To	o-fetal development : oral (feed) oxicity: LOAEL: 20 mg/kg body weight ions were observed.
			fertility, based on	adverse effects on sexual function and animal experiments., Some evidence of development, based on animal
E	stradiol			
	Estradiol: Effects on fertility		Species: Rat Application Route	0.5 mg/kg body weight
			Species: Rat Duration of Single	0.69 mg/kg body weight
			Test Type: Two-ge Species: Mouse Application Route Fertility: LOAEL: 0 Result: Effects on	: Oral).1 mg/kg body weight
E	fects on fetal development	t :	Species: Mouse, f Application Route Teratogenicity: LC Symptoms: Malfor	
			Species: Rat Application Route Teratogenicity: LC Symptoms: Reduc	DAEL: 2.5 μg/kg body weight ced body weight mbryotoxic effects and adverse effects on
			Test Type: Embry Species: Rat Application Route	o-fetal development : Subcutaneous



Versio 8.2	n Revision Date: 16.11.2023		0S Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
			Symptoms: Earl number of viable Result: Embryot	Toxicity: LOAEL: 0.2 mg/kg body weight y Resorptions / resorption rate., Reduced e fetuses., Reduced body weight oxic effects and adverse effects on the etected only at high maternally toxic doses
	Reproductive toxicity - As- sessment		: May damage fertility. May damage the unborn child.	
N	lagnesium stearate:			
E	ffects on fertility	:	reproduction/dev Species: Rat Application Rout Method: OECD Result: negative	Test Guideline 422
E	ffects on fetal developme	nt :	Species: Rat Application Rout Result: negative	0

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Routes of exposure	:	Ingestion
Target Organs	:	Endocrine system, Blood
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

Estradiol:

Target Organs	:	Liver, Bone, Blood, Endocrine system
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

Repeated dose toxicity

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Species	:	Pig
NOAEL	:	0.004 mg/kg
LOAEL	:	0.08 mg/kg



Version 8.2	Revision Date: 16.11.2023	SDS Number: 26113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014						
	sure time t Organs	: 14 Weeks : Testis, Ovary,	14 WeeksTestis, Ovary, Liver, Uterus (including cervix)						
Expos	EL	: Rat : 0.04 mg/kg : 3.6 mg/kg : Oral : 23 Weeks : Blood	: 0.04 mg/kg : 3.6 mg/kg : Oral : 23 Weeks						
Expos	EL	: 0.01 mg/kg : 0.04 mg/kg : Oral : 122 Days	: 0.04 mg/kg : Oral						
Expos	EL	: Monkey, male : 0.002 mg/kg : 0.04 mg/kg : Oral : 30 Days : male reproduc							
Expos	EL	: Rat : 0.05 mg/kg : 0.1 mg/kg : Oral : 3 Months : male reproduc	ctive organs, Ovary, Uterus (including cervix)						
Expos	es	: Ingestion : 90 d : Mammary gla	: >= 0.17 mg/kg : Ingestion						
Speci NOAE Applic	EL cation Route sure time	: Rat : > 100 mg/kg : Ingestion : 90 Days : Based on data	a from similar materials						

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:



Version 8.2	Revision Date: 16.11.2023	-	0S Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014			
Inge	stion	:	: Symptoms: male reproductive effects, gynecomastia, cl in libido				
Inha Skin	adiol: lation contact stion	:	Symptoms: tingling, Nose bleeding Symptoms: Skin irritation, Redness, pruritis Symptoms: Headache, Gastrointestinal disturbance, Dizzi- ness, Vomiting, Diarrhea, water retention, liver function change, changes in libido, breast tenderness, menstrual irreg- ularities				
SECTION	12. ECOLOGICAL INFO	ORN	IATION				
Ecot	oxicity						
Com	ponents:						
17β-	hydroxyestra-4,9,11-trie	en-3	-one 17-acetate:				
Toxic icity)	city to fish (Chronic tox-	:	mg/l Exposure time: 2 ⁻ Method: OECD T				
Estr	adiol:						
Τοχί	city to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l Exposure time: 96 h				
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 2.7 mg/l 3 h			
	Toxicity to algae/aquatic plants		 NOEC (Pseudokirchneriella subcapitata (green algae mg/l Exposure time: 72 h Method: OECD Test Guideline 201 				
			EC50 (Pseudokiro mg/l Exposure time: 72 Method: OECD T				
Toxic icity)	city to fish (Chronic tox-	:	NOEC (Oryzias la Exposure time: 16 Method: OECD T				
aqua	city to daphnia and other atic invertebrates (Chron-		NOEC (Daphnia r Exposure time: 2 ⁴	nagna (Water flea)): 0.2 mg/l I d			
	kicity) city to microorganisms	:	EC50: > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209				
			NOEC: 100 mg/l				

14 / 19



Vers 8.2	ion	Revision Date: 16.11.2023		S Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014	
				Exposure time: 3 Test Type: Respir Method: OECD Te	ation inhibition	
	Magnes	sium stearate:				
	Toxicity to fish		:	Exposure time: 48 Method: DIN 384		
	Toxicity to daphnia and other aquatic invertebrates		:	EL50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 47 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials No toxicity at the limit of solubility.		
	Toxicity plants	to algae/aquatic	:	mg/l Exposure time: 72 Test substance: V Method: OECD Te	Vater Accommodated Fraction est Guideline 201 on data from similar materials	
				mg/l Exposure time: 72 Test substance: V Method: OECD Te	Vater Accommodated Fraction	
	Toxicity	to microorganisms	:	Exposure time: 16 Test substance: V	nas putida): > 100 mg/l 5 h Vater Accommodated Fraction on data from similar materials	
	Persist	ence and degradabil	ity			
	<u>Compo</u>	onents:				
	Estradi Biodegr	ol: radability	:	Result: rapidly de Biodegradation: 8 Exposure time: 24	34 %	
	Magne	sium stoarata.				
	-	sium stearate: radability	:	Result: Not biode Remarks: Based o	gradable on data from similar materials	





Version 8.2	Revision Date: 16.11.2023	SDS Number: 26113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
Bioa	ccumulative potential		
<u>Com</u>	ponents:		
17β-I	hydroxyestra-4,9,11-tri	en-3-one 17-acetate	
	tion coefficient: n- nol/water	: log Pow: 3.77	
Estra	adiol:		
	tion coefficient: n- nol/water	: log Pow: 4.01	
Magr	nesium stearate:		
	tion coefficient: n- nol/water	: log Pow: > 4	
Mobi	ility in soil		
<u>Com</u>	ponents:		
Estra	adiol:		
	bution among environ- al compartments	: log Koc: 3.81	
Othe	r adverse effects		
No da	ata available		

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class		(Estradiol, 17p-hydroxyestra-4,9,11-then-5-one 17-acetate) 9
Packing group	÷	
Labels	÷	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Estradiol, 17β-hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class	:	9
Packing group	:	III



Versio 8.2	on	Revision Date: 16.11.2023		OS Number: 113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
P a P g	aircraft) Packing ger airc	g instruction (passen-	:	Miscellaneous 956 956 yes	
U P C P L E	Class Packing Labels EmS Co	nber shipping name g group	: : : : : : : : : : : : : : : : : : : :	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID, rdroxyestra-4,9,11-trien-3-one 17-acetate)
	•	ort in bulk according			OL 73/78 and the IBC Code
D	Domes	tic regulation			
U P C P	JN nun Proper Class	02-SCT nber shipping name g group	:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID, ydroxyestra-4,9,11-trien-3-one 17-acetate)
		I precautions for use	r.	9	
T b S	The trai based u Sheet.	nsport classification(s)	pro the catio	unpackaged mater	or informational purposes only, and solely ial as it is described within this Safety Data ode of transportation, package sizes, and

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined





Version 8.2	Revision Date: 16.11.2023	SDS Number: 26113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014	

SECTION 16. OTHER INFORMATION

Revision Date Date format	:	16.11.2023 dd.mm.yyyy
Full text of other abbreviation	ons	
ACGIH NOM-010-STPS-2014		USA. ACGIH Threshold Limit Values (TLV) Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Con- trol - Appendix 1 Occupational Exposure Limits
ACGIH / TWA NOM-010-STPS-2014 / VLE- PPT		8-hour, time-weighted average Time weighted average limit value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.



VersionRevision Date:SDS Number:Date of last issue: 29.09.20238.216.11.202326113-00022Date of first issue: 28.10.2014	Version 8.2	Revision Date: 16.11.2023	SDS Number: 26113-00022	Date of last issue: 29.09.2023 Date of first issue: 28.10.2014
---	----------------	---------------------------	-------------------------	---

MX / Z8