According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Triclabendazole / Abamectin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Walton Manor, Walton

MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

exposure, Category 2 longed or repeated exposure.

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

gory 1

Long-term (chronic) aquatic hazard, Cat- H410: Very toxic to aquatic life with long lasting

egory 1 effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

Hazard pictograms :



¥2

Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged

or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Triclabendazole

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Triclabendazole	68786-66-3	STOT RE 2; H373 (Liver, Blood)	>= 10 - < 20
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 0.1 - < 1
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2 606-143-00-0	Acute Tox. 2; H300 Acute Tox. 1; H330 Acute Tox. 3; H311 Repr. 2; H361fd STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.0025 - < 0.025

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

sion	Revision Date: 06.07.2024	SDS Number: 9374247-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021
			M-Factor (Acute aquatic toxicity): 10,000 M-Factor (Chronic aquatic toxicity): 10,000 specific concentration limit STOT RE 1; H372 >= 5 % STOT RE 2; H373 0.5 - < 5 %
Subst	tances with a workpla	ce exposure limit :	
Silico	n dioxide	7631-86-9	>= 1 - < 10
		231-545-4	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

: Flush eyes with water as a precaution. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

> Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks May cause damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Gases

7.3 Specific end use(s)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Triclabendazole	68786-66-3	TWA	30 μg/m3 (OEB 3)	Internal
	Further information: DSEN			
		Wipe limit	100 μg/100 cm2	Internal
Silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
		TWA (Respirable dust)	2.4 mg/m3 (Silica)	GB EH40
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 μg/m3 (OEB 3)	Internal
		Wipe limit	150 μg/100 cm ²	Internal

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Silicon dioxide	Workers	Inhalation	Long-term systemic effects	4 mg/m3
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic effects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5.4 mg/m3
	Consumers	Inhalation	Acute systemic effects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value	ı
----------------	---------------------------	-------	---

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

Sodium citrate	Fresh water	0.44 mg/l
	Marine water	0.044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34.6 mg/kg dry weight (d.w.)
	Marine water	3.46 mg/kg dry weight (d.w.)
	Soil	31.1 mg/kg dry weight (d.w.)
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0.1 mg/l
	Intermittent use/release	2.3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5.27 mg/kg
	Marine sediment	0.527 mg/kg
	Soil	0.456 mg/kg

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to BS EN 143

Filter type : Particulates type (P)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 9374247-00008 Date of first issue: 27.08.2021

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : suspension Colour : white

Odour : No data available Odour Threshold : No data available

pH : 5.0 - 7.0

Melting point/freezing point : < 5 °C

Initial boiling point and boiling

range

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1,050 - 1,080 g/cm³ (20 °C)

Solubility(ies)

Water solubility : soluble

Partition coefficient: n- : Not applicable

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 06.07.2024 9374247-00008 Date of first issue: 27.08.2021

Molecular weight : No data available

Particle size : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Triclabendazole:

Acute oral toxicity : LD50 (Mouse): > 8,000 mg/kg

LD50 (Rabbit): 206 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 06.07.2024 9374247-00008 Date of first issue: 27.08.2021

Acute dermal toxicity : LD50 (Rat): > 4,000 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg

LD50 (Mouse): 10 mg/kg

LDLo (Monkey): 24 mg/kg

Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg

LD50 (Rabbit): 2,000 mg/kg

Silicon dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Triclabendazole:

Species : Rabbit

Result : Mild skin irritation

Benzyl alcohol:

Species : Rabbit

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 06.07.2024 9374247-00008 Date of first issue: 27.08.2021

Method : OECD Test Guideline 404

Result : No skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No skin irritation

Silicon dioxide:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Triclabendazole:

Species : Rabbit

Result : No eye irritation

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : Mild eye irritation

Silicon dioxide:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Triclabendazole:

Result : Not a skin sensitizer.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 06.07.2024 9374247-00008 Date of first issue: 27.08.2021

Benzyl alcohol:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximisation Test Exposure routes : Skin contact

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Triclabendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Test Type: Alkaline elution assay

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Intraperitoneal injection

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

Result: negative

Silicon dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Triclabendazole:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species: RatApplication Route: OralExposure time: 105 weeksResult: negative

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative

Silicon dioxide:

Species : Rat Application Route : Ingestion

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 06.07.2024 9374247-00008 Date of first issue: 27.08.2021

Exposure time : 103 weeks Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Triclabendazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Application Route: Oral

Fertility: NOAEL: 50 mg/kg body weight

Result: No effects on fertility

Test Type: Fertility/early embryonic development

Application Route: Oral

Fertility: NOAEL: 50 mg/kg body weight

Result: No effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 5.5 mg/kg body weight

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 200 mg/kg body weight

Result: Effects on foetal development

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 50 mg/kg body weight

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 10 mg/kg body weight

Result: Effects on foetal development Remarks: Maternal toxicity observed.

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 3 mg/kg body weight

Remarks: Maternal toxicity observed.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 06.07.2024 9374247-00008 Date of first issue: 27.08.2021

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility

Species: Rat, male Application Route: Oral Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: NOAEL: 0.12 mg/kg body

weight

Result: Fetotoxicity

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight Developmental Toxicity: NOAEL: 0.2 mg/kg body weight

Result: Cleft palate

Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 2 mg/kg body weight Result: Cleft palate, Teratogenic effects, Reduced embryonic

survival

Remarks: Adverse developmental effects were observed

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 1.6 mg/kg body weight

Result: Teratogenic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experi-

ments.

Silicon dioxide:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Triclabendazole:

Target Organs : Liver, Blood

Assessment : May cause damage to organs through prolonged or repeated

exposure.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Exposure routes : Ingestion

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Triclabendazole:

Species : Rat
NOAEL : 6.6 mg/kg
LOAEL : 69 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Blood

Species : Dog
NOAEL : 3.4 mg/kg
LOAEL : 37 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Liver, Blood

Species : Mouse
NOAEL : 29 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Liver

Species : Rat
NOAEL : 4 mg/kg
Application Route : Oral
Exposure time : 24 Months

Remarks : No significant adverse effects were reported

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 9374247-00008 Date of first issue: 27.08.2021

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
NOAEL : 1.5 mg/kg
Application Route : Oral
Exposure time : 24 Months

Target Organs : Central nervous system

Symptoms : Tremors, ataxia

Species : Mouse
NOAEL : 4.0 mg/kg
Application Route : Oral
Exposure time : 24 Months

Target Organs : Central nervous system

Symptoms : Tremors, ataxia

Species : Dog
NOAEL : 0.25 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 53 Weeks

Target Organs : Central nervous system
Symptoms : Tremors, weight loss
Remarks : mortality observed

Species : Monkey
NOAEL : 1.0 mg/kg
Application Route : Oral
Exposure time : 14 Weeks

Target Organs : Central nervous system

Silicon dioxide:

Species : Rat NOAEL : 1.3 mg/m3

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Triclabendazole:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 06.07.2024 9374247-00008 Date of first issue: 27.08.2021

Ingestion : Symptoms: Abdominal pain, Sweating, Headache, Nausea,

Vomiting, anorexia, Dizziness, Fatigue, Cough, Fever, pruritis

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion : Symptoms: May cause, Tremors, Diarrhoea, central nervous

system effects, Salivation, tearing

SECTION 12: Ecological information

12.1 Toxicity

Components:

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 51 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 μg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 µg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l

Exposure time: 96 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 06.07.2024 9374247-00008 Date of first issue: 27.08.2021

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): 0.022 µg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 μg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 100

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10,000

Toxicity to microorganisms EC50 : > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.52 µg/l Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.03 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 0.0035 µg/l Exposure time: 28 d

Species: Mysidopsis bahia (opossum shrimp)

M-Factor (Chronic aquatic

toxicity)

10,000

Silicon dioxide:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 10,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 10,000

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 10,000

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

12.2 Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 % Exposure time: 14 d

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

12.3 Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n- : log Pow: 1.05

octanol/water

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-

octanol/water

log Pow: 4

12.4 Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environ-

mental compartments

: log Koc: > 3.6

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

IATA : Environmentally hazardous substance, liquid, n.o.s.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

14.3 Transport hazard class(es)

Class Subsidiary risks

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	06.07.2024	9374247-00008	Date of first issue: 27.08.2021

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 06.07.2024 9374247-00008 Date of first issue: 27.08.2021

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

not.

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

E1

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

UK REACH List of substances subject to authorisation

(Annex XIV)

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

Quantit

ENVIRONMENTAL

HAZARDS

Quantity 1 100 t Quantity 2 200 t

23 / 26

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H300 : Fatal if swallowed.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled. H332 : Harmful if inhaled.

H361fd : Suspected of damaging fertility. Suspected of damaging the

unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure if swallowed.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

STOT RE 2 H373 Calculation method
Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 1 H410 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 06.07.2024
 9374247-00008
 Date of first issue: 27.08.2021

GB / EN