

Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 5341821-00012
 Date of first issue: 05.12.2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Triclabendazole / Abamectin Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Specific target organ toxicity : Category 2 (Liver, Blood)

- repeated exposure (Oral)

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Liver, Blood) through pro-

longed or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components



Triclabendazole / Abamectin Formulation

Date of last issue: 06.04.2024 Version Revision Date: SDS Number: 3.0 06.07.2024 5341821-00012 Date of first issue: 05.12.2019

Chemical name	CAS-No.	Concentration (% w/w)
Triclabendazole	68786-66-3	>= 10 -< 20
Benzyl alcohol	100-51-6	>= 0.1 -< 1
abamectin (combination of avermectin B1a and	71751-41-2	< 0.1
avermectin B1b) (ISO)		

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled, remove to fresh air. If inhaled

Get medical attention if symptoms occur.

: Wash with water and soap as a precaution. In case of skin contact Get medical attention if symptoms occur.

Flush eyes with water as a precaution.

In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

> Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure if swallowed.

First Aid responders should pay attention to self-protection, Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 5341821-00012 Date of first issue: 05.12.2019

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 5341821-00012
 Date of first issue: 05.12.2019

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Triclabendazole	68786-66-3	TWA	30 μg/m3 (OEB 3)	Internal	
	Further information: DSEN				
		Wipe limit	100 μg/100 cm2	Internal	
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	15 μg/m3 (OEB 3)	Internal	
		Wipe limit	150 µg/100 cm ²	Internal	

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 5341821-00012 Date of first issue: 05.12.2019

Appearance : suspension

Color : white

Odor : No data available

Odor Threshold : No data available

pH : 5.0 - 7.0

Melting point/freezing point : < 5 °C

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1,050 - 1,080 g/cm³ (20 °C)

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available



Triclabendazole / Abamectin Formulation

Version SDS Number: Date of last issue: 06.04.2024 Revision Date: 3.0 06.07.2024 5341821-00012 Date of first issue: 05.12.2019

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Triclabendazole:

Acute oral toxicity : LD50 (Mouse): > 8,000 mg/kg

LD50 (Rabbit): 206 mg/kg

Acute inhalation toxicity LC50 (Rat): > 0.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity LD50 (Rat): > 4,000 mg/kg

Benzyl alcohol:

Acute oral toxicity LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 5341821-00012 Date of first issue: 05.12.2019

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg

LD50 (Mouse): 10 mg/kg

LDLo (Monkey): 24 mg/kg

Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg

LD50 (Rabbit): 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Triclabendazole:

Species : Rabbit

Result : Mild skin irritation

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Triclabendazole:

Species : Rabbit

Result : No eye irritation

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 5341821-00012
 Date of first issue: 05.12.2019

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Triclabendazole:

Result : Not a skin sensitizer.

Benzyl alcohol:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximization Test Routes of exposure : Skin contact

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Triclabendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 5341821-00012
 Date of first issue: 05.12.2019

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Test Type: Alkaline elution assay

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Triclabendazole:

Species: MouseApplication Route: OralExposure time: 2 YearsResult: negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 5341821-00012 Date of first issue: 05.12.2019

Reproductive toxicity

Not classified based on available information.

Components:

Triclabendazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Application Route: Oral

Fertility: NOAEL: 50 mg/kg body weight

Result: No effects on fertility.

Test Type: Fertility/early embryonic development

Application Route: Oral

Fertility: NOAEL: 50 mg/kg body weight

Result: No effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 5.5 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 200 mg/kg body weight

Result: Effects on fetal development.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 50 mg/kg body weight

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 10 mg/kg body weight

Result: Effects on fetal development. Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 3 mg/kg body weight

Remarks: Maternal toxicity observed.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 5341821-00012 Date of first issue: 05.12.2019

Application Route: Ingestion

Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility

Species: Rat, male Application Route: Oral Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: NOAEL: 0.12 mg/kg body

weight

Result: Fetotoxicity.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight Developmental Toxicity: NOAEL: 0.2 mg/kg body weight

Result: Cleft palate

Remarks: Adverse developmental effects were observed

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 2 mg/kg body weight

Result: Cleft palate, Teratogenic effects., Reduced embryonic

survival

Remarks: Adverse developmental effects were observed

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 1.6 mg/kg body weight

Result: Teratogenic effects.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed.

Components:

Triclabendazole:

Target Organs : Liver, Blood



Triclabendazole / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.0 06.07.2024 5341821-00012 Date of first issue: 05.12.2019

Assessment : May cause damage to organs through prolonged or repeated

exposure.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure : Ingestion

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Triclabendazole:

Species : Rat

NOAEL : 6.6 mg/kg

LOAEL : 69 mg/kg

Application Route : Oral

Exposure time : 13 Weeks

Target Organs : Blood

Species : Dog
NOAEL : 3.4 mg/kg
LOAEL : 37 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Liver, Blood

Species : Mouse
NOAEL : 29 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Liver

Species : Rat
NOAEL : 4 mg/kg
Application Route : Oral
Exposure time : 24 Months

Remarks : No significant adverse effects were reported

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
NOAEL : 1.5 mg/kg
Application Route : Oral
Exposure time : 24 Months



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 5341821-00012
 Date of first issue: 05.12.2019

Target Organs : Central nervous system

Symptoms : Tremors, ataxia

Species : Mouse
NOAEL : 4.0 mg/kg
Application Route : Oral
Exposure time : 24 Months

Target Organs : Central nervous system

Symptoms : Tremors, ataxia

Species : Dog

NOAEL : 0.25 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 53 Weeks

Target Organs : Central nervous system
Symptoms : Tremors, weight loss
Remarks : mortality observed

Species : Monkey
NOAEL : 1.0 mg/kg
Application Route : Oral
Exposure time : 14 Weeks

Target Organs : Central nervous system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Triclabendazole:

Ingestion : Symptoms: Abdominal pain, Sweating, Headache, Nausea,

Vomiting, anorexia, Dizziness, Fatigue, Cough, Fever, pruritis

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion : Symptoms: May cause, Tremors, Diarrhea, central nervous

system effects, Salivation, tearing

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 770



Triclabendazole / Abamectin Formulation

Date of last issue: 06.04.2024 Version Revision Date: SDS Number: 3.0 06.07.2024 5341821-00012 Date of first issue: 05.12.2019

plants mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 µg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): 0.022 µg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 μg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 100

ma/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l

Exposure time: 32 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.03 µg/l

Exposure time: 21 d

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l

Exposure time: 28 d

Toxicity to microorganisms EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 5341821-00012
 Date of first issue: 05.12.2019

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-

octanol/water

log Pow: 1.05

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-

octanol/water

log Pow: 4

Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environ-

mental compartments

: log Koc: > 3.6

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 5341821-00012
 Date of first issue: 05.12.2019

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 5341821-00012
 Date of first issue: 05.12.2019

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 06.07.2024 Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-



Triclabendazole / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.0
 06.07.2024
 5341821-00012
 Date of first issue: 05.12.2019

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8