According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Tulathromycin Formulation

Other means of identification : AROVYN INJECTABLE SOLUTION (90779)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Veterinary product
Recommended restrictions on use	: Not applicable

1.3 Details of the supplier of the safety data sheet

Company	:	MSD Walton Manor, Walton MK7 7AJ Milton Keynes - United Kingdom
Telephone	:	+1-908-740-4000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin irritation, Category 2 Serious eye damage, Category 1 Skin sensitisation, Category 1 Reproductive toxicity, Category 2	H315: Causes skin irritation. H318: Causes serious eye damage. H317: May cause an allergic skin reaction. H361: Suspected of damaging fertility or the un- born child.
Specific target organ toxicity - repeated exposure, Category 1 Short-term (acute) aquatic hazard, Cate- gory 1	H372: Causes damage to organs through pro- longed or repeated exposure. H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:		
Signal word	:	Danger	• • •
Hazard statements	:	H315 H317 H318 H361 H372 H410	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention P201 P264 P273 P280	Contain special instructions before use. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P305 + P35 P391	51 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rins- ing. Immediately call a POISON CENTER/ doctor. Collect spillage.

Hazardous components which must be listed on the label: Tulathromycin Hydrochloric acid Sodium hydroxide 3-Mercaptopropane-1,2-diol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name CAS-No. Classification Con	centration
--	------------

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



rsion	Revision Date: 28.09.2024		of last issue: 06.07.2024 of first issue: 27.08.2021	
		EC-No. Index-No. Registration number		(% w/w)
Tulath	nromycin	217500-96-4	Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 2; H361 STOT RE 1; H372 (Liver, Eye) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - <
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
Hydro	Hydrochloric acid	7647-01-0 231-595-7 017-002-01-X 01-2119484862-27	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335	>= 3 - <
			specific concentra- tion limit Skin Corr. 1A; H314 >= 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 % STOT SE 3; H335 >= 10 %	
Citric		77-92-9 201-069-1 607-750-00-3	Eye Irrit. 2; H319 STOT SE 3; H335	>= 1 - < 1
Sodiu	ım hydroxide	1310-73-2 215-185-5 011-002-00-6	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 specific concentra- tion limit Skin Corr. 1A;	>= 1 - <
			H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 %	



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Tulathromycin Formulation

ersion 1	Revision Date: 28.09.2024	SDS Number: 9374244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021	
			Skin Irrit. 2; H315 0.5 - < 2 % Eye Irrit. 2; H319 0.5 - < 2 % EUH071 >= 2 %	
3-Mer	rcaptopropane-1,2-diol	96-27-5 202-495-0	Acute Tox. 4; H302 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0.1 - < 1
Subst	tances with a workplace	exposure limit :	· · ·	
Propy	lene glycol	57-55-6 200-338-0		>= 50 - < 70

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024		DS Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021	
Risks		:	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. 		
4.3 Indica	ation of any immediate	me	dical attention and	d special treatment needed	
Treat	tment	:	Treat symptomat	ically and supportively.	
SECTIO	N 5: Firefighting mea	sur	es		
5.1 Exting	guishing media				
Suita	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (0 Dry chemical		
Unsuitable extinguishing media		:	None known.		
5.2 Speci	al hazards arising from	n the	e substance or mi	ixture	
Spec fighti	ific hazards during fire- ng	:	Exposure to com	bustion products may be a hazard to health.	
Hazardous combustion prod- ucts		:	Carbon oxides Chlorine compou Metal oxides	nds	
5.3 Advic	e for firefighters				
	efighters	:		e, wear self-contained breathing apparatus. tective equipment.	
Specific extinguishing meth- ods		:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do	

so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Follow safe handling advice (see section 7) and personal pro-
	tective equipment recommendations (see section 8).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024	SDS Number: 9374244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021			
6.2 Enviro	nmental precautions					
Environmental precautions		Prevent furth Prevent spre barriers). Retain and d If spillage en ment Agency	Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environ- ment Agency (emergency telephone number 0800 807060).			
	ds and material for co					
Methods for cleaning up		For large spi ment to keep be pumped, Clean up ren bent. Local or nation posal of this employed in mine which r Sections 13	For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-			

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation Advice on safe handling	::	Use only with adequate ventilation. Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the
Hygiene measures	:	environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024	SDS Number: 9374244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021		
		industrial hygi	egowning and decontamination procedures, ene monitoring, medical surveillance and the strative controls.		
7.2 Condit	ions for safe storage,	including any inco	ompatibilities		
Requirements for storage areas and containers			Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.		
Advice on common storage		Strong oxidizi	substances and mixtures		
-	i c end use(s) ïic use(s)	: No data availa	ble		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
Propylene glycol	57-55-6	TWA (Total va- pour and parti- cles)	150 ppm 474 mg/m3	GB EH40			
		TWA (particles)	10 mg/m3	GB EH40			
Tulathromycin	217500-96- 4	TWA	300 µg/m3 (OEB 2)	Internal			
	Further inform	nation: DSEN					
		Wipe limit	100 µg/100 cm2	Internal			
Hydrochloric acid	7647-01-0	TWA (Gas and aerosol mists)	1 ppm 2 mg/m3	GB EH40			
		STEL (Gas and aerosol mists)	5 ppm 8 mg/m3	GB EH40			
		TWA	5 ppm 8 mg/m3	2000/39/EC			
	Further inform	Further information: Indicative					
		STEL	10 ppm 15 mg/m3	2000/39/EC			
	Further inform	nation: Indicative					
Sodium hydroxide	1310-73-2	STEL	2 mg/m3	GB EH40			

Derived No Effect Level (DNEL)

Substance name End Use	Exposure routes	Potential health ef- fects	Value	
------------------------	-----------------	-------------------------------	-------	--



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Tulathromycin Formulation

ersion 1	Revision Date: 28.09.2024	SDS Nui 9374244		Date of last issue: 06.07.2024 Date of first issue: 27.08.2021	
Propy	lene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
		Workers	Inhalation	Long-term systemic effects	168 mg/m3
		Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
		Consumers	Inhalation	Long-term systemic effects	50 mg/m3
Hydro	ochloric acid	Workers	Inhalation	Long-term local ef- fects	8 mg/m3
		Workers	Inhalation	Acute local effects	15 mg/m3
Sodiu	ım hydroxide	Consumers	Inhalation	Long-term local ef- fects	1 mg/m3
		Workers	Inhalation	Long-term local ef- fects	1 mg/m3
3-Mer 1,2-di	rcaptopropane- ol	Workers	Ingestion	Long-term systemic effects	0.49 mg/m3
		Workers	Skin contac	ct Long-term systemic effects	0.14 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	0.074 mg/m3
		Consumers	Skin contac	ct Long-term systemic effects	0.05 mg/kg bw/day
		Consumers	Ingestion	Long-term systemic effects	0.05 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
Citric acid	Fresh water	0.44 mg/l
	Marine water	0.044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34.6 mg/kg dry weight (d.w.)
	Marine sediment	3.46 mg/kg dry weight (d.w.)
	Soil	33.1 mg/kg dry weight (d.w.)
3-Mercaptopropane-1,2-diol	Fresh water	0.006 mg/l
	Freshwater - intermittent	0.057 mg/l
	Marine water	0.001 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
		Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387
Filter type	:	Combined particulates and acidic gas/vapour type (E-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	::	liquid Colorless to pale yellow slight No data available
рН	:	5.1 - 5.7
Melting point/freezing point	:	190 - 192 °C
Initial boiling point and boiling	:	No data available
range Flash point	:	No data available
Evaporation rate	:	No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Vers 6.1	sion	Revision Date: 28.09.2024	-	S Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
	Flammability (solid, gas)		:	Not applicable	
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Vapou	pressure	:	No data available	9
	Relativ	e vapour density	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	/	:	1.07 g/cm ³	
	Partitio octano	er solubility n coefficient: n-	:	> 1,000 mg/l log Pow: -1.41 No data available	5
	-	position temperature	:	No data available	
	Explosi	cosity, kinematic	:	No data available Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
9.2 (nformation ability (liquids)	:	No data available	9
	Molecu	ılar weight	:	806.09 g/mol	
	Particle	e size	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024		9S Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
Cond	itions to avoid	:	None known.	
	mpatible materials rials to avoid	:	Oxidizing agents	
	rdous decomposition azardous decompositior	•		
SECTION	N 11: Toxicological i	nfor	mation	
11.1 Infor	mation on toxicologic	al ef	iects	
Inforr expos	nation on likely routes o sure	of :	Inhalation Skin contact Ingestion Eye contact	
	e toxicity lassified based on avail	lable	information.	
<u>Prod</u> Acute	uct: e dermal toxicity	:	Acute toxicity esti Method: Calculati	mate: > 2,000 mg/kg on method
Com	ponents:			
Tulat	hromycin:			
Acute	e oral toxicity	:	LD50 (Dog): > 1,0 Target Organs: G	000 mg/kg astrointestinal tract
			LD50 (Rat): > 2,0 Target Organs: G	00 mg/kg astrointestinal tract
Acute	e dermal toxicity	:	LD50 (Rabbit): > Target Organs: G	2,000 mg/kg astrointestinal tract
Hvdr	ochloric acid:			
-	inhalation toxicity	:	LC50 (Rat): 8.3 m Exposure time: 30 Test atmosphere:) min
Citric	acid:			
Acute	e oral toxicity	:	LD50 (Mouse): 5,	400 mg/kg
Acute	e dermal toxicity	:		00 mg/kg est Guideline 402 substance or mixture has no acute dermal
Se alla	um hydroxido			

Sodium hydroxide:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



rsion I	Revision Date: 28.09.2024		DS Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
Acute inhalation toxicity		:	Assessment: Co	rrosive to the respiratory tract.
3-Mer	captopropane-1,2-dic	ol:		
Acute	oral toxicity	:	LD50 (Rat): 648	mg/kg
Acute	dermal toxicity	:	LD50 (Rabbit): 6	73 mg/kg
Propy	vlene glycol:			
Acute	oral toxicity	:	LD50 (Rat): 22,0	00 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 44 Exposure time: 4 Test atmosphere	h
Acute	dermal toxicity	:	LD50 (Rabbit): > Assessment: The toxicity	2,000 mg/kg e substance or mixture has no acute dermal
-	corrosion/irritation es skin irritation.			
Comp	oonents:			
Tulat	hromycin:			
Speci Resul		:	Rabbit No skin irritation	
Hydro	ochloric acid:			
Speci Metho		:	reconstructed hu OECD Test Guid	man epidermis (RhE) leline 431
Resul	t	:	Corrosive after 3	minutes or less of exposure
Citric	acid:			
Speci Metho Resul	bd	:	Rabbit OECD Test Guid No skin irritation	leline 404
Sodiu	ım hydroxide:			
Resul		:	Corrosive after 3	minutes or less of exposure
3-Mer	captopropane-1,2-dic	ol:		
Speci Resul	es	:	Rabbit Skin irritation	
Propy	ylene glycol:			
Speci	es	:	Rabbit	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Vers 6.1	sion	Revision Date: 28.09.2024		0S Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021			
	Method Result	I	OECD Test Guideline 404No skin irritation					
		s eye damage/eye irri s serious eye damage.	tati	on				
	<u>Compo</u>	onents:						
	Tulathr	omycin:						
	Species Result	5	:	Rabbit Irreversible effects	s on the eye			
	Hydroc	hloric acid:						
	Species Method		:	Bovine cornea OECD Test Guide	eline 437			
	Result		:	Irreversible effects	s on the eye			
	Citric a	icid:						
	Species Method Result		:	Rabbit OECD Test Guide Irritation to eyes, r	eline 405 reversing within 21 days			
	Sodiun	n hydroxide:						
	Result Remark	s	:	Irreversible effects Based on skin cor				
	3-Merc	aptopropane-1,2-diol	:					
	Species Result		:	Rabbit Irritation to eyes, I	reversing within 21 days			
	Propyle	ene glycol:						
	Species Method Result		:	Rabbit OECD Test Guide No eye irritation	eline 405			
	Respiratory or skin sensitisation							
		ensitisation use an allergic skin rea	actio	on.				
	•	atory sensitisation ssified based on availa	ble	information.				
	Compo	onents:						
	Test Ty	r omycin: pe ire routes	:	Maximisation Tes Skin contact	t			

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.1	Revision Date: 28.09.2024	SDS Number 9374244-000	
Specie Asses Result	sment		g e sensitisation by skin contact. ensitisation.
Test T	ure routes es d	: Maximisa : Skin cont : Guinea p : OECD Te : negative	act
Test T	ure routes	: Human re : Skin cont : negative	epeat insult patch test (HRIPT) act
Test T Expos Specie Metho Result	ure routes es d	: Local lym : Skin cont : Mouse : OECD Te : positive	st Guideline 429
Asses		: Probabilit rate in hu	y or evidence of low to moderate skin sensitisation mans
Test T	ure routes es	: Maximisa : Skin cont : Guinea p : negative	act
Not cla	cell mutagenicity assified based on avai	able information	۱.
	onents:		
	romycin: oxicity in vitro	: Test Type Result: ne	e: Bacterial reverse mutation assay (AMES) egative
		Test Type Result: ne	e: Chromosome aberration test in vitro
Genot	oxicity in vivo	: Test Type cytogene Species: Result: ne	Rat
Germ	cell mutagenicity- As-	: Weight of	evidence does not support classification as a germ

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



ersion 1	Revision Date: 28.09.2024	SDS Number: 9374244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
sessm	ent	cell mutagen.	
Hydro	chloric acid:		
Genote	oxicity in vitro	: Test Type: Sa assay (in vitro Result: negat	
Citric	acid:		
Genote	oxicity in vitro	: Test Type: Ba Result: negat	acterial reverse mutation assay (AMES) tive
		Test Type: in Result: positi	vitro micronucleus test ve
		Test Type: Barner Result: negat	acterial reverse mutation assay (AMES) tive
Genote	oxicity in vivo	cytogenetic to Species: Rat	coute: Ingestion
3-Mero	captopropane-1,2-c	iol:	
Genote	oxicity in vitro	Method: OEC Result: negat	acterial reverse mutation assay (AMES) CD Test Guideline 471 tive sed on data from similar materials
		Method: OEC Result: negat	
			sed on data from similar materials
			hromosome aberration test in vitro CD Test Guideline 473 tive
			sed on data from similar materials
Propy	lene glycol:		
Genote	oxicity in vitro	: Test Type: Ba Result: negat	acterial reverse mutation assay (AMES) tive
			hromosome aberration test in vitro CD Test Guideline 473 tive
Genote	oxicity in vivo	: Test Type: M cytogenetic a Species: Mou	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Tulathromycin:

Carcinogenicity - Assess- ment	:	No data available
Hydrochloric acid:		
Species Application Route	:	Rat Inhalation
Exposure time Result	:	128 weeks negative

Propylene glycol:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

Tulathromycin:		
Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Fertility: NOAEL: 100 mg/kg body weight Result: No significant adverse effects were reported
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 15 mg/kg body weight Teratogenicity: NOAEL: 15 mg/kg body weight Result: Postimplantation loss.
		Test Type: Embryo-foetal development Application Route: Oral General Toxicity Maternal: NOAEL: 15 mg/kg body weight Teratogenicity: NOAEL: 15 mg/kg body weight Result: Maternal toxicity observed.
Reproductive toxicity - As- sessment	:	Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Ver 6.1	sion	Revision Date: 28.09.2024		S Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
	Citric a Effects ment	acid: on foetal develop-	:	Test Type: One-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion
		aptopropane-1,2-dio	l: :	Species: Rat Application Route Method: OECD Te Result: negative	
	Effects ment	on foetal develop-	:	Species: Rat Application Route Method: OECD Te Result: negative	
		ene glycol: on fertility	:	Test Type: Two-g Species: Mouse Application Route Result: negative	eneration reproduction toxicity study : Ingestion
	Effects ment	on foetal develop-	:	Test Type: Embry Species: Mouse Application Route Result: negative	o-foetal development : Ingestion
	Not cla	- single exposure ssified based on availa onents:	able	information.	
	Tulath Assess	romycin: sment	:	The substance or organ toxicant, sir	mixture is not classified as specific target ngle exposure.
	Hydro Assess	chloric acid: sment	:	May cause respira	atory irritation.
	Citric a Assess		:	May cause respira	atory irritation.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Tulathromycin:

Exposure routes	:	Oral
Target Organs	:	Liver, Eye
Assessment	:	Shown to produce significant health effects in animals at con- centrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Tulathromycin:

Species NOAEL Application Route Exposure time Target Organs Symptoms	:	Rat 5 mg/kg Oral 3 Months Liver Liver disorders
Species NOAEL Application Route Exposure time Target Organs Symptoms	:	Dog 5 mg/kg Oral 3 Months Liver, Eye Liver disorders, Eye disease

Citric acid:

Species	:	Rat
NOAEL	:	4,000 mg/kg
LOAEL	:	8,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	10 Days

3-Mercaptopropane-1,2-diol:

Species :	Rat
LOAEL :	> 100 mg/kg
Application Route :	Ingestion
Exposure time :	55 Days
Method :	OECD Test Guideline 422
Remarks :	Based on data from similar materials

Propylene glycol:

:	Rat, male
:	>= 1,700 mg/kg
:	Ingestion
:	2 yr
	:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Tulathromycin:

Ingestion

: Symptoms: Diarrhoea, Nausea, Abdominal pain, Vomiting

SECTION 12: Ecological information

12.1 Toxicity

Components:

Tulathromycin:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 4 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0.044 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Pseudokirchneriella subcapitata (green algae)): 0.014 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae): 0.0023 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Anabaena flos-aquae): 0.00035 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Synechococcus leopoliensis (blue-green algae)): 0.0028 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Versior 6.1	Revision Date: 28.09.2024		9S Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
			EC10 (Synechoco 0.0012 mg/l End point: Growth Exposure time: 72 Method: OECD Te	2 h
M- ici	Factor (Acute aquatic tox- ty)	:	100	
Τc	xicity to microorganisms	:	EC50 : 41.1 mg/l Exposure time: 3 Test Type: Respir Method: OECD Te	ation inhibition of activated sludge
			EC10 : 0.667 mg/ Exposure time: 3 Test Type: Respir Method: OECD Te	h ation inhibition of activated sludge
	Factor (Chronic aquatic kicity)	:	100	
Ci	Citric acid:			
Τc	xicity to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): > 100 mg/l S h
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia m Exposure time: 24	agna (Water flea)): 1,535 mg/l ⊧h
3-	Mercaptopropane-1,2-diol	:		
	xicity to fish	:	Exposure time: 96 Method: OECD Te	
	xicity to daphnia and other uatic invertebrates	:	Exposure time: 48 Method: OECD Te	
	xicity to algae/aquatic ants	:	10 - 100 mg/l Exposure time: 72 Method: OECD Te	
			mg/l Exposure time: 72 Method: OECD Te	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.1	Revision Date: 28.09.2024		DS Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
Тох	icity to microorganisms	:	EC10 (activated s Exposure time: 3 Method: OECD T Remarks: Based	h
	pylene glycol: icity to fish	:	LC50 (Oncorhync Exposure time: 96	thus mykiss (rainbow trout)): 40,613 mg/l 5 h
	icity to daphnia and other atic invertebrates	:	EC50 (Ceriodaph Exposure time: 48	nia dubia (water flea)): 18,340 mg/l 3 h
Tox plar	icity to algae/aquatic hts	:	ErC50 (Skeletone Exposure time: 72 Method: OECD T	
Тох	icity to microorganisms	:	NOEC (Pseudom Exposure time: 18	onas putida): > 20,000 mg/l 3 h
aqu	icity to daphnia and other atic invertebrates (Chron- oxicity)		NOEC: 13,020 m Exposure time: 7 Species: Cerioda	
12.2 Per	sistence and degradabil	lity		
<u>Co</u>	nponents:			
	athromycin: degradability	:	Result: Not readil Exposure time: 29 Method: OECD T	
•	ic acid: degradability	:	Result: Readily bi Biodegradation: 9 Exposure time: 28 Method: OECD T	97 %
	l ercaptopropane-1,2-diol degradability	l: :	Result: Readily bi Remarks: Based	odegradable. on data from similar materials
	pylene glycol: degradability	:	Result: Readily bi Biodegradation: Exposure time: 28 Method: OECD T	98.3 %

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.1	Revision Date: 28.09.2024	-	DS Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
12.3 Bioa	ccumulative potential			
Com	ponents:			
Tulat	hromycin:			
	ion coefficient: n- nol/water	:	log Pow: -1.41 pH: 7	
Citric	c acid:			
	ion coefficient: n- nol/water	:	log Pow: -1.72	
3-Me	rcaptopropane-1,2-dio	l:		
	ion coefficient: n- nol/water	:	- 3	est Guideline 117
Prop	ylene glycol:			
	ion coefficient: n- nol/water	:	log Pow: -1.07 Method: Regulati	on (EC) No. 440/2008, Annex, A.8
	ility in soil			
	ata available			
12.5 Resi	Ilts of PBT and vPvB a	sse	ssment	
<u>Prod</u> Asse	<u>uct:</u> ssment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Othe	r adverse effects			
Prod	uct:			
Endo tial	crine disrupting poten-	:	ered to have end	nixture does not contain components consid ocrine disrupting properties for environment REACH Article 57(f).
SECTION	N 13: Disposal consid	dera	ations	
13.1 Wast Produ	te treatment methods		Dispose of in acc	ordance with local regulations.

Product	 Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
	Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 6.1	Revision Date: 28.09.2024		DS Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
			If not otherwise s	pecified: Dispose of as unused product.
SECTION	I 14: Transport infor	mat	ion	
14.1 UN n	umber			
ADN		:	UN 3082	
ADR		:	UN 3082	
RID		:	UN 3082	
IMDG	i	:	UN 3082	
ΙΑΤΑ		:	UN 3082	
14.2 UN p	roper shipping name			
ADN		:	ENVIRONMENT/ N.O.S. (Tulathromycin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
ADR		:	ENVIRONMENTA N.O.S. (Tulathromycin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
RID		:	ENVIRONMENTA N.O.S. (Tulathromycin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
IMDG	i	:	ENVIRONMENTA N.O.S. (Tulathromycin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ		:	Environmentally h (Tulathromycin)	nazardous substance, liquid, n.o.s.
14.3 Trans	sport hazard class(es)			
			Class	Subsidiary risks
ADN		:	9	
ADR		:	9	
RID		:	9	
IMDG	i	:	9	
ΙΑΤΑ		:	9	
14.4 Pack	ing group			
Class Hazaı Label: ADR Packi	ng group ification Code rd Identification Number s ng group ification Code	:	III M6 90 9 III M6	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Vers 6.1	sion	Revision Date: 28.09.2024		9S Number: 74244-00010	Date of last issue: 06.07.2024 Date of first issue: 27.08.2021
	Labels	Identification Number restriction code	:	90 9 (-)	
		g group cation Code Identification Number	:	III M6 90 9	
	IMDG Packing Labels EmS Co		:	III 9 F-A, S-F	
	aircraft)	g instruction (cargo g instruction (LQ)	:	964 Y964 III Miscellaneous	
	Packing ger airc	g instruction (LQ)	:	964 Y964 III Miscellaneous	
14.5	5 Enviro	nmental hazards			
	ADN Environ	mentally hazardous	:	yes	
	ADR Environ	mentally hazardous	:	yes	
	RID Environ	mentally hazardous	:	yes	
	IMDG Marine	pollutant	:	yes	
		Passenger) mentally hazardous	:	yes	
	IATA ((Environ	Cargo) mentally hazardous	:	yes	
14.6	Specia	I precautions for use	r		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
			here according to in the regulation, i use/purpose or th restriction. Please tions in correspon determine whethe cable to the placin not.	hixture(s) are listed their appearance rrespective of their e conditions of the e refer to the condi- ding Regulation to er an entry is appli- ng on the market or
UK REACH Candidate list of s concern (SVHC) for Authorisat	, ,	:	Not applicable	
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit- ain)		:	Not applicable	
Regulation (EC) on substances that deplete the ozone layer		:	Not applicable	
UK REACH List of substances subject to authorisation (Annex XIV)		:	Not applicable	
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation		:	Not applicable	
Control of Major Accident Haza		OMA	(H)	
			Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS		100 t	200 t

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

IECSC	:	not determined
DSL	:	not determined
AICS	:	not determined

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements			
H290	:	May be corrosive to metals.	
H302	:	Harmful if swallowed.	
H311	:	Toxic in contact with skin.	
H314	:	Causes severe skin burns and eye damage.	
H315	:	Causes skin irritation.	
H317	:	May cause an allergic skin reaction.	
H318	:	Causes serious eye damage.	
H319	:	Causes serious eye irritation.	
H335	:	May cause respiratory irritation.	
H361	:	Suspected of damaging fertility or the unborn child.	
H372	:	Causes damage to organs through prolonged or repeated	
		exposure if swallowed.	
H400	:	Very toxic to aquatic life.	
H410	:	Very toxic to aquatic life with long lasting effects.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	
Aquatic Acute	:	Short-term (acute) aquatic hazard	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Eye Dam.	:	Serious eye damage	
Eye Irrit.	:	Eye irritation	
Met. Corr.	:	Corrosive to metals	
Repr.	:	Reproductive toxicity	
Skin Corr.	:	Skin corrosion	
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitisation	
STOT RE	:	Specific target organ toxicity - repeated exposure	
STOT SE	:	Specific target organ toxicity - single exposure	
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first	
		list of indicative occupational exposure limit values	
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits	
2000/39/EC / TWA	:	Limit Value - eight hours	
2000/39/EC / STEL	:	Short term exposure limit	
GB EH40 / TWA		Long-term exposure limit (8-hour TWA reference period)	
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information		
Sources of key data used compile the Safety Data Sheet		ical data, data from raw material SDSs, OECD I search results and European Chemicals Agen- a.europa.eu/
Classification of the mix	xture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 2	H361	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	9374244-00010	Date of first issue: 27.08.2021

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN