

Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	5300152-00015	Date of first issue: 13.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Tulathromycin Formulation

Other means of identification : AROVYN INJECTABLE SOLUTION (90779)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Veterinary product	
Recommended restrictions on use	: Not applicable	

1.3 Details of the supplier of the safety data sheet

Company	:	MSD Kilsheelan Clonmel Tipperary, IE
Telephone	:	353-51-601000
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361: Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through pro- longed or repeated exposure.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024	SDS Nu 5300152		Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
Hazard pictograms				
Signa	l word	: Dang	ər	• • •
Haza	rd statements	: H315 H317 H318 H361 H372 peate H410	May cause Causes se Suspected Causes da d exposure.	tin irritation. e an allergic skin reaction. erious eye damage. d of damaging fertility or the unborn child. amage to organs through prolonged or re- to aquatic life with long lasting effects.
Preca	autionary statements	: Preve	ention:	
		P201 P264 P273 P280 tion/ f	Wash skir Avoid rele	ecial instructions before use. a thoroughly after handling. ase to the environment. ective gloves/ protective clothing/ eye protec- on.
		with w sent a	+ P351 + P3 vater for seven and easy to c ON CENTER	

Hazardous components which must be listed on the label: Tulathromycin

Hydrochloric acid Sodium hydroxide 3-Mercaptopropane-1,2-diol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	5300152-00015	Date of first issue: 13.11.2019

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Tulathromycin	217500-96-4	Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 2; H361 STOT RE 1; H372 (Liver, Eye) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
Hydrochloric acid	7647-01-0 231-595-7 017-002-01-X 01-2119484862-27	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 	>= 3 - < 5
		Eye Irrit. 2; H319 10 - < 25 % STOT SE 3; H335 >= 10 %	
Citric acid	77-92-9 201-069-1 607-750-00-3	Eye Irrit. 2; H319 STOT SE 3; H335	>= 1 - < 10
Sodium hydroxide	1310-73-2 215-185-5 011-002-00-6	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 EUH014, EUH071	>= 1 - < 2



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024	SDS Number: 5300152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
			specific concentra- tion limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0,5 - < 2 % Eye Irrit. 2; H319 0,5 - < 2 % EUH071 >= 2 %
3-Mer	captopropane-1,2-diol	96-27-5 202-495-0	Acute Tox. 4; H302 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317>= 0,1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Versio	n Revision Date:	0	DS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024		800152-00015	Date of first issue: 13.11.2019
			and shoes. Get medical atter Wash clothing be Thoroughly clean	
In case of eye contact		:	for at least 15 min If easy to do, rem	t, immediately flush eyes with plenty of water nutes. love contact lens, if worn. htion immediately.
If swallowed		:	Get medical atter	NOT induce vomiting. htion. oughly with water.
4.2 Mo	ost important symptoms a	nd e	effects, both acute	e and delayed
Risks		:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.	
4.3 Inc	dication of any immediate	me	dical attention and	d special treatment needed
	reatment	:		ically and supportively.
SECT	ION 5: Firefighting mea	sur	es	
5.1 Ex	tinguishing media			
	uitable extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide ((Dry chemical	
Unsuitable extinguishing media		:	None known.	
5.2 Sp	ecial hazards arising fron	n the	e substance or mi	xture
S	pecific hazards during fire- ghting	:		bustion products may be a hazard to health.
	azardous combustion prod- cts	:	Carbon oxides Chlorine compou	nds

5.3 Advice for firefighters

Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		Use personal protective equipment.

Metal oxides



Tulathromycin Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
6.1		5300152-00015	Date of first issue: 13.11.2019
Speci ods	fic extinguishing meth-	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

	 be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
--	--

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation Advice on safe handling	 Use only with adequate ventilation. Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024		DS Number: 000152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
Hygie	Do not get in eyes.Wash skin thoroughly Handle in accordance practice, based on the sessment Keep container tightly Do not eat, drink or si Take care to prevent environment.Hygiene measures:If exposure to chemic flushing systems and place. When using do work clothing should in Wash contaminated of The effective operation 		ghly after handling. ance with good industrial hygiene and safety in the results of the workplace exposure as- ghtly closed. or smoke when using this product. rent spills, waste and minimize release to the emical is likely during typical use, provide eye and safety showers close to the working g do not eat, drink or smoke. Contaminated uld not be allowed out of the workplace. red clothing before re-use. ration of a facility should include review of rols, proper personal protective equipment, wning and decontamination procedures, e monitoring, medical surveillance and the	
7.2 Condi	tions for safe storage,	inc	luding any incom	patibilities
areas and containers tightly clos regulations Advice on common storage : Do not stor Strong oxid Self-reactiv Organic pe		:		labelled containers. Store locked up. Keep ore in accordance with the particular national
		Strong oxidizing a Self-reactive subs Organic peroxide Explosives	stances and mixtures	
7.3 Specif	ic end use(s)			
-	fic use(s)	:	No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Propylene glycol	57-55-6	TWA	25 ppm 79 mg/m3	FOR-2011- 12-06-1358		
Tulathromycin	217500-96- 4	TWA	300 μg/m3 (OEB 2)	Internal		
	Further information: DSEN					
		Wipe limit	100 µg/100 cm2	Internal		
Hydrochloric acid	7647-01-0	Т	5 ppm 7 mg/m3	FOR-2011- 12-06-1358		
		TWA	5 ppm	2000/39/EC		



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Tulathromycin Formulation

Version 6.1	Revision Da 28.09.2024		Number: 152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019	
				8 mg/m3	
		Further information: Indicative		ve	
			STEL	10 ppm 15 mg/m3	2000/39/EC
		Further inform	hation: Indicati	ve	•
Soc	dium hydroxide	1310-73-2	Т	2 mg/m3	FOR-2011- 12-06-1358

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Propylene glycol	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
Hydrochloric acid	Workers	Inhalation	Long-term local ef- fects	8 mg/m3
	Workers	Inhalation	Acute local effects	15 mg/m3
Sodium hydroxide	Consumers	Inhalation	Long-term local ef- fects	1 mg/m3
	Workers	Inhalation	Long-term local ef- fects	1 mg/m3
3-Mercaptopropane- 1,2-diol	Workers	Ingestion	Long-term systemic effects	0,49 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,14 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,074 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,05 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,05 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
Citric acid	Fresh water	0,44 mg/l
	Marine water	0,044 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



0.001 mg/l

Tulathromycin Formulation

Ver 6.1	sion	Revision Date: 28.09.2024		S Number: 0152-00015	Date of last issue Date of first issue		
				Sewage treat	ment plant	•	1000 mg/l
				Fresh water s	ediment		34,6 mg/kg dry weight (d.w.)
				Marine sedim	ent		3,46 mg/kg dry weight (d.w.)
				Soil			33,1 mg/kg dry weight (d.w.)
	3-Mercaptopropane-1,2-diol		Fresh water		(0,006 mg/l	
				Freshwater -	intermittent	(0,057 mg/l

Marine water

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387
Filter type	:	Combined particulates and acidic gas/vapour type (E-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	Colorless to pale yellow

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Vers 6.1	sion	Revision Date: 28.09.2024		S Number: 0152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
	Odour		:	slight	
	Odour ⁻	Threshold	:	No data available)
	Melting	point/freezing point	:	190 - 192 °C	
	Initial b range	oiling point and boiling	:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available)
		explosion limit / Lower bility limit	:	No data available	
	Flash p	oint	:	No data available	
	Auto-ig	nition temperature	:	No data available)
	Decom	position temperature	:	No data available)
	рН		:	5,1 - 5,7	
	Viscosi Visc	ty osity, kinematic	:	No data available	9
	Solubili Wat	ty(ies) er solubility	:	> 1.000 mg/l	
	Partition octanol	n coefficient: n- /water	:	log Pow: -1,41	
	Vapour	pressure	:	No data available	
	Relative	e density	:	No data available)
	Density		:	1,07 g/cm ³	
	Relative	e vapour density	:	No data available	
		characteristics icle size	:	Not applicable	
9.2	Other in Explosi	formation ves	:	Not explosive	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 6.1	Revision Date: 28.09.2024		S Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019		
			-	· · · · · · · · · · · · · · · · · · ·		
Oxidi	zing properties	:	: The substance or mixture is not classified as oxidizing.			
Evap	oration rate	:	No data availab	le		
Moleo	cular weight	:	806,09 g/mol			
SECTION	N 10: Stability and	reactiv	vity			
10.1 Read	tivity					
Not c	lassified as a reactivi	ty hazai	rd.			
	nical stability e under normal condi	itions.				
10.3 Poss	bility of hazardous	reactio	ons			
Haza	rdous reactions	:	Can react with s	strong oxidizing agents.		
10.4 Cond	ditions to avoid					
Cond	litions to avoid	:	None known.			
10 5 Inco	mpatible materials					
	rials to avoid		Oxidizing agent	\$		
	rdous decomposition azardous decomposition	-				
SECTION	N 11: Toxicologica	l infor	mation			
11.1 Infor	mation on hazard c	lasses a	as defined in Re	gulation (EC) No 1272/2008		
	nation on likely route	s of :				
expos	sure		Skin contact Ingestion			
			Eye contact			
Acut	e toxicity					
Not c	lassified based on av	vailable i	information.			
Prod	uct:					
Acute	e dermal toxicity	:	Acute toxicity es Method: Calcula	timate: > 2.000 mg/kg tion method		
Com	ponents:					
Tulat	hromycin:					
	e oral toxicity	:	LD50 (Dog): > 1. Target Organs: 0	.000 mg/kg Gastrointestinal tract		
			LD50 (Rat): > 2.0	000 mg/kg		
			11 / 27			



Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024		0S Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
			Target Organs:	Gastrointestinal tract
Acute	e dermal toxicity	:		> 2.000 mg/kg Gastrointestinal tract
Hydro	ochloric acid:			
Acute	inhalation toxicity	:	LC50 (Rat): 8,3 Exposure time: Test atmospher	30 min
Citric	acid:			
Acute	e oral toxicity	:	LD50 (Mouse):	5.400 mg/kg
Acute	e dermal toxicity	:	Method: OECD	.000 mg/kg Test Guideline 402 le substance or mixture has no acute dermal
Sodiu	um hydroxide:			
Acute	e inhalation toxicity	:	Assessment: Co	prrosive to the respiratory tract.
3-Me	rcaptopropane-1,2-die	ol:		
Acute	e oral toxicity	:	LD50 (Rat): 648	s mg/kg
Acute	e dermal toxicity	:	LD50 (Rabbit): 6	673 mg/kg
	corrosion/irritation es skin irritation.			
<u>Com</u>	ponents:			
Tulat	hromycin:			
Speci Resu		:	Rabbit No skin irritatior	ı
Hydro	ochloric acid:			
Speci Metho		:	reconstructed h OECD Test Gui	uman epidermis (RhE) deline 431
Resu	It	:	Corrosive after	3 minutes or less of exposure
Citric	acid:			
Speci		:	Rabbit	deline 101
Metho Resu		:	OECD Test Gui No skin irritatior	

Sodium hydroxide:



Version 6.1	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.07.20245300152-00015Date of first issue: 13.11.2019
Resu	ult	: Corrosive after 3 minutes or less of exposure
3-Me Spec Rest		ol: : Rabbit : Skin irritation
	ous eye damage/eye i ses serious eye damag	
<u>Com</u>	ponents:	
Tula	thromycin:	
Spec Rest		: Rabbit : Irreversible effects on the eye
Hydi	rochloric acid:	
Spec Meth		Bovine corneaOECD Test Guideline 437
Resu	ult	: Irreversible effects on the eye
Citri	c acid:	
Spec Meth Rest	nod	 Rabbit OECD Test Guideline 405 Irritation to eyes, reversing within 21 days
Sodi	ium hydroxide:	
Resu Rem	ult	Irreversible effects on the eyeBased on skin corrosivity.
3-Me	ercaptopropane-1,2-di	ol:
Spec Rest	cies	: Rabbit : Irritation to eyes, reversing within 21 days
Res	piratory or skin sensit	isation
	sensitisation cause an allergic skin	reaction.
•	piratory sensitisation	
	classified based on ava	ilable information.
	iponents:	
Test Expo Spec	thromycin: Type osure routes cies essment	 Maximisation Test Skin contact Guinea pig May cause sensitisation by skin contact.

rsion I	Revision Date: 28.09.2024		S Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
Resu	lt	:	Causes sensitis	ation.
Hydro	ochloric acid:			
Test ⁻			Maximisation Te	st
	sure routes		Skin contact	
Speci		:	Guinea pig	
Metho			OECD Test Gui	teline 406
Resu		:	negative	
Sodiı	ım hydroxide:			
Test ⁻	-		Human repeat in	nsult patch test (HRIPT)
	sure routes	:	Skin contact	
Resu		:	negative	
Resu	it.	•	negative	
	rcaptopropane-1,2-d	iol:		
Test 7	Гуре	:	Local lymph noc	le assay (LLNA)
Expos	sure routes	:	Skin contact	
Speci	es	:	Mouse	
Metho	bd	:	OECD Test Gui	deline 429
Resu	lt	:	positive	
Asses	ssment	:	Probability or ev rate in humans	idence of low to moderate skin sensitisation
	cell mutagenicity lassified based on ava	ailable	information.	
<u>Com</u>	oonents:			
	hromycin:			
Geno	toxicity in vitro	:	Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
			Test Type: Chro Result: negative	mosome aberration test in vitro
Geno	toxicity in vivo	:	Result: negative	mosome aberration test in vitro malian erythrocyte micronucleus test (in vivo ay)
	cell mutagenicity- As	- :	Result: negative Test Type: Marr cytogenetic asso Species: Rat Result: negative	mosome aberration test in vitro malian erythrocyte micronucleus test (in vivo ay)
Germ sessn	cell mutagenicity- As	- :	Result: negative Test Type: Marr cytogenetic ass Species: Rat Result: negative Weight of evider	mosome aberration test in vitro malian erythrocyte micronucleus test (in vivo ay)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Tulathromycin Formulation

Vers 6.1	sion	Revision Date: 28.09.2024		DS Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019			
	Citric a	acid:						
	Genotoxicity in vitro		:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)			
			Test Type: in vitro micronucleus test Result: positive					
				Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)			
	Genoto	oxicity in vivo	:		enicity (in vivo mammalian bone-marrow chromosomal analysis) :: Ingestion			
	3-Merc	aptopropane-1,2-dio	I:					
	Genotoxicity in vitro :		:	Method: OECD T Result: negative	rial reverse mutation assay (AMES) est Guideline 471 on data from similar materials			
				Method: OECD T Result: negative	o mammalian cell gene mutation test est Guideline 476 on data from similar materials			
				Method: OECD T Result: negative	nosome aberration test in vitro est Guideline 473 on data from similar materials			

Carcinogenicity

Not classified based on available information.

Components:

Result

Tulathromycin:

Carcinogenicity - Assess- ment	:	No data available
Hydrochloric acid:		
Species	:	Rat
Application Route	:	Inhalation
Exposure time	:	128 weeks

: negative

Reproductive toxicity

Suspected of damaging fertility or the unborn child.



Tulathromycin Formulation

Vers 6.1	ion	Revision Date: 28.09.2024		OS Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
	Compo	onents:			
	Tulath	romycin:			
	Effects	on fertility	:	Species: Rat Application Rou Fertility: NOAE	ility/early embryonic development Ite: Oral L: 100 mg/kg body weight ificant adverse effects were reported
	Effects on foetal develop- ment				oryo-foetal development ute: Oral y Maternal: NOAEL: 15 mg/kg body weight NOAEL: 15 mg/kg body weight olantation loss.
				Application Rou General Toxicit Teratogenicity:	oryo-foetal development ute: Oral y Maternal: NOAEL: 15 mg/kg body weight NOAEL: 15 mg/kg body weight al toxicity observed.
	Reproc sessme	luctive toxicity - As- ent	:		of adverse effects on sexual function and on development, based on animal experiments.
	Citric a	acid:			
		on foetal develop-	:	Test Type: One Species: Rat Application Rou Result: negative	
	3-Merc	aptopropane-1,2-die	ol:		
		on fertility	:	Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 416
	Effects ment	on foetal develop-	:	Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 414

STOT - single exposure

Not classified based on available information.



Tulathromycin Formulation

Vers 6.1	sion	Revision Date: 28.09.2024		DS Number: 000152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
	Comp	onents:			
		romycin:			
	Assessment		:	The substance or organ toxicant, sin	mixture is not classified as specific target ngle exposure.
	Hydro	chloric acid:			
	Assess		:	May cause respir	atory irritation.
	Citric	acid:			
	Assess	sment	:	May cause respir	atory irritation.
	sтот	- repeated exposure			
	Cause	s damage to organs th	nroug	gh prolonged or rep	eated exposure.
	Comp	onents:			
	Tulath	romycin:			
		ure routes	:	Oral	
	Target Organs Assessment		:	Liver, Eye	e significant health effects in animals at con-
	A3565	Silen	•		mg/kg bw or less.
	Repea	ted dose toxicity			
	Comp	onents:			
	Tulath	romycin:			
	Specie		:	Rat	
	NOAE		:	5 mg/kg	
		ation Route ure time		Oral 3 Months	
		Organs	÷	Liver	
	Sympt	oms	:	Liver disorders	
	Specie	es	:	Dog	
	NOAE		:	5 mg/kg	
		ation Route	:	Oral	
		ure time Organs	:	3 Months Liver, Eye	
	Sympto		:	Liver disorders, E	ye disease
	Citric	acid:			
	Specie		:	Rat	
	NOAE		:	4.000 mg/kg	
		- ation Route	:	8.000 mg/kg Ingestion	
		ure time	÷	10 Days	
	•			-	

3-Mercaptopropane-1,2-diol:



Tulathromycin Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
6.1		5300152-00015	Date of first issue: 13.11.2019
	EL ication Route isure time od	: Rat : > 100 mg/kg : Ingestion : 55 Days : OECD Test Gu : Based on data	uideline 422 from similar materials

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

Tulathromycin:

Ingestion

: Symptoms: Diarrhoea, Nausea, Abdominal pain, Vomiting

SECTION 12: Ecological information

12.1 Toxicity

Components:

Tulathromycin:

Toxicity to fish	LC50 (Pimephales promelas (fathead minnow)): 4 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202	
Toxicity to algae/aquatic plants	EC50 (Pseudokirchneriella subcapitata (green algae)): 0,044 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201 EC10 (Pseudokirchneriella subcapitata (green algae)): 0,014 mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Versior 6.1	Revision Date: 28.09.2024	-	0S Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019	
			End point: Growth Exposure time: 72 Method: OECD T	2 h	
			EC50 (Anabaena flos-aquae): 0,0023 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201		
			EC10 (Anabaena flos-aquae): 0,00035 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201		
			EC50 (Synechococcus leopoliensis (blue-green algae)): 0,0028 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201		
			EC10 (Synechococcus leopoliensis (blue-green algae)): 0,0012 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201		
M- icit	Factor (Acute aquatic tox- y)	:	100		
То	xicity to microorganisms	:	EC50 : 41,1 mg/l Exposure time: 3 Test Type: Respir Method: OECD T	ration inhibition of activated sludge	
			EC10 : 0,667 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209		
	Factor (Chronic aquatic cicity)	:	100		
Ci	tric acid:				
То	xicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h		
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia m Exposure time: 24	nagna (Water flea)): 1.535 mg/l 4 h	
2_I	Mercaptopropane-1,2-diol				
	xicity to fish	•	LC50 (Oncorhync Exposure time: 96 Method: OECD T		



Version 6.1	Revision Date: 28.09.2024	-	0S Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
			Remarks: Based	on data from similar materials
	y to daphnia and other invertebrates	:	Exposure time: 48 Method: OECD Te	
Toxicit plants	y to algae/aquatic	:	10 - 100 mg/l Exposure time: 72 Method: OECD To Remarks: Based of EC10 (Raphidoce mg/l Exposure time: 72 Method: OECD To	est Guideline 201 on data from similar materials Ilis subcapitata (freshwater green alga)): > 1 2 h
Toxicit	y to microorganisms	:	EC10 (activated s Exposure time: 3 Method: OECD To Remarks: Based of	h
12.2 Persis	tence and degradabil	ity		
Comp	onents:			
	romycin: ıradability	:	Result: Not readily Exposure time: 29 Method: OECD Te	
Citric a	acid:			
	iradability	:	Result: Readily bi Biodegradation: S Exposure time: 28 Method: OECD Te	97 %
3-Merc	aptopropane-1,2-diol	:		
	radability		Result: Readily bi Remarks: Based o	odegradable. on data from similar materials
12.3 Bioaco	cumulative potential			
Comp	onents:			
	romycin: n coefficient: n- l/water	:	log Pow: -1,41 pH: 7	



Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024		OS Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
Parti	c acid: tion coefficient: n- nol/water	:	log Pow: -1,72	
Parti	ercaptopropane-1,2-dic tion coefficient: n- nol/water	bl: :	log Pow: -0,84 Method: OECD ⊺	Fest Guideline 117
	ility in soil lata available			
12.5 Res	ults of PBT and vPvB a	asse	ssment	
Proc	luct:			
Asse	essment	:	to be either persi	nixture contains no components considered istent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 End	ocrine disrupting prop	ertie	S	
Proc	luct:			
Asse	essment	:	ered to have enc REACH Article 5	hixture does not contain components consid- locrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
12.7 Othe	er adverse effects			
	lata available			
SECTIO	N 13: Disposal consi	idera	ations	
13.1 Was	te treatment methods			
Prod		:	According to the are not product s Waste codes sho discussion with t	cordance with local regulations. European Waste Catalogue, Waste Codes specific, but application specific. buld be assigned by the user, preferably in he waste disposal authorities. of waste into sewer.
Cont	aminated packaging	:	Empty containers dling site for recy	s should be taken to an approved waste han- voling or disposal. specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number


ADN

: UN 3082



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 6.1	Revision Date: 28.09.2024		OS Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
ADR		:	UN 3082	
RID		:	UN 3082	
IMDG	ì	:	UN 3082	
ΙΑΤΑ		:	UN 3082	
14.2 UN p	roper shipping name			
ADN		:	ENVIRONMENTA N.O.S. (Tulathromycin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
ADR		:	ENVIRONMENTA N.O.S. (Tulathromycin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
RID		:	ENVIRONMENTA N.O.S. (Tulathromycin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
IMDG	3	:	ENVIRONMENT N.O.S. (Tulathromycin)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ		:	Environmentally l (Tulathromycin)	nazardous substance, liquid, n.o.s.
14.3 Trans	sport hazard class(es)			
			Class	Subsidiary risks
ADN		:	9	
ADR		:	9	
RID		:	9	
IMDG	ì	:	9	
ΙΑΤΑ		:	9	
	ing group		-	
ADN Packi Class	ng group ification Code rd Identification Number	:	III M6 90 9	
ADR Packi Class Haza Label Tunno RID Packi	ng group ification Code rd Identification Number	: : : : : : : : : : : : : : : : : : : :	III M6 90 9 (-) III M6	





Tulathromycin Formulation

Vers 6.1	sion	Revision Date: 28.09.2024		0S Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019
	Hazard Labels	Identification Number	:	90 9	
	IMDG Packing Labels EmS C		:	III 9 F-A, S-F	
	aircraft	g instruction (cargo) g instruction (LQ)	:	964 Y964 III Miscellaneous	
	IATA (I Packing ger airc Packing	Passenger) g instruction (passen- g instruction (LQ) g group	:	964 Y964 III Miscellaneous	
14.5	5 Enviro	nmental hazards			
	ADN Enviror	mentally hazardous	:	yes	
	ADR Enviror	mentally hazardous	:	yes	
	RID Enviror	mentally hazardous	:	yes	
	IMDG Marine	pollutant	:	yes	
		Passenger)	:	yes	
	IATA ((Enviror	Cargo) Imentally hazardous	:	yes	
14.6	14.6 Special precautions for use		r		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

: Not applicable for product as supplied.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

. . . .

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

- : Conditions of restriction for the following entries should be considered:
- lowing entries should be consider

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version 6.1	Revision Date: 28.09.2024	SDS Number: 5300152-00015		last issue: 06.07.2024 first issue: 13.11.2019
mixtu	ires and articles (Anne)	ĸ XVII)		Number on list 3
				Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.
				Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
	CH - Candidate List of Scenn for Authorisation (A	Substances of Very High	:	Not applicable
REA	· · · · · · · · · · · · · · · · · · ·	subject to authorisation	:	Not applicable
· ·	lation (EC) on substan	ces that deplete the ozor	ne :	Not applicable
Regu		on persistent organic pol	llu- :	Not applicable
Regu ment	ulation (ÉU) No 649/201	12 of the European Parlia prning the export and imp		Not applicable
		8/EU of the European Pa	rliament	t and of the Council on the control of

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL	100 t	200 t
	HAZARDS		

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

IECSC	:	not determined
DSL	:	not determined
AICS	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Versi 6.1	on	Revision Date: 28.09.2024		0S Number: 00152-00015	Date of last issue: 06.07.2024 Date of first issue: 13.11.2019				
(Other information		:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.					
I	Full tex	t of H-Statements							
I	H290			May be corrosive	to metals				
	H302		÷	Harmful if swallow					
	H311		÷	Toxic in contact w					
	H314		÷		in burns and eye damage.				
	H315		÷	Causes skin irritat					
	H317		:	May cause an alle					
	H318		÷	Causes serious e	-				
	H319		÷	Causes serious e					
	H335		:	May cause respira					
	H361		:		aging fertility or the unborn child.				
	H372		:		o organs through prolonged or repeated				
				exposure if swallo					
H	H400		:	Very toxic to aqua					
H	H410		:		tic life with long lasting effects.				
I	EUH01	4	:	: Reacts violently with water.					
I	EUH07	1	:	Corrosive to the re					
I	Full tex	t of other abbreviation	ons						
	Acute T	ōx		Acute toxicity					
	Aquatic		:	Short-term (acute) aquatic hazard				
		Chronic	:	Long-term (chroni					
	Eye Da		÷	Serious eye dama					
	Eye Irri		÷	Eye irritation	.50				
	Met. Co		÷	Corrosive to meta	ls				
	Repr.		÷	Reproductive toxic					
	Skin Co	orr.	÷	Skin corrosion					
	Skin Irri		÷	Skin irritation					
	Skin Se		÷	Skin sensitisation					
	STOT F		:	Specific target or	an toxicity - repeated exposure				
	STOT S		:		jan toxicity - single exposure				
	2000/39		:		ion Directive 2000/39/EC establishing a first				
					ccupational exposure limit values				
I	FOR-20	011-12-06-1358	:		onal Exposure limits				
		9/EC / TWA	:	Limit Value - eight					
2000/39/EC / STEL : Short term exposure limit									
		011-12-06-1358 /	:	Long term exposu					
	TWA			U					
I	FOR-20	011-12-06-1358 / T	:	Ceiling					
1	ADN - E	European Agreement	cond	erning the Internat	ional Carriage of Dangerous Goods by Inland				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	5300152-00015	Date of first issue: 13.11.2019

sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
Repr. 2	H361
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Tulathromycin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
6.1	28.09.2024	5300152-00015	Date of first issue: 13.11.2019

NO / EN