

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Vitamin C (>10%) Formulation

Product code : AQUA C FISH PLUS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Veterinary product

Recommended restrictions
on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Walton Manor, Walton
MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single ex-
posure, Category 3 H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	11506220-00002	03.02.2025
			Date of first issue: 03.02.2025

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**

P261 Avoid breathing dust.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear eye protection/ face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Storage:

P405 Store locked up.

Hazardous components which must be listed on the label:

Citric acid
Calcium diformate
Phosphoric acid

EUH208 Contains Dimethyl octadienol, 3,7-Dimethyl 2,6-octadienal. May produce an allergic reaction.

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 1.25 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 1.25 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 1.25 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 1.25 %

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11506220-00002 Date of last issue: 03.02.2025
Date of first issue: 03.02.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Citric acid	77-92-9 201-069-1 607-750-00-3	Eye Irrit. 2; H319 STOT SE 3; H335	>= 20 - < 30
Calcium diformate	544-17-2 208-863-7	Eye Dam. 1; H318	>= 3 - < 10
Phosphoric acid	7664-38-2 231-633-2 015-011-00-6	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 specific concentra- tion limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 % EUH071 >= 25 %	>= 1 - < 3
Formic acid	64-18-6 200-579-1 607-001-00-0	Flam. Liq. 3; H226 Met. Corr. 1; H290 Acute Tox. 4; H302 Acute Tox. 3; H331 Skin Corr. 1A; H314 Eye Dam. 1; H318 specific concentra- tion limit Skin Corr. 1A; H314 >= 90 % Skin Corr. 1B; H314 10 - < 90 % Skin Irrit. 2; H315 2 - < 10 % Eye Irrit. 2; H319 2 - < 10 %	>= 0.1 - < 1

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11506220-00002 Date of last issue: 03.02.2025
Date of first issue: 03.02.2025

		Flam. Liq. 3; H226 ≥ 85 % Eye Dam. 1; H318 ≥ 10 % EUH071 ≥ 10 %	
Dimethyl octadienol	78-70-6 201-134-4 603-235-00-2	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	≥ 0.1 - < 1
3,7-Dimethyl 2,6-octadienal	5392-40-5 226-394-6 605-019-00-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317	≥ 0.1 - < 1
Substances with a workplace exposure limit :			
Starch	9005-25-8 232-679-6		≥ 30 - < 50
Ascorbic acid	50-81-7 200-066-2		≥ 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of the skin.

May produce an allergic reaction.



Causes serious eye damage.
May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.
Add excess liquid to allow the material to enter into solution.
Soak up with inert absorbent material.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing dust.
Do not swallow.
Do not get in eyes.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.

Minimize dust generation and accumulation.

Keep container closed when not in use.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dust of any kind	10 mg/m3 Value type (Form of exposure): TWA (Inhalable) Basis: GB EH40
	4 mg/m3 Value type (Form of exposure): TWA (Respirable fraction) Basis: GB EH40

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
------------	---------	-------------------------------	--------------------	-------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11506220-00002 Date of last issue: 03.02.2025
Date of first issue: 03.02.2025

Starch	9005-25-8	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
Ascorbic acid	50-81-7	TWA	5000 µg/m3 (OEB 1)	Internal
Phosphoric acid	7664-38-2	TWA	1 mg/m3	GB EH40
		STEL	2 mg/m3	GB EH40
		TWA	1 mg/m3	2000/39/EC
	Further information: Indicative			
		STEL	2 mg/m3	2000/39/EC
	Further information: Indicative			
Formic acid	64-18-6	TWA	5 ppm 9.6 mg/m3	GB EH40
		TWA	5 ppm 9 mg/m3	2006/15/EC
	Further information: Indicative			

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
Calcium diformate	Workers	Inhalation	Long-term systemic effects	337 mg/m3
	Workers	Skin contact	Long-term systemic effects	4780 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	83.2 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2390 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	23.9 mg/kg bw/day
Phosphoric acid	Workers	Inhalation	Long-term local effects	1 mg/m3
	Workers	Inhalation	Acute local effects	2 mg/m3
	Consumers	Inhalation	Long-term local effects	0.73 mg/m3
Dimethyl octadienol	Workers	Inhalation	Long-term systemic effects	24.58 mg/m3
	Workers	Skin contact	Long-term systemic effects	3.5 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	3 mg/cm2
	Workers	Skin contact	Acute local effects	3 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	4.33 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1.25 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	1.5 mg/cm2
	Consumers	Skin contact	Acute local effects	1.5 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	2.49 mg/kg bw/day

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11506220-00002 Date of last issue: 03.02.2025
Date of first issue: 03.02.2025

3,7-Dimethyl 2,6-octadienal	Workers	Inhalation	Long-term systemic effects	9 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.7 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0.140 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	2.7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.140 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	0.6 mg/kg bw/day
Formic acid	Workers	Inhalation	Long-term systemic effects	9.5 mg/m3
	Workers	Inhalation	Long-term local effects	9.5 mg/m3
	Consumers	Inhalation	Long-term systemic effects	6 mg/m3
	Consumers	Inhalation	Long-term local effects	6 mg/m3
	Consumers	Skin contact	Long-term systemic effects	3 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Citric acid	Fresh water	0.44 mg/l
	Marine water	0.044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34.6 mg/kg dry weight (d.w.)
	Marine sediment	3.46 mg/kg dry weight (d.w.)
	Soil	33.1 mg/kg dry weight (d.w.)
Calcium diformate	Fresh water	2 mg/l
	Marine water	0.2 mg/l
	Intermittent use/release	10 mg/l
	Sewage treatment plant	2.21 mg/l
	Fresh water sediment	13.4 mg/l
	Marine sediment	1.34 mg/l
	Soil	1.5 mg/l
Dimethyl octadienol	Fresh water	0.2 mg/l
	Freshwater - intermittent	2 mg/l
	Marine water	0.02 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	2.22 mg/kg dry weight (d.w.)
	Marine sediment	0.222 mg/kg dry

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version 2.0 Revision Date: 14.04.2025 SDS Number: 11506220-00002 Date of last issue: 03.02.2025
Date of first issue: 03.02.2025

		weight (d.w.)
	Soil	0.327 mg/kg dry weight (d.w.)
	Secondary Poisoning	7.8 mg/kg food
3,7-Dimethyl 2,6-octadienal	Fresh water	0.007 mg/l
	Freshwater - intermittent	0.068 mg/l
	Marine water	0.001 mg/l
	Sewage treatment plant	1.6 mg/l
	Fresh water sediment	0.125 mg/kg dry weight (d.w.)
	Marine sediment	0.013 mg/kg dry weight (d.w.)
	Soil	0.021 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter should conform to BS EN 14387
Filter type	:	Combined particulates, acidic and inorganic gas/vapour type (BE-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11506220-00002	Date of last issue: 03.02.2025 Date of first issue: 03.02.2025
----------------	------------------------------	-------------------------------	---

Appearance	:	powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight	:	No data available
------------------	---	-------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Components:

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Calcium diformate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Phosphoric acid:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg
Method: OECD Test Guideline 423
Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Formic acid:

Acute oral toxicity : Acute toxicity estimate (Humans): 500 mg/kg
Method: Expert judgement
Acute inhalation toxicity : LC50 (Rat): 7.4 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Dimethyl octadienol:

Acute oral toxicity : LD50 (Rat): 2,790 mg/kg
Method: OECD Test Guideline 401
Remarks: The test was conducted equivalent or similar to guideline
Acute inhalation toxicity : LC50 (Mouse): > 3.2 mg/l
Exposure time: 90 min
Test atmosphere: vapour
Remarks: No test guideline followed
Acute dermal toxicity : LD50 (Rabbit): 5,610 mg/kg
Method: OECD Test Guideline 402
Remarks: The test was conducted equivalent or similar to guideline

3,7-Dimethyl 2,6-octadienal:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Acute oral toxicity : LD50 (Rat, female): 4,895 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.68 mg/l
Exposure time: 7 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 2,250 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ascorbic acid:

Acute oral toxicity : LD50 (Rat): 11,900 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Citric acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Calcium diformate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Phosphoric acid:

Result : Corrosive after 3 minutes to 1 hour of exposure
Remarks : Based on national or regional regulation.

Formic acid:

Result : Corrosive after 3 minutes or less of exposure
Remarks : Based on extreme pH

Dimethyl octadienol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation
Remarks : The test was conducted according to guideline

3,7-Dimethyl 2,6-octadienal:

Species : Rabbit

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

|| Result : Skin irritation

Ascorbic acid:

|| Species : Rabbit
|| Method : OECD Test Guideline 404
|| Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Citric acid:

|| Species : Rabbit
|| Method : OECD Test Guideline 405
|| Result : Irritation to eyes, reversing within 21 days

Calcium diformate:

|| Species : Rabbit
|| Method : OECD Test Guideline 405
|| Result : Irreversible effects on the eye

Phosphoric acid:

|| Species : Rabbit
|| Result : Irreversible effects on the eye

Formic acid:

|| Result : Irreversible effects on the eye
|| Remarks : Based on skin corrosivity.

Dimethyl octadienol:

|| Species : Rabbit
|| Method : OECD Test Guideline 405
|| Result : Irritation to eyes, reversing within 21 days
|| Remarks : The test was conducted equivalent or similar to guideline

3,7-Dimethyl 2,6-octadienal:

|| Species : Rabbit
|| Result : Irritation to eyes, reversing within 21 days

Starch:

|| Species : Rabbit
|| Result : No eye irritation

Ascorbic acid:

|| Species : Rabbit
|| Method : OECD Test Guideline 405

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

|| Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Calcium diformate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Formic acid:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Dimethyl octadienol:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive
Remarks	: The test was conducted according to guideline

|| Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

3,7-Dimethyl 2,6-octadienal:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Result	: positive

|| Assessment : Probability or evidence of skin sensitisation in humans

Starch:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Ascorbic acid:

Test Type	: Maurer optimisation test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Citric acid:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: in vitro micronucleus test Result: positive Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative

Calcium diformate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo) Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

Phosphoric acid:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473
-----------------------	--

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11506220-00002	Date of last issue: 03.02.2025 Date of first issue: 03.02.2025
----------------	------------------------------	-------------------------------	---

Result: negative

Formic acid:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Sex-linked recessive lethal test in Drosophila melanogaster (in vivo) Application Route: Ingestion Method: OECD Test Guideline 477 Result: negative

Dimethyl octadienol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: The test was conducted equivalent or similar to guideline Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: The test was conducted equivalent or similar to guideline Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: The test was conducted equivalent or similar to guideline
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: The test was conducted according to guideline

3,7-Dimethyl 2,6-octadienal:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test in vitro Result: negative
-----------------------	--

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Genotoxicity in vivo	Test Type: In vitro sister chromatid exchange assay in mam- malian cells Result: positive
	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

Starch:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Ascorbic acid:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Formic acid:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
Result	: negative
Remarks	: Based on data from similar materials

3,7-Dimethyl 2,6-octadienal:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 104 - 105 weeks
Result	: negative

Ascorbic acid:

Species	: Mouse
---------	---------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

Citric acid:

Effects on foetal development	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---	---

Calcium diformate:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

Phosphoric acid:

Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative

Formic acid:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416
----------------------	---	--

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11506220-00002	Date of last issue: 03.02.2025 Date of first issue: 03.02.2025
----------------	------------------------------	-------------------------------	---

	Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

Dimethyl octadienol:

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: No test guideline followed
-------------------------------	---

3,7-Dimethyl 2,6-octadienal:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 443 Result: negative
Effects on foetal development	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 443 Result: negative

Ascorbic acid:

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	--

STOT - single exposure

May cause respiratory irritation.

Components:

Citric acid:

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Repeated dose toxicity

Components:

Citric acid:

Species	: Rat
NOAEL	: 4,000 mg/kg
LOAEL	: 8,000 mg/kg
Application Route	: Ingestion
Exposure time	: 10 Days

Calcium diformate:

Species	: Rat
NOAEL	: 3,000 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

Phosphoric acid:

Species	: Rat
NOAEL	: 250 mg/kg
Application Route	: Ingestion
Exposure time	: 40 - 52 Days
Method	: OECD Test Guideline 422

Formic acid:

Species	: Rat
NOAEL	: 400 mg/kg
Application Route	: Ingestion
Exposure time	: 52 Weeks
Remarks	: Based on data from similar materials

Dimethyl octadienol:

Species	: Rat, male
NOAEL	: >= 497.9 mg/kg
Application Route	: Ingestion
Exposure time	: 96 Days
Method	: OECD Test Guideline 408
Remarks	: The test was conducted according to guideline

Species	: Rat
NOAEL	: 250 mg/kg
Application Route	: Skin contact
Exposure time	: 91 Days
Method	: OECD Test Guideline 411
Remarks	: The test was conducted equivalent or similar to guideline

3,7-Dimethyl 2,6-octadienal:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Species	: Rat, female
LOAEL	: 335 mg/kg
Application Route	: Ingestion
Exposure time	: 14 Weeks

Starch:

Species	: Rat
NOAEL	: >= 2,000 mg/kg
Application Route	: Skin contact
Exposure time	: 28 Days
Method	: OECD Test Guideline 410

Ascorbic acid:

Species	: Rat, male
NOAEL	: >= 8,100 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Citric acid:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,535 mg/l Exposure time: 24 h

Calcium diformate:

Toxicity to fish	: LC0 (Danio rerio (zebra fish)): >= 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h Method: EPA-660/3-75-009 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
	NOEC (Pseudokirchneriella subcapitata (green algae)): 500

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

	mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to microorganisms	: NOEC : >= 22.1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: >= 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

Phosphoric acid:

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50 : > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Formic acid:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 130 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 365 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,240 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

		EC10 (Pseudokirchneriella subcapitata (green algae)): 295 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	NOEC : 72 mg/l Exposure time: 13 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Dimethyl octadienol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 27.8 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: The test was conducted according to guideline
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 59 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: The test was conducted according to guideline
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 156.7 mg/l Exposure time: 96 h EC10 (Desmodesmus subspicatus (green algae)): 54.3 mg/l Exposure time: 96 h
Toxicity to microorganisms	:	EC10 (activated sludge): > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: The test was conducted according to guideline

3,7-Dimethyl 2,6-octadienal:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 6.78 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 6.8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 103.8 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 3 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50 (activated sludge): 160 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version 2.0	Revision Date: 14.04.2025	SDS Number: 11506220-00002	Date of last issue: 03.02.2025 Date of first issue: 03.02.2025
----------------	------------------------------	-------------------------------	---

Exposure time: 30 min
Method: OECD Test Guideline 209

Ascorbic acid:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 1,020 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to microorganisms	: EC50 : 140 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8

12.2 Persistence and degradability

Components:

Citric acid:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

Calcium diformate:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 86 % Exposure time: 28 d Method: OECD Test Guideline 306 Remarks: Based on data from similar materials
------------------	---

Formic acid:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 301C
------------------	--

Dimethyl octadienol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 64.2 % Exposure time: 28 d Method: OECD Test Guideline 301D Remarks: The test was conducted according to guideline
------------------	---

3,7-Dimethyl 2,6-octadienal:

Biodegradability	: Result: Readily biodegradable. Biodegradation: > 90 % Exposure time: 28 d Method: Directive 67/548/EEC Annex V, C.4.D.
------------------	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

Ascorbic acid:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 5 d Method: OECD Test Guideline 302
------------------	---	---

12.3 Bioaccumulative potential

Components:

Citric acid:

Partition coefficient: n-octanol/water	:	log Pow: -1.72
--	---	----------------

Calcium diformate:

Partition coefficient: n-octanol/water	:	log Pow: -2.3 - -1.9 Remarks: Based on data from similar materials
--	---	---

Formic acid:

Partition coefficient: n-octanol/water	:	log Pow: -2.1
--	---	---------------

Dimethyl octadienol:

Partition coefficient: n-octanol/water	:	log Pow: 2.84 Method: OECD Test Guideline 107 Remarks: The test was conducted equivalent or similar to guideline
--	---	--

3,7-Dimethyl 2,6-octadienal:

Partition coefficient: n-octanol/water	:	log Pow: 2.76
--	---	---------------

Ascorbic acid:

Partition coefficient: n-octanol/water	:	log Pow: -1.85
--	---	----------------

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
------------	---	--

12.6 Other adverse effects

Product:

Endocrine disrupting potential	:	This substance/mixture does not contain components considered to have endocrine disrupting properties for environment
--------------------------------	---	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.4 Packing group

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

The Control of Explosives Precursors and Poisons Regulations (Poisons Act, as amended)

This product is regulated by the Poisons Act 1972 (as amended).
All suspicious transactions, and significant disappearances and thefts must be reported.

Phosphoric acid (Schedule 1A Part 1)

Control of Major Accident Hazards Regulations 2015 (COMAH)
Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H226	: Flammable liquid and vapour.
H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H331	: Toxic if inhaled.
H335	: May cause respiratory irritation.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Met. Corr.	: Corrosive to metals
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
2006/15/EC	: Europe. Indicative occupational exposure limit values
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
2006/15/EC / TWA	: Limit Value - eight hours
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Vitamin C (>10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.02.2025
2.0	14.04.2025	11506220-00002	Date of first issue: 03.02.2025

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Eye Dam. 1	H318
STOT SE 3	H335

Classification procedure:

Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN