

## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Warfarin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Highly Toxic, Toxic

##### GHS Classification

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 2

Acute toxicity (Dermal) : Category 4

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1 (Blood)

##### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H301 Toxic if swallowed.  
H312 Harmful in contact with skin.

## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

H330 Fatal if inhaled.  
H360D May damage the unborn child.  
H372 Causes damage to organs (Blood) through prolonged or repeated exposure.

Precautionary statements :

**Prevention:**

P203 Obtain, read and follow all safety instructions before use.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P284 Wear respiratory protection.

**Response:**

P301 + P316 + P330 IF SWALLOWED: Get emergency medical help immediately. Rinse mouth.  
P302 + P352 + P317 IF ON SKIN: Wash with plenty of water. Get medical help.  
P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.  
P318 IF exposed or concerned, get medical advice.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form combustible dust concentrations in air.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Petrolatum	8009-03-8	$\geq 90 - \leq 100$
Paraffin waxes and Hydrocarbon waxes	8002-74-2	$\geq 5 - < 10$
Warfarin	81-81-2	$\geq 1 - < 2.5$
White mineral oil (petroleum)	8042-47-5	$\geq 1 - < 5$

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	6111704-00009	Date of first issue: 15.07.2020

---

- vice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Toxic if swallowed.  
Harmful in contact with skin.  
Fatal if inhaled.  
May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not use a solid water stream as it may scatter and spread fire.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.

## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	6111704-00009	Date of first issue: 15.07.2020

---

Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Only trained personnel should re-enter the area.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust, fume, gas, mist, vapours or spray.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.

---

## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

- Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Explosives

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m <sup>3</sup>	IN OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	IN OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Paraffin waxes and Hydrocarbon waxes	8002-74-2	TWA (Fumes)	2 mg/m <sup>3</sup>	ACGIH
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	IN OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	IN OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Warfarin	81-81-2	TWA (Inhalable particulate matter)	0.01 mg/m <sup>3</sup>	ACGIH

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	pink
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	320 °C
Flash point	:	178 °C
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available

## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : 0.80 - 0.84

Density : No data available

Solubility(ies)  
Water solubility : practically insoluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form combustible dust concentrations in air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

### **Acute toxicity**

Toxic if swallowed.  
Harmful in contact with skin.  
Fatal if inhaled.

### **Product:**

Acute oral toxicity : Acute toxicity estimate: 281 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0.25 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 2,000 mg/kg  
Method: Calculation method

### **Components:**

#### **Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

#### **Paraffin waxes and Hydrocarbon waxes:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 420

Acute dermal toxicity : LD50 (Rabbit): > 3,600 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Warfarin:**

Acute oral toxicity : LD50 (Rat): 5.62 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.001 - 0.005 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 40 mg/kg

#### **White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### **Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **Paraffin waxes and Hydrocarbon waxes:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Warfarin:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **White mineral oil (petroleum):**

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### **Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### **Paraffin waxes and Hydrocarbon waxes:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

### Warfarin:

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

### White mineral oil (petroleum):

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Petrolatum:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

#### Paraffin waxes and Hydrocarbon waxes:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Warfarin:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

### White mineral oil (petroleum):

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Petrolatum:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Paraffin waxes and Hydrocarbon waxes:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative  
Remarks: Based on data from similar materials

### Warfarin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
Result: equivocal

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative

### White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

### **Components:**

#### **Petrolatum:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **Paraffin waxes and Hydrocarbon waxes:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **White mineral oil (petroleum):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

### **Reproductive toxicity**

May damage the unborn child.

### **Components:**

#### **Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

#### **Paraffin waxes and Hydrocarbon waxes:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

### Warfarin:

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Humans, female  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Blood) through prolonged or repeated exposure.

### Components:

#### Paraffin waxes and Hydrocarbon waxes:

Exposure routes : Ingestion  
Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Warfarin:

Exposure routes : Ingestion  
Target Organs : Blood  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### Repeated dose toxicity

### Components:

#### Petrolatum:

Species : Rat  
NOAEL : 5,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

#### Paraffin waxes and Hydrocarbon waxes:

## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

Species : Rat  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

### Warfarin:

Species : Rat  
LOAEL : < 10 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### White mineral oil (petroleum):

Species : Rat  
LOAEL : 160 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

Species : Rat  
LOAEL :  $\geq 1$  mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 412

### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Petrolatum:**

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEL ( Pseudokirchneriella subcapitata (green algae)):  $\geq 100$  mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOEC: 10 mg/l

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

aquatic invertebrates (Chronic toxicity)      Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Paraffin waxes and Hydrocarbon waxes:

Toxicity to fish      : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates      : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants      : NOEC ( Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

### Warfarin:

Toxicity to daphnia and other aquatic invertebrates      : EC50 (Daphnia magna (Water flea)): > 105 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants      : EC50 ( Desmodesmus subspicatus (green algae)): > 83.2 mg/l  
Exposure time: 72 h

Toxicity to microorganisms      : EC50 (Photobacterium phosphoreum): 67.5 mg/l  
Exposure time: 5 min

Toxicity to fish (Chronic toxicity)      : NOEC: 2 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      : NOEC: 0.059 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### White mineral oil (petroleum):

Toxicity to fish      : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates      : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC ( Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: 1,000 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,000 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### Persistence and degradability

#### Components:

##### **Petrolatum:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

##### **Paraffin waxes and Hydrocarbon waxes:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

##### **Warfarin:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92.7 %  
Exposure time: 28 d

##### **White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

### Bioaccumulative potential

#### Components:

##### **Paraffin waxes and Hydrocarbon waxes:**

Partition coefficient: n-octanol/water : log Pow: 5.3 - 6.7



## Warfarin Formulation

Version 1.8      Revision Date: 30.09.2023      SDS Number: 6111704-00009      Date of last issue: 04.04.2023  
Date of first issue: 15.07.2020

---

### Warfarin:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF):  $\leq 21.6$

Partition coefficient: n-octanol/water : log Pow: 0.7

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 2811  
Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Warfarin)  
Class : 6.1  
Packing group : II  
Labels : 6.1  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 2811  
Proper shipping name : Toxic solid, organic, n.o.s.  
(Warfarin)  
Class : 6.1  
Packing group : II  
Labels : Toxic  
Packing instruction (cargo aircraft) : 676  
Packing instruction (passenger aircraft) : 669

#### IMDG-Code

UN number : UN 2811  
Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.  
(Warfarin)  
Class : 6.1  
Packing group : II  
Labels : 6.1

---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	6111704-00009	Date of first issue: 15.07.2020

EmS Code : F-A, S-A  
Marine pollutant : no

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

## 16. OTHER INFORMATION

Revision Date : 30.09.2023

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average  
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)  
IN OEL / STEL : Short-term exposure Limit STEL (15 min)

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Warfarin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.8	30.09.2023	6111704-00009	Date of first issue: 15.07.2020

---

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN