According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Zeranol Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions :

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Walton Manor, Walton

MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Carcinogenicity, Category 2 H351: Suspected of causing cancer.

Reproductive toxicity, Category 1B H360FD: May damage fertility. May damage the

unborn child.

Specific target organ toxicity - repeated

exposure, Category 1

H372: Causes damage to organs through pro-

longed or repeated exposure.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

Hazard pictograms :

Signal word : Danger

Hazard statements : H351 Suspected of causing cancer.

H360FD May damage fertility. May damage the unborn

child.

H372 Causes damage to organs through prolonged or re-

peated exposure.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Hazardous components which must be listed on the label:

zeranol Boric acid

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
zeranol	26538-44-3	Carc. 2; H351	>= 70 - < 90
	247-769-0	Repr. 1B; H360FD	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

		STOT RE 1; H372 (Endocrine system, Liver)	
Boric acid	10043-35-3 233-139-2	Repr. 1B; H360FD	>= 10 - < 20
	005-007-00-2 01-2119486683-25		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Suspected of causing cancer.

May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

 Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not use a solid water stream as it may scatter and spread

fire.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides
Boron oxides
Metal oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dust of any kind 10 mg/m3

Value type (Form of exposure): TWA (Inhalable)

Basis: GB EH40

4 mg/m3

Value type (Form of exposure): TWA (Respirable fraction)

Basis: GB EH40

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
zeranol	26538-44-3	TWA	2 μg/m3 (OEB 4)	Internal
		Wipe limit	20 μg/100 cm ²	Internal

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Boric acid	Workers	Skin contact	Long-term systemic effects	392 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	8.3 mg/m3
	Consumers	Ingestion	Acute systemic effects	0.98 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.98 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic	4.15 mg/m3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

		effects	
Consumers	Skin contact	Long-term systemic	196 mg/kg
		effects	bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Boric acid	Fresh water	2.9 mg/l
	Intermittent use/release	13.7 mg/l
	Marine water	2.9 mg/l
	Sewage treatment plant	10 mg/l
	Soil	5.7 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Engineering measures

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to BS EN 143

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 9372686-00006 Date of first issue: 27.08.2021

Colour vellow Odour odourless

Odour Threshold No data available

No data available pН

Melting point/freezing point No data available

Initial boiling point and boiling

range

Flash point Not applicable

Evaporation rate No data available

Flammability (solid, gas) May form combustible dust concentrations in air.

Upper explosion limit / Upper

flammability limit

No data available

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

Relative vapour density No data available

Relative density No data available

Density No data available

Solubility(ies)

Water solubility insoluble

Partition coefficient: n-No data available

octanol/water

No data available Auto-ignition temperature

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) No data available

Molecular weight No data available

Dust deflagration index (Kst) 180 m.b_/s

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

Minimum ignition energy : 5 - 10 mJ

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form combustible dust concentrations in air.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

zeranol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Boric acid:

Acute oral toxicity : LD50 (Rat): 3,450 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

Acute inhalation toxicity : LC50 (Rat): > 2.03 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

zeranol:

Remarks : No data available

Boric acid:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

zeranol:

Remarks : No data available

Boric acid:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

zeranol:

Remarks : No data available

Boric acid:

Test Type : Buehler Test

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

zeranol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro) Test system: rat hepatocytes

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Mouse

Cell type: Bone marrow

Result: negative

Boric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: equivocal

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

zeranol:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : positive

Target Organs : female reproductive organs, Pituitary gland

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Dog
Application Route : Oral
Exposure time : 2 Years
Result : negative

Carcinogenicity - Assess-

nent

Limited evidence of carcinogenicity in animal studies

Boric acid:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

zeranol:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Result: No significant adverse effects were reported

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity F1: LOAEL: 3 mg/kg body weight

Symptoms: Reduced body weight

Result: Effects on reproduction parameters

Test Type: Fertility Species: Rat, males Application Route: Oral

Fertility: LOAEL: 1.25 mg/kg body weight

Symptoms: Reduced fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 2 mg/kg body weight Symptoms: Reduced number of viable fetuses Result: Embryolethal effects, No teratogenic effects

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

Developmental Toxicity: NOAEL: >= 5 mg/kg body weight Result: No significant adverse effects were reported

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse

effects on development, based on animal experiments.

Boric acid:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: positive

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse

effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

zeranol:

Target Organs : Endocrine system, Liver

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

zeranol:

Species : Rat

NOAEL : 0.175 mg/kg LOAEL : 1.225 mg/kg

Application Route : Oral Exposure time : 13 Weeks Target Organs : Liver

Species : Dog

NOAEL : 0.25 mg/kg LOAEL : 1.25 mg/kg Application Route : Oral Exposure time : 14 Weeks

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

Target Organs : male reproductive organs

Species : Rat
NOAEL : 0.1 mg/kg
LOAEL : 0.8 mg/kg
Application Route : Oral
Exposure time : 26 Weeks
Symptoms : Liver disorders

Species : Dog

NOAEL : 0.025 mg/kg
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 29 Weeks

Target Organs : Reproductive organs, Bone marrow, Bladder

Symptoms : hair loss

Species : Dog, female
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 7 yr

Target Organs : female reproductive organs Symptoms : Changes in the blood count

Species : Monkey, female

Application Route : Oral Exposure time : 10 yr

Target Organs : female reproductive organs

Boric acid:

Species : Rat
NOAEL : 100 mg/kg
LOAEL : 334 mg/kg
Application Route : Ingestion
Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

zeranol:

Ingestion : Remarks: May cause adverse reproductive effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

SECTION 12: Ecological information

12.1 Toxicity

Components:

Boric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 74 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 102 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 52.4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 17.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 : 35.4 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 6.4 mg/l Exposure time: 34 d

Species: Danio rerio (zebra fish)

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 10.8 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Components:

zeranol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 91 d

12.3 Bioaccumulative potential

Components:

zeranol:

Partition coefficient: n-

octanol/water

log Pow: 3.13

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

Boric acid:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): <= 3.2 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: -1.09

12.4 Mobility in soil

Components:

zeranol:

Distribution among environ-

mental compartments

log Koc: 2.95

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

SECTION 14: Transport information

14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Boric acid (Number on list 30)

Boric acid

Not applicable

Not applicable

Not applicable

: Not applicable

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

UK REACH List of substances subject to authorisation

(Annex XIV)

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H351 : Suspected of causing cancer.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

H360FD : May damage fertility. May damage the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure.

Full text of other abbreviations

Carc. : Carcinogenicity
Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Carc. 2 H351 Calculation method Repr. 1B H360FD Calculation method

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Zeranol Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 9372686-00006
 Date of first issue: 27.08.2021

STOT RE 1 H372 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN