

**Zeranol Formulation**

Version 3.1      Revision Date: 2023/09/30      SDS Number: 682064-00015      Date of last issue: 2023/04/04  
Date of first issue: 2016/05/19

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Zeranol Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone number : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Carcinogenicity : Category 2  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - repeated exposure : Category 1 (Endocrine system, Liver)

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H351 Suspected of causing cancer.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (Endocrine system, Liver) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read

## Zeranol Formulation

Version 3.1      Revision Date: 2023/09/30      SDS Number: 682064-00015      Date of last issue: 2023/04/04  
Date of first issue: 2016/05/19

---

and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form combustible dust concentrations in air.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
zeranol	26538-44-3	>= 60 -<= 100
Boric acid	10043-35-3	>= 10 -< 30
Magnesium stearate	557-04-0	>= 10 -< 30

---

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.

---

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

Most important symptoms and effects, both acute and delayed	:	Rinse mouth thoroughly with water. Suspected of causing cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

**5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do not use a solid water stream as it may scatter and spread fire. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Boron oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**Zeranol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
 Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
 Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
 Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe dust.  
 Do not swallow.  
 Avoid contact with eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Minimize dust generation and accumulation.  
 Keep container closed when not in use.  
 Keep away from heat and sources of ignition.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

## Zeranol Formulation

Version 3.1      Revision Date: 2023/09/30      SDS Number: 682064-00015      Date of last issue: 2023/04/04  
 Date of first issue: 2016/05/19

		exposure)	concentration	
zeranol	26538-44-3	TWA	2 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	20 µg/100 cm <sup>2</sup>	Internal
Boric acid	10043-35-3	TWA (Inhalable particulate matter)	2 mg/m <sup>3</sup> (Borate)	ACGIH
		STEL (Inhalable particulate matter)	6 mg/m <sup>3</sup> (Borate)	ACGIH
Magnesium stearate	557-04-0	NAB	10 mg/m <sup>3</sup>	ID OEL
Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals				
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

Hygiene measures : Use appropriate degowning techniques to remove potentially contaminated clothing.

: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	powder
Colour	:	yellow
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form combustible dust concentrations in air.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		

**Zeranol Formulation**

Version 3.1      Revision Date: 2023/09/30      SDS Number: 682064-00015      Date of last issue: 2023/04/04  
Date of first issue: 2016/05/19

---

Water solubility : insoluble

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Dust deflagration index (Kst) : 180 m.b\_/s

Minimum ignition energy : 5 - 10 mJ

Particle size : No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form combustible dust concentrations in air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****zeranol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

**Boric acid:**

Acute oral toxicity : LD50 (Rat): 3,450 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.03 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****zeranol:**

Remarks : No data available

**Boric acid:**

Species : Rabbit  
Result : No skin irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.



**Zeranol Formulation**

Version 3.1      Revision Date: 2023/09/30      SDS Number: 682064-00015      Date of last issue: 2023/04/04  
Date of first issue: 2016/05/19

---

**Components:****zeranol:**

Remarks : No data available

**Boric acid:**

Species : Rabbit  
Result : No eye irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****zeranol:**

Remarks : No data available

**Boric acid:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Magnesium stearate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****zeranol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Test system: rat hepatocytes

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

**Boric acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: equivocal

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Magnesium stearate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

**Carcinogenicity**

Suspected of causing cancer.

**Components:****zeranol:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

Result : positive  
Target Organs : female reproductive organs, Pituitary gland

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Dog  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**Boric acid:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****zeranol:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Result: No significant adverse effects were reported

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: LOAEL: 3 mg/kg body weight  
Symptoms: Reduced body weight  
Result: Effects on reproduction parameters

Test Type: Fertility  
Species: Rat, males  
Application Route: Oral  
Fertility: LOAEL: 1.25 mg/kg body weight  
Symptoms: Reduced fertility

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 2 mg/kg body weight  
Symptoms: Reduced number of viable fetuses  
Result: Embryo-lethal effects, No teratogenic effects

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: >= 5 mg/kg body weight  
 Result: No significant adverse effects were reported

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Boric acid:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Ingestion  
 Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

**Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Causes damage to organs (Endocrine system, Liver) through prolonged or repeated exposure.

**Components:****zeranol:**

Target Organs : Endocrine system, Liver

**Zeranol Formulation**

Version 3.1      Revision Date: 2023/09/30      SDS Number: 682064-00015      Date of last issue: 2023/04/04  
Date of first issue: 2016/05/19

---

Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****zeranol:**

Species : Rat  
NOAEL : 0.175 mg/kg  
LOAEL : 1.225 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Liver

Species : Dog  
NOAEL : 0.25 mg/kg  
LOAEL : 1.25 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : male reproductive organs

Species : Rat  
NOAEL : 0.1 mg/kg  
LOAEL : 0.8 mg/kg  
Application Route : Oral  
Exposure time : 26 Weeks  
Symptoms : Liver disorders

Species : Dog  
NOAEL : 0.025 mg/kg  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 29 Weeks  
Target Organs : Reproductive organs, Bone marrow, Bladder  
Symptoms : hair loss

Species : Dog, female  
LOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 7 yr  
Target Organs : female reproductive organs  
Symptoms : Changes in the blood count

Species : Monkey, female  
Application Route : Oral  
Exposure time : 10 yr  
Target Organs : female reproductive organs

**Boric acid:**

Species : Rat

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

NOAEL	:	100 mg/kg
LOAEL	:	334 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

**Magnesium stearate:**

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****zeranol:**

Ingestion	:	Remarks: May cause adverse reproductive effects.
-----------	---	--

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Boric acid:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 74 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 102 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 52.4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 17.5 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Danio rerio (zebra fish)): 6.4 mg/l Exposure time: 34 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic)	:	NOEC (Daphnia magna (Water flea)): 10.8 mg/l Exposure time: 21 d

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

ic toxicity)

Toxicity to microorganisms : EC10: 35.4 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Magnesium stearate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

**Persistence and degradability****Components:****zeranol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 91 d

**Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

**Bioaccumulative potential****Components:****zeranol:**

Partition coefficient: n-octanol/water : log Pow: 3.13

**Boric acid:**Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): <= 3.2  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: -1.09

**Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: &gt; 4

**Mobility in soil****Components:****zeranol:**

Distribution among environmental compartments : log Koc: 2.95

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable**IATA-DGR**

UN/ID No. : Not applicable



## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

Proper shipping name : Not applicable  
 Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 Packing instruction (cargo aircraft) : Not applicable  
 Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

UN number : Not applicable  
 Proper shipping name : Not applicable  
 Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 EmS Code : Not applicable  
 Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Boric acid

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

**The components of this product are reported in the following inventories:**

AICS	: not determined
DSL	: not determined
IECSC	: not determined

---

## 16. OTHER INFORMATION

Revision Date : 2023/09/30

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ID OEL	: Indonesia. Occupational Exposure Limits

ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
ID OEL / NAB	: Long term exposure limit

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN