

# **Zeranol Formulation**

Vers 3.1	sion	Revision Date: 2023/09/30	-	S Number: 2064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19				
1. Pl	1. PRODUCT AND COMPANY IDENTIFICATION								
	Produc	t name	:	Zeranol Formula	tion				
	Manufa	acturer or supplier's o	detai	ls					
	Compa	iny	:	MSD					
	Addres	S	:	126 E. Lincoln A Rahway, New Je	venue ersey U.S.A. 07065				
	Teleph	one		908-740-4000					
	Emerge	ency telephone numbe	r :	1-908-423-6000					
	E-mail	address	:	EHSDATASTEW	/ARD@msd.com				
	Recom	mended use of the cl	hem	ical and restriction	ons on use				
		mended use tions on use	:	Veterinary produ Not applicable	ct				
	Resilic	tions on use	·	Not applicable					
<u>- 1</u>	A 7 A D D	S IDENTIFICATION							
2. п.	ΑΖΑΚυ	5 IDENTIFICATION							
	GHS C	lassification							
	Carcino	ogenicity	:	Category 2					
	Reprod	luctive toxicity	:	Category 1B					
		c target organ toxicity - ed exposure	:	Category 1 (End	ocrine system, Liver)				

### **GHS** label elements

Hazard pictograms :	
Signal word :	Danger
Hazard statements :	H351 Suspected of causing cancer. H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs (Endocrine system, Liver) through prolonged or repeated exposure.
Precautionary statements :	<b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

and understood. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form combustible dust concentrations in air.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
zeranol	26538-44-3	>= 60 -<= 100
Boric acid	10043-35-3	>= 10 -< 30
Magnesium stearate	557-04-0	>= 10 -< 30

#### 4. FIRST AID MEASURES

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	<ul> <li>In case of contact, immediately flush skin with soap and plenty of water.</li> <li>Remove contaminated clothing and shoes.</li> <li>Get medical attention.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention.



# **Zeranol Formulation**

Vers 3.1	sion	Revision Date: 2023/09/30	-	0S Number: 2064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19		
Most important symptoms and effects, both acute and delayed		:	Rinse mouth thoroughly with water. Suspected of causing cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.				
	Protect	ion of first-aiders	:	Dust contact with First Aid responder and use the record	the eyes can lead to mechanical irritation. ers should pay attention to self-protection, nmended personal protective equipment Il for exposure exists (see section 8).		
	Notes t	o physician	:		cally and supportively.		
5. F	IREFIG	HTING MEASURES					
	Suitable extinguishing media		:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical			
	Unsuita media	able extinguishing	:	: High volume water jet			
	Specific hazards during fire- : fighting		:	concentrations, a potential dust exp Do not use a solid fire.	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. d water stream as it may scatter and spread pustion products may be a hazard to health.		
	Hazard ucts	lous combustion prod-	:	Carbon oxides Boron oxides Metal oxides			
	Specific ods	c extinguishing meth-	cumstances and the surr Use water spray to cool		measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do		
	Special protective equipment for firefighters		:		e, wear self-contained breathing apparatus. tective equipment.		
6. A	6. ACCIDENTAL RELEASE MEASURES						
	tive equ	al precautions, protec- uipment and emer- procedures	:	Follow safe hand	tective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).		
	Environmental precautions		:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages		

cannot be contained.



# **Zeranol Formulation**

Versio 3.1		Revision Date: 2023/09/30		S Number: 2064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19
		and materials for nent and cleaning up	:	tainer for disposa Avoid dispersal or with compressed Dust deposits sho es, as these may leased into the at Local or national posal of this mate employed in the or mine which regula Sections 13 and	f dust in the air (i.e., clearing dust surfaces
7. HAN	NDLING	G AND STORAGE			
		al measures	:	causing an explos Provide adequate and bonding, or in	precautions, such as electrical grounding
A	dvice o	on safe handling	:	ventilation. Do not get on skin Do not breathe du Do not swallow. Avoid contact with Wash skin thorou Handle in accorda practice, based o sessment Keep container tig Minimize dust gen Keep container cl Keep away from I Take precautiona Do not eat, drink	n or clothing. ust. n eyes. ghly after handling. ance with good industrial hygiene and safety n the results of the workplace exposure as-
С	Conditio	ns for safe storage	:	Keep in properly Store locked up. Keep tightly close	
М	Aterials	s to avoid	:		ice with the particular national regulations. the following product types: agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	



### Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

		ovpocuro)	concentration			
		exposure)				
zeranol	26538-44-3	TWA	2 µg/m3 (OEB 4)	Internal		
		Wipe limit	20 µg/100 cm <sup>2</sup>	Internal		
Boric acid	10043-35-3	TWA (Inhal-	2 mg/m3	ACGIH		
		able particu-	(Borate)			
		late matter)	. ,			
		STEL (Inhal-	6 mg/m3	ACGIH		
		able particu-	(Borate)			
		late matter)	· · · ·			
Magnesium stearate	557-04-0	NAB	10 mg/m3	ID OEL		
	Further information: Not classified as carcinogenic to humans. Not					
	enough data to	classify these r	aterials as carcinogenic to hu-			
	mans or anima	ls	-			
		TWA (Inhal-	10 mg/m3	ACGIH		
		able particu-	-			
		late matter)				
		TWA (Res-	3 mg/m3	ACGIH		
		pirable par-	-			
		ticulate mat-				
		ter)				

**Engineering measures** Containment technologies suitable for controlling compounds : are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. Personal protective equipment Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Particulates type Filter type : Hand protection Material Chemical-resistant gloves : Consider double gloving. Remarks : Eve protection Wear safety glasses with side shields or goggles.

		If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	protection ·	Work uniform or laboratory coat.
		Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19
Hygier	ne measures	contaminated of If exposure to of eye flushing sy- ing place. When using do Wash contamin The effective of engineering con appropriate deg	themical is likely during typical use, provide stems and safety showers close to the work- not eat, drink or smoke. hated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ne monitoring, medical surveillance and the

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	yellow
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form combustible dust concentrations in air.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		



# **Zeranol Formulation**

Versior 3.1	Revision Date: 2023/09/30		S Number: :064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19
	Water solubility	:	insoluble	
	rtition coefficient: n- tanol/water	:	No data available	e
	to-ignition temperature	:	No data available	e
De	composition temperature	:	No data available	e
Vis	scosity Viscosity, kinematic	:	No data available	9
Ex	plosive properties	:	Not explosive	
Ox	idizing properties	:	The substance o	r mixture is not classified as oxidizing.
Мо	blecular weight	:	No data available	9
Du	st deflagration index (Kst)	:	180 m.b_/s	
Mi	nimum ignition energy	:	5 - 10 mJ	
Pa	rticle size	:	No data available	e

#### **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous reac- tions		Not classified as a reactivity hazard. Stable under normal conditions. May form combustible dust concentrations in air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

#### **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

#### zeranol:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg



# **Zeranol Formulation**

sion	Revision Date: 2023/09/30	SDS N 682064		Date of last issue: 2023/04/04 Date of first issue: 2016/05/19			
Acute	inhalation toxicity	: Rer	narks: No dat	a available			
Acute	dermal toxicity	: Rer	narks: No dat	a available			
Boric	acid:						
Acute	oral toxicity	: LD	50 (Rat): 3,450	) mg/kg			
Acute	inhalation toxicity	Exp Tes Met Ass		h			
Acute	dermal toxicity			2,000 mg/kg e substance or mixture has no acute derma			
Magn	esium stearate:						
Acute oral toxicity		Met Ass icity	<ul> <li>LD50 (Rat): &gt; 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acu icity Remarks: Based on data from similar materials</li> </ul>				
Acute	dermal toxicity		LD50 (Rabbit): > 2,000 mg/kg Remarks: Based on data from similar materials				
	corrosion/irritation assified based on ava	ilable infor	mation.				
<u>Comp</u>	oonents:						
zeran		, NI-					
Rema	IFKS	: NO	data available				
Boric							
Speci Resul		: Rat : No	bit skin irritation				
Magn	esium stearate:						
Speci Resul Rema	t		skin irritation	om similar materials			

### Serious eye damage/eye irritation

Not classified based on available information.



rsion	Revision Date: 2023/09/30		DS Number: 2064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19
Com	oonents:			
zeran	ol:			
Rema	ırks	:	No data available	9
Boric	acid:			
Speci	es	:	Rabbit	
Resul	t	:	No eye irritation	
Magn	esium stearate:			
Speci	es	:	Rabbit	
Resu		:	No eye irritation	
Rema	ırks	:	Based on data fr	om similar materials
Resp	iratory or skin sens	itisatio	on	
-	sensitisation			
Not cl	assified based on av	vailable	information.	
Resp	iratory sensitisatio	n		
Not cl	assified based on av	vailable	information.	
<u>Com</u>	oonents:			
zeran	ol:			
Rema	ırks	:	No data available	9
Boric	acid:			
Test	Гуре	:	Buehler Test	
	sure routes	:	Skin contact	
Speci		:	Guinea pig	
Metho		:	OECD Test Guid	leline 406
Resul	t	÷	negative	
-	esium stearate:			
Test ]		:	Maximisation Te	st
	sure routes	:	Skin contact	
Speci Metho		:	Guinea pig OECD Test Guid	leline 106
Resul		•	negative	
Rema		:		om similar materials
Germ	cell mutagenicity			
	assified based on av	ailable	information.	
<u>Comp</u>	oonents:			
zeran	ol:			
	toxicity in vitro	:	<b>- - - - - - - - - -</b>	erial reverse mutation assay (AME



			Result: negative	
				damage and repair, unscheduled DNA syn- lian cells (in vitro) hepatocytes
Genoto	oxicity in vivo	:	Test Type: Cytog Species: Mouse Cell type: Bone n Result: negative	
Boric a	acid:			
	oxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
			Test Type: In vitr Result: equivocal	o mammalian cell gene mutation test
			Test Type: Chror Result: negative	nosome aberration test in vitro
Genoto	oxicity in vivo	:	Test Type: Mamr cytogenetic assay Species: Mouse Application Route Result: negative	
Magne	sium stearate:			
-	oxicity in vitro	:	Result: negative	o mammalian cell gene mutation test on data from similar materials
				nosome aberration test in vitro est Guideline 473
				on data from similar materials
			Result: negative	rial reverse mutation assay (AMES) on data from similar materials
	ogenicity cted of causing cancer.			
Compo	-			
zerano				
Species	s ition Route	:	Mouse Oral 2 Years	



Version 3.1	Revision Date: 2023/09/30		0S Number: 2064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19
Resu Targe	lt et Organs	:	positive female reproducti	ve organs, Pituitary gland
	cation Route sure time	:	Rat Oral 2 Years negative	
	cation Route sure time	: :	Dog Oral 2 Years negative	
Carci ment	nogenicity - Assess-	:	Limited evidence	of carcinogenicity in animal studies
Speci Applie	cation Route sure time		Mouse Ingestion 103 weeks negative	
Mayo	oductive toxicity damage fertility. May da ponents:	amag	e the unborn child.	
zerar		:	Species: Rat Application Route	-generation reproduction toxicity study e: Oral cant adverse effects were reported
			Species: Rat Application Route General Toxicity Symptoms: Redu	F1: LOAEL: 3 mg/kg body weight
			Test Type: Fertilit Species: Rat, ma Application Route Fertility: LOAEL: Symptoms: Redu	les e: Oral 1.25 mg/kg body weight
Effect ment	ts on foetal develop-	:	Species: Rat Application Route Developmental To Symptoms: Redu	vo-foetal development e: Oral oxicity: LOAEL: 2 mg/kg body weight ced number of viable fetuses thal effects, No teratogenic effects



# **Zeranol Formulation**

ersion 1	Revision Date: 2023/09/30	SDS Number: 682064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19
			Embryo-foetal development
		Species: Ra Application	
			ntal Toxicity: NOAEL: >= 5 mg/kg body weight significant adverse effects were reported
Repro sessn	oductive toxicity - As- nent	ity, based or	nce of adverse effects on sexual function and fe n animal experiments., Clear evidence of advers evelopment, based on animal experiments.
Boric	acid:		
Effect	s on fertility	Species: Ra	Route: Ingestion
Effect ment	s on foetal develop-	Species: Ra	Embryo-foetal development bbit Route: Ingestion
		Result: posi	
Repro sessn	oductive toxicity - As- nent	ity, based or	nce of adverse effects on sexual function and fe n animal experiments., Clear evidence of advers evelopment, based on animal experiments.
Magn	esium stearate:		
Effect	s on fertility	reproduction Species: Ra Application	Route: Ingestion
		Method: OE Result: nega	CD Test Guideline 422
			ased on data from similar materials
Effect ment	s on foetal develop-	Species: Ra	Embryo-foetal development It Route: Ingestion
		Result: nega	

#### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Endocrine system, Liver) through prolonged or repeated exposure.

#### **Components:**

#### zeranol:

Target Organs

: Endocrine system, Liver



Version 3.1	Revision Date: 2023/09/30	SDS Number: 682064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19
Asses	ssment		age to organs through prolonged or repeated
		exposure.	
-	ated dose toxicity		
	oonents:		
zeran Speci NOAE	es EL	: Rat : 0.175 mg/kg	
Expos	cation Route sure time of Organs	: 1.225 mg/kg : Oral : 13 Weeks : Liver	
Expos	ΞL	: Dog : 0.25 mg/kg : 1.25 mg/kg : Oral : 14 Weeks : male reprodu	ctive organs
	EL EL cation Route sure time	: Rat : 0.1 mg/kg : 0.8 mg/kg : Oral : 26 Weeks : Liver disorder	'S
Expo	EL EL cation Route sure time et Organs	: Dog : 0.025 mg/kg : 2.5 mg/kg : Oral : 29 Weeks : Reproductive : hair loss	organs, Bone marrow, Bladder
Expos	EL cation Route sure time et Organs		luctive organs ne blood count
Expos	es cation Route sure time et Organs	: Monkey, fema : Oral : 10 yr : female reproc	ale ductive organs
<b>Boric</b> Speci	e <b>acid:</b> les	: Rat	



sion	Revision Date: 2023/09/30		OS Number: 2064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19
NOAE	L	:	100 mg/kg	
LOAE		÷	334 mg/kg	
	ation Route	:	Ingestion	
Expos	sure time	:	2 yr	
Magn	esium stearate:			
Specie		:	Rat	
NOAE		:	> 100 mg/kg	
	ation Route	÷	Ingestion 90 Days	
Rema	sure time rks	:		from similar materials
Aspira	ation toxicity			
	assified based on availa			
-	ience with human exp	osu	Ire	
Comp	onents:			
zeran				
<b>zeran</b> Ingest		: N	Remarks: May	cause adverse reproductive effects.
zerano Ingest ECOLO Ecoto	ion DGICAL INFORMATION	: N	Remarks: May	cause adverse reproductive effects.
zerano Ingest ECOLO Ecoto <u>Comp</u>	ion DGICAL INFORMATION xicity ponents:	: N	Remarks: May	cause adverse reproductive effects.
zeran Ingest ECOLO Ecoto <u>Comp</u> Boric	ion DGICAL INFORMATION xicity ponents:	: N :		ales promelas (fathead minnow)): 74 mg/l
zeran Ingest ECOLO Ecoto Comp Boric Toxicit	ion DGICAL INFORMATION exicity ponents: acid:	:	LC50 (Pimeph Exposure time	ales promelas (fathead minnow)): 74 mg/l : 96 h uphnia dubia (water flea)): 102 mg/l
zerano Ingest ECOLO Ecoto Comp Boric Toxici Toxici aquati	ion DGICAL INFORMATION exicity conents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo	ales promelas (fathead minnow)): 74 mg/l : 96 h aphnia dubia (water flea)): 102 mg/l : 48 h
zeran Ingest ECOLO Ecoto Comp Boric Toxici Toxici aquati	ion DGICAL INFORMATION exicity conents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l	ales promelas (fathead minnow)): 74 mg/l : 96 h aphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4
zerano Ingest ECOLO Ecoto Comp Boric Toxici Toxici aquati	ion DGICAL INFORMATION exicity conents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l Exposure time	ales promelas (fathead minnow)): 74 mg/l : 96 h aphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4
zerano Ingest ECOLO Ecoto Comp Boric Toxici Toxici aquati	ion DGICAL INFORMATION exicity conents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l Exposure time Method: OECE NOEC (Pseudo	ales promelas (fathead minnow)): 74 mg/l : 96 h uphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4 : 72 h D Test Guideline 201
zerano Ingest ECOLO Ecoto Comp Boric Toxici Toxici aquati	ion DGICAL INFORMATION exicity conents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l Exposure time Method: OECE NOEC (Pseudo mg/l	ales promelas (fathead minnow)): 74 mg/l : 96 h uphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4 : 72 h D Test Guideline 201 okirchneriella subcapitata (green algae)): 17.
zerano Ingest ECOLO Ecoto Comp Boric Toxici Toxici aquati	ion DGICAL INFORMATION exicity conents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l Exposure time Method: OECI NOEC (Pseud mg/l Exposure time	ales promelas (fathead minnow)): 74 mg/l : 96 h uphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4 : 72 h D Test Guideline 201 okirchneriella subcapitata (green algae)): 17.
zerano Ingest ECOLO Ecoto Comp Boric Toxici Toxici aquati	ion DGICAL INFORMATION exicity conents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l Exposure time Method: OECI NOEC (Pseud mg/l Exposure time	ales promelas (fathead minnow)): 74 mg/l : 96 h uphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4 : 72 h D Test Guideline 201 okirchneriella subcapitata (green algae)): 17.
zeran Ingest ECOLO Ecoto Comp Boric Toxici aquati Toxici plants	ion DGICAL INFORMATION exicity monents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l Exposure time Method: OECE NOEC (Pseud mg/l Exposure time Method: OECE	ales promelas (fathead minnow)): 74 mg/l : 96 h uphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4 : 72 h D Test Guideline 201 okirchneriella subcapitata (green algae)): 17. : 72 h D Test Guideline 201
zeran Ingest ECOLO Ecoto Comp Boric Toxici aquati Toxici plants	ion DGICAL INFORMATION exicity conents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l Exposure time Method: OECE NOEC (Pseud mg/l Exposure time Method: OECE NOEC (Danio Exposure time	ales promelas (fathead minnow)): 74 mg/l : 96 h aphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4 : 72 h D Test Guideline 201 okirchneriella subcapitata (green algae)): 17. : 72 h D Test Guideline 201 rerio (zebra fish)): 6.4 mg/l : 34 d
zeran Ingest ECOLO Ecoto Comp Boric Toxici aquati Toxici plants	ion DGICAL INFORMATION exicity monents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	:	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l Exposure time Method: OECE NOEC (Pseud mg/l Exposure time Method: OECE NOEC (Danio Exposure time	ales promelas (fathead minnow)): 74 mg/l : 96 h aphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4 : 72 h D Test Guideline 201 okirchneriella subcapitata (green algae)): 17. : 72 h D Test Guideline 201 rerio (zebra fish)): 6.4 mg/l
zeran Ingest ECOLO Ecoto Comp Boric Toxici aquati Toxici plants	ion DGICAL INFORMATION exicity monents: acid: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic	: :	LC50 (Pimeph Exposure time EC50 (Cerioda Exposure time EC50 (Pseudo mg/l Exposure time Method: OECE NOEC (Pseud mg/l Exposure time Method: OECE NOEC (Danio Exposure time Method: OECE	ales promelas (fathead minnow)): 74 mg/l : 96 h aphnia dubia (water flea)): 102 mg/l : 48 h kirchneriella subcapitata (green algae)): 52.4 : 72 h D Test Guideline 201 okirchneriella subcapitata (green algae)): 17. : 72 h D Test Guideline 201 rerio (zebra fish)): 6.4 mg/l : 34 d



ersion .1	Revision Date: 2023/09/30		9S Number: 2064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19
ic toxic Toxicit	sity) y to microorganisms	:	EC10: 35.4 mg/l Exposure time: 3 Method: OECD Te	
Magne	esium stearate:			
-	y to fish	:	Exposure time: 48 Method: DIN 384	
	y to daphnia and other c invertebrates	:	Exposure time: 47 Test substance: V Method: Directive	Vater Accommodated Fraction 67/548/EEC, Annex V, C.2. on data from similar materials
Toxicit plants	y to algae/aquatic	:	mg/l Exposure time: 72 Test substance: V Method: OECD Te	Vater Accommodated Fraction est Guideline 201 on data from similar materials
			mg/l Exposure time: 72 Test substance: V Method: OECD Te	Vater Accommodated Fraction
Toxicit	y to microorganisms	:	Exposure time: 16 Test substance: V	nas putida): > 100 mg/l 5 h Vater Accommodated Fraction on data from similar materials
Persis	stence and degradabilities	ity		
<u>Comp</u>	onents:			
zerano				
Biodeg	gradability	:	Result: Not readily Biodegradation: 5 Exposure time: 91	50 %
Magne	esium stearate:			
Biodeg	gradability	:	Result: Not biode Remarks: Based of	gradable on data from similar materials



Version 3.1	Revision Date: 2023/09/30		OS Number: 2064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19	
Bioa	ccumulative potential				
Com	ponents:				
zerar	nol:				
	Partition coefficient: n- octanol/water		log Pow: 3.13		
Borio	acid:				
Bioac	Bioaccumulation		Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): <= 3.2 Method: OECD Test Guideline 305		
	Partition coefficient: n- octanol/water		log Pow: -1.09		
Magr	nesium stearate:				
	Partition coefficient: n- octanol/water		log Pow: > 4		
Mobi	lity in soil				
Com	ponents:				
zerar	nol:				
	bution among environ- al compartments	:	log Koc: 2.95		
Othe	r adverse effects				
No da	ata available				
3. DISPC	SAL CONSIDERATION	NS			
Dispo	osal methods				
•	e from residues	:		of waste into sewer.	
Contaminated packaging		:	Empty container dling site for rec	cordance with local regulations. s should be taken to an approved waste han- vcling or disposal. specified: Dispose of as unused product.	
4. TRAN	SPORT INFORMATION	I			
Interi	national Regulations				
UNR <sup>-</sup>	<b>TDG</b> umber		Not applicable		

UN number	: Not applica	ble
Proper shipping name	: Not applica	ble
Class	: Not applica	ble
Subsidiary risk	: Not applica	ble
Packing group	: Not applica	ble
Labels	: Not applica	ble
IATA-DGR		
UN/ID No.	: Not applica	ble



### Zeranol Formulation

/ersion 8.1	Revision Date: 2023/09/30	SDS Nu 682064		Date of last issue: 2023/04/04 Date of first issue: 2016/05/19
Class Subsid Packin Labels Packin aircraft	g instruction (cargo <sup>()</sup> g instruction (passen-	: Not : Not : Not : Not : Not	applicable applicable applicable applicable applicable applicable applicable	
Class Subsid Packin Labels EmS C	mber shipping name liary risk g group	: Not : Not : Not : Not : Not : Not	applicable applicable applicable applicable applicable applicable applicable applicable applicable	
-	oort in bulk according			OL 73/78 and the IBC Code
-	al precautions for use plicable	r		

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

#### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable

# Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Boric acid control, Annex I



### Zeranol Formulation

Version 3.1	Revision Date: 2023/09/30		DS Number: 2064-00015	Date of last issue: 2023/04/04 Date of first issue: 2016/05/19			
	of hazardous materials bl, Annex II	sub	ject to distribution a	and : Not applicable			
	omponents of this pro	odu	ct are reported in	the following inventories:			
AICS	AICS		not determined				
DSL	DSL		not determined				
IECS	IECSC		not determined				
16. OTHE	R INFORMATION						
Revis	Revision Date		2023/09/30				
Furth	er information						
comp	Sources of key data used to compile the Safety Data Sheet		Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/				
Date	Date format		yyyy/mm/dd				
Full text of other abbreviations							
	ACGIH : ID OEL :		USA. ACGIH Threshold Limit Values (TLV) Indonesia. Occupational Exposure Limits				
ACGI	ACGIH / STEL : Sh		8-hour, time-weighted average Short-term exposure limit Long term exposure limit				

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-



## Zeranol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	682064-00015	Date of first issue: 2016/05/19

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN