

# **Zilpaterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 29187-00022 Date of first issue: 07.11.2014

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Zilpaterol Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Specific target organ toxicity : Category 1 (Cardio-vascular system, Central nervous system,

- repeated exposure Lungs)

**GHS** label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H372 Causes damage to organs (Cardio-vascular system, Cen-

tral nervous system, Lungs) through prolonged or repeated ex-

posure.

Precautionary Statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.



# **Zilpaterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 29187-00022 Date of first issue: 07.11.2014

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Zilpaterol	119520-06-8	>= 1 -< 5	

### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Causes damage to organs through prolonged or repeated

Most important symptoms and effects, both acute and

Protection of first-aiders

exposure.

delayed

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

ders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

nedia

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

icts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.



# **Zilpaterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 29187-00022 Date of first issue: 07.11.2014

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.



# Zilpaterol Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 29187-00022 Date of first issue: 07.11.2014

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Zilpaterol	119520-06-8	TWA	1 μg/m³	Internal
		Wipe limit	10 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Skin should be washed after contact.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**



# **Zilpaterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 29187-00022 Date of first issue: 07.11.2014

Appearance : powder

Color : tan

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.



# **Zilpaterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 29187-00022 Date of first issue: 07.11.2014

Molecular weight : No data available

Particle size : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

# **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

**Components:** 

Zilpaterol:

Acute oral toxicity : LD50 (Mouse, male and female): 430 - 580 mg/kg

LD50 (Rat, male and female): 890 - 1,325 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Symptoms: Tremors, Breathing difficulties

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg



# **Zilpaterol Formulation**

VersionRevision Date:SDS Number:Date of last issue: 04.04.20234.130.09.202329187-00022Date of first issue: 07.11.2014

Acute toxicity (other routes of : TDLo (Rabbit): 9.6 %

administration) Application Route: see user defined free text

Symptoms: Increased pulse rate

#### Skin corrosion/irritation

Not classified based on available information.

### Components:

Zilpaterol:

Species : Rabbit

Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

Zilpaterol:

Species : Rabbit

Result : Mild eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

### Components:

Zilpaterol:

Test Type : Maximization Test

Species : Guinea pig

Assessment : Does not cause skin sensitization.

Result : negative

# Germ cell mutagenicity

Not classified based on available information.

### **Components:**

Zilpaterol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Mouse Lymphoma Test system: mouse lymphoma cells

Result: negative



# **Zilpaterol Formulation**

VersionRevision Date:SDS Number:Date of last issue: 04.04.20234.130.09.202329187-00022Date of first issue: 07.11.2014

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

Test Type: in vivo assay

Species: Mouse

Cell type: Bone marrow Application Route: Oral Result: negative

### Carcinogenicity

Not classified based on available information.

#### **Components:**

### Zilpaterol:

Species : Rat, male and female

Application Route : oral (feed) Exposure time : 104 weeks

0.05 mg/kg body weight0.125 mg/kg body weight

Result : negative Target Organs : Ovary

Species : Mouse
Application Route : Oral
Exposure time : 18 Months

0.02 mg/kg body weight0.05 mg/kg body weight

Result : negative Target Organs : Blood

### Reproductive toxicity

Not classified based on available information.

# **Components:**

# Zilpaterol:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male

Application Route: oral (feed)

Fertility: NOAEL: 1.8 mg/kg body weight

Result: No effects on fertility and early embryonic

development were detected.

Test Type: Two-generation study

Species: Rat, male

Application Route: oral (feed)



# **Zilpaterol Formulation**

VersionRevision Date:SDS Number:Date of last issue: 04.04.20234.130.09.202329187-00022Date of first issue: 07.11.2014

Fertility: NOAEL: 0.94 mg/kg body weight

Result: No effects on fertility and early embryonic

development were detected.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat, female Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight Embryo-fetal toxicity.: LOAEL: 50 mg/kg body weight Result: No teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high

maternally toxic doses

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Cardio-vascular system, Central nervous system, Lungs) through prolonged or repeated exposure.

### **Components:**

### Zilpaterol:

Target Organs : Cardio-vascular system, Central nervous system, Lungs
Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

# **Components:**

# Zilpaterol:

Species : Monkey
NOAEL : 0.01 mg/kg
LOAEL : 0.05 mg/kg
Application Route : Oral
Exposure time : 4 Weeks

Target Organs : Cardio-vascular system

Symptoms : Increased pulse rate, Lowered blood pressure

Species : Rat, male and female

LOAEL : 0.05 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Target Organs : Cardio-vascular system Symptoms : Lowered blood pressure

Species : Pig, male and female

NOAEL : 0.05 mg/kg
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Heart

Species : Rat, male and female



# **Zilpaterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 29187-00022 Date of first issue: 07.11.2014

NOAEL : 0.250 mg/kg Application Route : oral (feed) Exposure time : 52 Weeks

Target Organs : Cardio-vascular system

Symptoms : slow pulse

Species : Dog Application Route : Dermal

Remarks : No significant adverse effects were reported

**Aspiration toxicity** 

Not classified based on available information.

Experience with human exposure

**Components:** 

Zilpaterol:

Ingestion : Target Organs: Lungs

Symptoms: Tremors, Increased pulse rate Target Organs: Central nervous system

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

Zilpaterol:

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Persistence and degradability

**Components:** 

Zilpaterol:

Stability in water : Hydrolysis: 0 %(5 d)

**Bioaccumulative potential** 

**Components:** 

Zilpaterol:

Partition coefficient: n- : log Pow: 1



# **Zilpaterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 29187-00022 Date of first issue: 07.11.2014

octanol/water

Mobility in soil

**Components:** 

Zilpaterol:

Distribution among environ-

mental compartments

log Koc: 2.8

Other adverse effects

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

# **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills.

Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined



# **Zilpaterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 29187-00022 Date of first issue: 07.11.2014

DSL : not determined

IECSC : not determined

### **SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.



# **Zilpaterol Formulation**

VersionRevision Date:SDS Number:Date of last issue: 04.04.20234.130.09.202329187-00022Date of first issue: 07.11.2014

MX / Z8