

SAFETY DATA SHEET



Sitagliptin Formulation

Version 6.1 Revision Date: 11.08.2025 SDS Number: 17287-00027 Date of last issue: 14.04.2025 Date of first issue: 30.09.2014

SECTION 1. IDENTIFICATION

Product identifier : Sitagliptin Formulation

Manufacturer or supplier's details

Company : MSD

Address : Avenida Tanner de Melo, Quadra 10 Lote 4A, Galpão A
Parque Industrial Vice Presidente José Alencar Aparecida de
Goiás – GO, Brazil

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Eye irritation : Category 2A

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Sitagliptin FormulationVersion
6.1Revision Date:
11.08.2025SDS Number:
17287-00027Date of last issue: 14.04.2025
Date of first issue: 30.09.2014**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Sitagliptin Phosphate	654671-77-9	Eye Irrit., 2A Aquatic Acute, 3	>= 30 -< 50
Cellulose	9004-34-6		>= 20 -< 30
Magnesium stearate	557-04-0		>= 1 -< 5
Titanium dioxide	13463-67-7	Carc. (Inhalation), 2	>= 0,1 -< 1
Propyl 3,4,5-trihydroxybenzoate	121-79-9	Acute Tox. (Oral), 4 Eye Dam., 1 Skin Sens., 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 0,25 -< 1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms : Contact with dust can cause mechanical irritation or drying of

Sitagliptin Formulation

Version 6.1 Revision Date: 11.08.2025 SDS Number: 17287-00027 Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

and effects, both acute and delayed	the skin. Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Metal oxides Oxides of phosphorus
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on

SAFETY DATA SHEET



Sitagliptin Formulation

Version
6.1

Revision Date:
11.08.2025

SDS Number:
17287-00027

Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not get on skin or clothing. Avoid breathing dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	: Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis

Sitagliptin Formulation

Version 6.1 Revision Date: 11.08.2025 SDS Number: 17287-00027 Date of last issue: 14.04.2025 Date of first issue: 30.09.2014

Sitagliptin Phosphate	654671-77-9	TWA	0.6 mg/m ³ (OEB 2)	Internal
Cellulose	9004-34-6	TWA	10 mg/m ³	ACGIH
Magnesium stearate	557-04-0	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Titanium dioxide	13463-67-7	TWA (Respirable particulate matter)	2,5 mg/m ³ (Titanium dioxide)	ACGIH

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Titanium dioxide

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

SAFETY DATA SHEET



Sitagliptin Formulation

Version 6.1 Revision Date: 11.08.2025 SDS Number: 17287-00027 Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.

SAFETY DATA SHEET



Sitagliptin Formulation

Version 6.1 Revision Date: 11.08.2025 SDS Number: 17287-00027 Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Sitagliptin Phosphate:

Acute oral toxicity : LD50 (Rat): > 3.000 mg/kg
LD50 (Mouse): 3.000 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5,8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Remarks: Based on data from similar materials

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 6,82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Sitagliptin FormulationVersion
6.1Revision Date:
11.08.2025SDS Number:
17287-00027Date of last issue: 14.04.2025
Date of first issue: 30.09.2014**Propyl 3,4,5-trihydroxybenzoate:**

Acute oral toxicity : LD50 (Mouse): 1.700 mg/kg
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Sitagliptin Phosphate:**

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Magnesium stearate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Propyl 3,4,5-trihydroxybenzoate:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Sitagliptin Phosphate:**

Species : Rabbit
Result : Irritating to eyes.
Method : Draize Test

Magnesium stearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

SAFETY DATA SHEET



Sitagliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025
6.1 11.08.2025 17287-00027 Date of first issue: 30.09.2014

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Propyl 3,4,5-trihydroxybenzoate:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Sitagliptin Phosphate:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Magnesium stearate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

Propyl 3,4,5-trihydroxybenzoate:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : positive

Assessment : Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Sitagliptin FormulationVersion
6.1Revision Date:
11.08.2025SDS Number:
17287-00027Date of last issue: 14.04.2025
Date of first issue: 30.09.2014**Components:****Sitagliptin Phosphate:**

Genotoxicity in vitro

: Test Type: Ames test
Result: negativeTest Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: negativeTest Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes
Result: negative

Genotoxicity in vivo

: Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative**Cellulose:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negativeTest Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative**Magnesium stearate:**

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materialsTest Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materialsTest Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials**Titanium dioxide:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo

: Test Type: In vivo micronucleus test
Species: Mouse

Sitagliptin FormulationVersion
6.1Revision Date:
11.08.2025SDS Number:
17287-00027Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

Result: negative

Propyl 3,4,5-trihydroxybenzoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Test Type: Chromosome aberration test in vitro
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Sitagliptin Phosphate:**

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : oral (drinking water)
Exposure time : 2 Years
Result : positive
Target Organs : Liver
Remarks : Significant toxicity observed in testing

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

SAFETY DATA SHEET



Sitagliptin Formulation

Version
6.1

Revision Date:
11.08.2025

SDS Number:
17287-00027

Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

Titanium dioxide:

Species	:	Rat
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	positive
Remarks	:	The mechanism or mode of action may not be relevant in humans. This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.
Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in inhalation studies with animals.

Propyl 3,4,5-trihydroxybenzoate:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	103 weeks
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

Sitagliptin Phosphate:

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Fertility: NOAEL Parent: 1.000 mg/kg body weight Result: Animal testing did not show any effects on fertility.
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Oral Teratogenicity: LOAEL: 250 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.
		Test Type: Embryo-fetal development Species: Rabbit Teratogenicity: NOAEL: 125 mg/kg body weight Result: No teratogenic effects.

Cellulose:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion

Sitagliptin Formulation

Version 6.1

Revision Date: 11.08.2025

SDS Number: 17287-00027

Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

Result: negative

Magnesium stearate:

Effects on fertility

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development

: Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Propyl 3,4,5-trihydroxybenzoate:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development

: Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Sitagliptin Phosphate:**

Species : Mouse
NOAEL : 500 mg/kg
LOAEL : 1.000 mg/kg
Application Route : Oral
Exposure time : > 2 y
Target Organs : Kidney

Species : Rat
NOAEL : 500 mg/kg
LOAEL : 1.000 mg/kg
Application Route : Oral
Exposure time : 14 Weeks
Target Organs : Liver, Kidney, Heart, Teeth

Species : Dog

SAFETY DATA SHEET



Sitagliptin Formulation

Version 6.1 Revision Date: 11.08.2025 SDS Number: 17287-00027 Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

NOAEL : 10 mg/kg
LOAEL : 50 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Target Organs : Central nervous system
Symptoms : Loss of balance
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Dog
NOAEL : 2 mg/kg
LOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 27 Weeks
Target Organs : Skeletal muscle, Central nervous system
Symptoms : Loss of balance
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Monkey
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 14 Weeks
Remarks : No significant adverse effects were reported

Cellulose:

Species : Rat
NOAEL : >= 9.000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Magnesium stearate:

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rat
NOAEL : 24.000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat
NOAEL : 10 mg/m³
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 y

Propyl 3,4,5-trihydroxybenzoate:

Species : Rat
NOAEL : 135 mg/kg

Sitagliptin Formulation

Version 6.1	Revision Date: 11.08.2025	SDS Number: 17287-00027	Date of last issue: 14.04.2025 Date of first issue: 30.09.2014
----------------	------------------------------	----------------------------	---

Application Route : Ingestion
Exposure time : 13 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Sitagliptin Phosphate:**

Inhalation	: Symptoms: upper respiratory tract infection, pharyngitis, Headache
Ingestion	: Symptoms: upper respiratory tract infection, nasopharyngitis, Headache, Nausea, Abdominal pain, Diarrhea

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Sitagliptin Phosphate:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 60 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 39 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
	: NOEC (Pseudokirchneriella subcapitata (green algae)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 9,2 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9,8 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: > 150 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	: NOEC: 150 mg/l

Sitagliptin FormulationVersion
6.1Revision Date:
11.08.2025SDS Number:
17287-00027Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

Exposure time: 3 h
Test Type: Respiration inhibition

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: DIN 38412
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 47 h
Test substance: Water Accommodated Fraction
Method: Directive 67/548/EEC, Annex V, C.2.
Remarks: Based on data from similar materials
No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
No toxicity at the limit of solubility.

NOEL (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l
Exposure time: 16 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1.000 mg/l

SAFETY DATA SHEET



Sitagliptin Formulation

Version
6.1

Revision Date:
11.08.2025

SDS Number:
17287-00027

Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

Exposure time: 3 h
Method: OECD Test Guideline 209

Propyl 3,4,5-trihydroxybenzoate:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 19,6 mg/l
Exposure time: 48 h
Test substance: Neutralized product
Method: OECD Test Guideline 202
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,22 mg/l
Exposure time: 72 h
Test substance: Neutralized product
Method: OECD Test Guideline 201
Remarks: The test was conducted according to guideline

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,096 mg/l
Exposure time: 72 h
Test substance: Neutralized product
Method: OECD Test Guideline 201
Remarks: The test was conducted according to guideline

M-Factor (Acute aquatic toxicity) : 1
M-Factor (Chronic aquatic toxicity) : 1
Toxicity to microorganisms : EC50 (activated sludge): 636 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Sitagliptin Phosphate:

Biodegradability : Result: not rapidly degradable
Biodegradation: 39,7 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(401 d)
Method: OECD Test Guideline 111

Cellulose:

Biodegradability : Result: Readily biodegradable.

Magnesium stearate:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

SAFETY DATA SHEET



Sitagliptin Formulation

Version 6.1 Revision Date: 11.08.2025 SDS Number: 17287-00027 Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

Propyl 3,4,5-trihydroxybenzoate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 49,4 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

Sitagliptin Phosphate:

Partition coefficient: n-octanol/water : log Pow: -0,03

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

Propyl 3,4,5-trihydroxybenzoate:

Partition coefficient: n-octanol/water : log Pow: 1,8
Remarks: Calculation

Mobility in soil

Components:

Sitagliptin Phosphate:

Distribution among environmental compartments : log Koc: 4,37

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

SAFETY DATA SHEET



Sitagliptin Formulation

Version 6.1 Revision Date: 11.08.2025 SDS Number: 17287-00027 Date of last issue: 14.04.2025 Date of first issue: 30.09.2014

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH)

Group 2B: Possibly carcinogenic to humans

Titanium dioxide 13463-67-7

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 11.08.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

SAFETY DATA SHEET



Sitagliptin Formulation

Version
6.1

Revision Date:
11.08.2025

SDS Number:
17287-00027

Date of last issue: 14.04.2025
Date of first issue: 30.09.2014

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8