

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sitagliptin / Metformin Extended Release Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 199 Wenhai North Road  
HEDA, Hangzhou - Zhejiang Province - CHINA 310018

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	: powder
Colour	: blue green
Odour	: No data available

Harmful if swallowed.

#### GHS Classification

Acute toxicity (Oral) : Category 4

#### GHS label elements

Hazard pictograms : A red diamond-shaped hazard pictogram with a black exclamation mark in the center.

Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

Precautionary statements : **Prevention:**

P264 Wash skin thoroughly after handling.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

---

Version 4.1	Revision Date: 2025/08/11	SDS Number: 29096-00027	Date of last issue: 2025/04/14 Date of first issue: 2014/11/07
----------------	------------------------------	----------------------------	---

---

P270 Do not eat, drink or smoke when using this product.

**Response:**

P301 + P317 + P330 IF SWALLOWED: Get medical help.  
Rinse mouth.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Harmful if swallowed.

### Environmental hazards

Not classified based on available information.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
metformin hydrochloride	1115-70-4	>= 50 -< 70
Cellulose	9004-34-6	>= 10 -< 20
Sitagliptin Phosphate	654671-77-9	>= 2.5 -< 10
Kaolin	1332-58-7	>= 1 -< 10
Titanium dioxide	13463-67-7	>= 0.1 -< 1

---

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

Most important symptoms and effects, both acute and delayed

Protection of first-aiders

Notes to physician

so by medical personnel.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.  
: Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
Harmful if swallowed.  
: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Metal oxides Nitrogen oxides (NO <sub>x</sub> )
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

: Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

Technical measures

: Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation

: Use only with adequate ventilation.

Advice on safe handling

: Do not breathe dust.

: Do not swallow.

: Avoid contact with eyes.

: Avoid prolonged or repeated contact with skin.

: Wash skin thoroughly after handling.

: Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

: Minimize dust generation and accumulation.

: Keep container closed when not in use.

: Keep away from heat and sources of ignition.

: Take precautionary measures against static discharges.

: Do not eat, drink or smoke when using this product.

: Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact

: Oxidizing agents

### Storage

Conditions for safe storage

: Keep in properly labelled containers.

: Store in accordance with the particular national regulations.

Materials to avoid

: Do not store with the following product types:

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
metformin hydrochloride	1115-70-4	TWA	1 mg/m3 (OEB 1)	Internal
Cellulose	9004-34-6	PC-TWA	10 mg/m3	CN OEL
		TWA	10 mg/m3	ACGIH
Sitagliptin Phosphate	654671-77-9	TWA	0.6 mg/m3 (OEB 2)	Internal
Kaolin	1332-58-7	TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH
Titanium dioxide	13463-67-7	PC-TWA (Total dust)	8 mg/m3	CN OEL
		Further information: G2B - Possibly carcinogenic to humans		
		TWA (Res- pirable par- ticulate mat- ter)	2.5 mg/m3 (Titanium dioxide)	ACGIH

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Titanium dioxide

#### Engineering measures

: Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type

Eye/face protection

: Particulates type

: Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection

: Work uniform or laboratory coat.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version 4.1 Revision Date: 2025/08/11 SDS Number: 29096-00027 Date of last issue: 2025/04/14 Date of first issue: 2014/11/07

---

Hand protection	
Material	: Chemical-resistant gloves
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: blue green
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version 4.1      Revision Date: 2025/08/11      SDS Number: 29096-00027      Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1,588 mg/kg  
Method: Calculation method

#### Components:

##### **metformin hydrochloride:**

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg  
LD50 (Mouse): 1,450 - 3,500 mg/kg  
LD50 (Monkey): 463 mg/kg  
LD50 (Rabbit): 350 mg/kg  
LD50 (Guinea pig): 500 mg/kg

##### **Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **Sitagliptin Phosphate:**

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg  
LD50 (Mouse): 3,000 mg/kg

##### **Kaolin:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

##### **Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation hazard.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

tion toxicity

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### **metformin hydrochloride:**

Species : Rabbit  
Result : Mild skin irritation

#### **Sitagliptin Phosphate:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

#### **Kaolin:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Titanium dioxide:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

#### **metformin hydrochloride:**

Species : Rabbit  
Result : Mild eye irritation

#### **Sitagliptin Phosphate:**

Species : Rabbit  
Result : Irritating to eyes.  
Method : Draize Test

#### **Kaolin:**

Species : Rabbit  
Result : No eye irritation

#### **Titanium dioxide:**

Species : Rabbit

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### **Sitagliptin Phosphate:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Not a skin sensitizer.

##### **Titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

##### **Germ cell mutagenicity**

Not classified based on available information.

#### Components:

##### **metformin hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro assay  
Test system: mouse lymphoma cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

##### **Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version 4.1      Revision Date: 2025/08/11      SDS Number: 29096-00027      Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **Sitagliptin Phosphate:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

### **Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **metformin hydrochloride:**

Species : Mouse  
Exposure time : 91 weeks  
Dose : 1500 mg/kg body weight  
Result : negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version 4.1      Revision Date: 2025/08/11      SDS Number: 29096-00027      Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

Species	:	Rat, male
Application Route	:	Oral
Exposure time	:	104 weeks
Dose	:	900 mg/kg body weight
Result	:	negative
Species	:	Rat, female
Application Route	:	Oral
Exposure time	:	104 weeks
LOAEL	:	900 mg/kg body weight
Result	:	negative
Target Organs	:	Uterus (including cervix)
Remarks	:	The mechanism or mode of action may not be relevant in humans.

### Cellulose:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

### Sitagliptin Phosphate:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative
Species	:	Rat
Application Route	:	oral (drinking water)
Exposure time	:	2 Years
Result	:	positive
Target Organs	:	Liver
Remarks	:	Significant toxicity observed in testing
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

### Titanium dioxide:

Species	:	Rat
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	positive
Remarks	:	The mechanism or mode of action may not be relevant in humans. This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version 4.1	Revision Date: 2025/08/11	SDS Number: 29096-00027	Date of last issue: 2025/04/14 Date of first issue: 2014/11/07
----------------	------------------------------	----------------------------	---

**Carcinogenicity - Assessment** : Limited evidence of carcinogenicity in inhalation studies with animals.

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### **metformin hydrochloride:**

Effects on fertility	: Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: 600 mg/kg body weight Result: No effects on fertility
Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 600 mg/kg body weight Result: No teratogenic effects
	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Embryo-foetal toxicity: NOAEL: 140 mg/kg body weight Result: No teratogenic effects

##### **Cellulose:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative

##### **Sitagliptin Phosphate:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Fertility: NOAEL Parent: 1,000 mg/kg body weight Result: Animal testing did not show any effects on fertility.
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

Teratogenicity: LOAEL: 250 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rabbit  
Teratogenicity: NOAEL: 125 mg/kg body weight  
Result: No teratogenic effects

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

##### **metformin hydrochloride:**

Species	:	Rat
NOAEL	:	125 mg/kg
Application Route	:	Oral
Exposure time	:	1 year
Remarks	:	No significant adverse effects were reported
Species	:	Rabbit
NOAEL	:	100 mg/kg
Application Route	:	Oral
Exposure time	:	1 Year
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	50 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	2 year
Remarks	:	No significant adverse effects were reported

##### **Cellulose:**

Species	:	Rat
NOAEL	:	>= 9,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

##### **Sitagliptin Phosphate:**

Species	:	Mouse
NOAEL	:	500 mg/kg
LOAEL	:	1,000 mg/kg

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version 4.1 Revision Date: 2025/08/11 SDS Number: 29096-00027 Date of last issue: 2025/04/14 Date of first issue: 2014/11/07

---

Application Route	:	Oral
Exposure time	:	> 2 yr
Target Organs	:	Kidney
Species	:	Rat
NOAEL	:	500 mg/kg
LOAEL	:	1,000 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Target Organs	:	Liver, Kidney, Heart, Teeth
Species	:	Dog
NOAEL	:	10 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Oral
Exposure time	:	53 Weeks
Target Organs	:	Central nervous system
Symptoms	:	Loss of balance
Remarks	:	The mechanism or mode of action may not be relevant in humans.
Species	:	Dog
NOAEL	:	2 mg/kg
LOAEL	:	10 mg/kg
Application Route	:	Oral
Exposure time	:	27 Weeks
Target Organs	:	Skeletal muscle, Central nervous system
Symptoms	:	Loss of balance
Remarks	:	The mechanism or mode of action may not be relevant in humans.
Species	:	Monkey
NOAEL	:	100 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Remarks	:	No significant adverse effects were reported

### Titanium dioxide:

Species	:	Rat
NOAEL	:	24,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days
Species	:	Rat
NOAEL	:	10 mg/m <sup>3</sup>
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 yr

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **metformin hydrochloride:**

Skin contact : Remarks: May irritate skin.  
Eye contact : Remarks: May irritate eyes.  
Ingestion : Symptoms: Diarrhoea, Nausea, Vomiting, Gastrointestinal discomfort, flatulence, asthenia, Fatigue, Headache

##### **Sitagliptin Phosphate:**

Inhalation : Symptoms: upper respiratory tract infection, pharyngitis, Headache  
Ingestion : Symptoms: upper respiratory tract infection, nasopharyngitis, Headache, Nausea, Abdominal pain, Diarrhoea

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **metformin hydrochloride:**

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 10 mg/l  
Exposure time: 33 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 40 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

#### **Cellulose:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version 4.1	Revision Date: 2025/08/11	SDS Number: 29096-00027	Date of last issue: 2025/04/14 Date of first issue: 2014/11/07
----------------	------------------------------	----------------------------	---

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

### Sitagliptin Phosphate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 60 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 39 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 9.2 mg/l  
Exposure time: 33 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

### Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version 4.1	Revision Date: 2025/08/11	SDS Number: 29096-00027	Date of last issue: 2025/04/14 Date of first issue: 2014/11/07
----------------	------------------------------	----------------------------	---

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **metformin hydrochloride:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 50 %  
Exposure time: 2 hrs

##### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

##### **Sitagliptin Phosphate:**

Biodegradability : Result: not rapidly degradable  
Biodegradation: 39.7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(401 d)  
Method: OECD Test Guideline 111

### Bioaccumulative potential

#### Components:

##### **metformin hydrochloride:**

Partition coefficient: n-octanol/water : log Pow: -2

##### **Sitagliptin Phosphate:**

Partition coefficient: n-octanol/water : log Pow: -0.03

### Mobility in soil

#### Components:

##### **metformin hydrochloride:**

Distribution among environmental compartments : log Koc: 4.3  
Method: OECD Test Guideline 106

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version 4.1 Revision Date: 2025/08/11 SDS Number: 29096-00027 Date of last issue: 2025/04/14 Date of first issue: 2014/11/07

---

### Sitagliptin Phosphate:

Distribution among environmental compartments : log Koc: 4.37

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

#### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : no

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Marine pollutant	:	no

#### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals and it does not meet the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	--

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	:	Not listed
---	---	------------

Hazardous Chemicals for Priority Management under SAWS	:	Not listed
--	---	------------

Catalogue of Specially Controlled Hazardous Chemicals	:	Not listed
---	---	------------

List of Explosive Precursors	:	Not listed
------------------------------	---	------------

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals	:	Not listed
-------------------------------------	---	------------

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	:	Not listed
---	---	------------

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import : Not listed  
and Export

List of Controlled Ozone Depleting Substances : Not listed

### Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2025/08/11

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Sitagliptin / Metformin Extended Release Formulation

Version  
4.1

Revision Date:  
2025/08/11

SDS Number:  
29096-00027

Date of last issue: 2025/04/14  
Date of first issue: 2014/11/07

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN