

# SAFETY DATA SHEET



## Sitagliptin / Metformin Extended Release Formulation

Version 2.5      Revision Date: 11.08.2025      SDS Number: 29117-00027      Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

---

### Section 1: Identification

**Product identifier** : Sitagliptin / Metformin Extended Release Formulation

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

#### Manufacturer or supplier's details

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

#### Classification of the substance or mixture

Acute toxicity (Oral) : Category 4

#### GHS Label elements, including precautionary statements

Hazard pictograms : A red diamond-shaped hazard pictogram with a black exclamation mark in the center, indicating a warning hazard.

Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste

**Sitagliptin / Metformin Extended Release Formulation**

Version 2.5      Revision Date: 11.08.2025      SDS Number: 29117-00027      Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

---

disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

---

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
metformin hydrochloride	1115-70-4	>= 50 -< 70
Cellulose	9004-34-6	>= 10 -< 20
Sitagliptin Phosphate	654671-77-9	>= 1 -< 10
Kaolin	1332-58-7	>= 1 -< 10
Titanium dioxide	13463-67-7	>= 0.1 -< 1

---

**Section 4: First-aid measures****Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed**

Risks : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
Harmful if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

**Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically and supportively.

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014**Section 5: Fire-fighting measures****Extinguishing media**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

**Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)

**Special protective actions for fire-fighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

**Section 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions**

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up**

**Sitagliptin / Metformin Extended Release Formulation**

Version 2.5	Revision Date: 11.08.2025	SDS Number: 29117-00027	Date of last issue: 14.04.2025 Date of first issue: 07.11.2014
----------------	------------------------------	----------------------------	---

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage****Precautions for safe handling**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**Conditions for safe storage, including any incompatibilities**

Conditions for safe storage : Keep in properly labelled containers.

**Sitagliptin / Metformin Extended Release Formulation**

Version 2.5      Revision Date: 11.08.2025      SDS Number: 29117-00027      Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

---

Materials to avoid : Store in accordance with the particular national regulations.  
Do not store with the following product types:  
Strong oxidizing agents

---

**Section 8: Exposure controls/personal protection****Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
metformin hydrochloride	1115-70-4	TWA	1 mg/m3 (OEB 1)	Internal
Cellulose	9004-34-6	PEL (long term)	10 mg/m3	SG OEL
		TWA	10 mg/m3	ACGIH
Sitagliptin Phosphate	654671-77-9	TWA	0.6 mg/m3 (OEB 2)	Internal
Kaolin	1332-58-7	PEL (long term) (Respirable dust)	2 mg/m3	SG OEL
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH
Titanium dioxide	13463-67-7	PEL (long term)	10 mg/m3	SG OEL
		TWA (Respirable particulate matter)	2.5 mg/m3 (Titanium dioxide)	ACGIH

**This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.**

Titanium dioxide

**Appropriate engineering control measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

**Individual protection measures, such as personal protective equipment (PPE)**

**Eye/face protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

	aerosols.
Skin protection	: Work uniform or laboratory coat.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves

**Section 9: Physical and chemical properties**

Appearance	: powder
Colour	: blue green
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies)	

# SAFETY DATA SHEET



## Sitagliptin / Metformin Extended Release Formulation

Version  
2.5

Revision Date:  
11.08.2025

SDS Number:  
29117-00027

Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

---

Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

---

### Section 10: Stability and reactivity

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
--	--

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	: Acute toxicity estimate: 1,588 mg/kg Method: Calculation method
---------------------	--

# SAFETY DATA SHEET



## Sitagliptin / Metformin Extended Release Formulation

Version  
2.5

Revision Date:  
11.08.2025

SDS Number:  
29117-00027

Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

---

### Components:

#### **metformin hydrochloride:**

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg  
LD50 (Mouse): 1,450 - 3,500 mg/kg  
LD50 (Monkey): 463 mg/kg  
LD50 (Rabbit): 350 mg/kg  
LD50 (Guinea pig): 500 mg/kg

#### **Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Sitagliptin Phosphate:**

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg  
LD50 (Mouse): 3,000 mg/kg

#### **Kaolin:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

#### **Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

#### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **metformin hydrochloride:**

Species : Rabbit

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

Result : Mild skin irritation

**Sitagliptin Phosphate:**Species : Rabbit  
Method : Draize Test  
Result : No skin irritation**Kaolin:**Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation**Titanium dioxide:**Species : Rabbit  
Result : No skin irritation**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****metformin hydrochloride:**Species : Rabbit  
Result : Mild eye irritation**Sitagliptin Phosphate:**Species : Rabbit  
Result : Irritating to eyes.  
Method : Draize Test**Kaolin:**Species : Rabbit  
Result : No eye irritation**Titanium dioxide:**Species : Rabbit  
Result : No eye irritation**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014**Components:****Sitagliptin Phosphate:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Not a skin sensitizer.

**Titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****metformin hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro assay  
Test system: mouse lymphoma cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

**Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Sitagliptin / Metformin Extended Release Formulation**

Version 2.5

Revision Date: 11.08.2025

SDS Number: 29117-00027

Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014**Sitagliptin Phosphate:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

**Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****metformin hydrochloride:**

Species : Mouse  
Exposure time : 91 weeks  
Dose : 1500 mg/kg body weight  
Result : negative

Species : Rat, male  
Application Route : Oral  
Exposure time : 104 weeks  
Dose : 900 mg/kg body weight  
Result : negative

Species : Rat, female  
Application Route : Oral  
Exposure time : 104 weeks  
LOAEL : 900 mg/kg body weight  
Result : negative  
Target Organs : Uterus (including cervix)  
Remarks : The mechanism or mode of action may not be relevant in hu-

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

mans.

**Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

**Sitagliptin Phosphate:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Rat  
Application Route : oral (drinking water)  
Exposure time : 2 Years  
Result : positive  
Target Organs : Liver  
Remarks : Significant toxicity observed in testing

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**Titanium dioxide:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : positive  
Remarks : The mechanism or mode of action may not be relevant in humans.  
This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

**Reproductive toxicity**

Not classified based on available information.

**Components:****metformin hydrochloride:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 600 mg/kg body weight

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

Result: No effects on fertility

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 600 mg/kg body weight  
Result: No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Embryo-foetal toxicity: NOAEL: 140 mg/kg body weight  
Result: No teratogenic effects

**Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Sitagliptin Phosphate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL Parent: 1,000 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Teratogenicity: LOAEL: 250 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rabbit  
Teratogenicity: NOAEL: 125 mg/kg body weight  
Result: No teratogenic effects

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Sitagliptin / Metformin Extended Release Formulation**

Version 2.5

Revision Date: 11.08.2025

SDS Number: 29117-00027

Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014**Repeated dose toxicity****Components:****metformin hydrochloride:**

Species	:	Rat
NOAEL	:	125 mg/kg
Application Route	:	Oral
Exposure time	:	1 year
Remarks	:	No significant adverse effects were reported
Species	:	Rabbit
NOAEL	:	100 mg/kg
Application Route	:	Oral
Exposure time	:	1 Year
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	50 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	2 year
Remarks	:	No significant adverse effects were reported

**Cellulose:**

Species	:	Rat
NOAEL	:	>= 9,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

**Sitagliptin Phosphate:**

Species	:	Mouse
NOAEL	:	500 mg/kg
LOAEL	:	1,000 mg/kg
Application Route	:	Oral
Exposure time	:	> 2 yr
Target Organs	:	Kidney
Species	:	Rat
NOAEL	:	500 mg/kg
LOAEL	:	1,000 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Target Organs	:	Liver, Kidney, Heart, Teeth
Species	:	Dog
NOAEL	:	10 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Oral
Exposure time	:	53 Weeks
Target Organs	:	Central nervous system

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

Symptoms : Loss of balance  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Dog  
NOAEL : 2 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 27 Weeks  
Target Organs : Skeletal muscle, Central nervous system  
Symptoms : Loss of balance  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Monkey  
NOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Remarks : No significant adverse effects were reported

**Titanium dioxide:**

Species : Rat  
NOAEL : 24,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

Species : Rat  
NOAEL : 10 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 yr

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****metformin hydrochloride:**

Skin contact : Remarks: May irritate skin.  
Eye contact : Remarks: May irritate eyes.  
Ingestion : Symptoms: Diarrhoea, Nausea, Vomiting, Gastrointestinal discomfort, flatulence, asthenia, Fatigue, Headache

**Sitagliptin Phosphate:**

Inhalation : Symptoms: upper respiratory tract infection, pharyngitis, Headache  
Ingestion : Symptoms: upper respiratory tract infection, nasopharyngitis, Headache, Nausea, Abdominal pain, Diarrhoea

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

---

**Section 12: Ecological information****Toxicity****Components:****metformin hydrochloride:**

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 10 mg/l  
Exposure time: 33 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 40 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

**Sitagliptin Phosphate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 60 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 39 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 9.2 mg/l  
Exposure time: 33 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

**Titanium dioxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****metformin hydrochloride:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 50 %  
Exposure time: 2 hrs

**Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Sitagliptin / Metformin Extended Release Formulation**Version  
2.5Revision Date:  
11.08.2025SDS Number:  
29117-00027Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014**Sitagliptin Phosphate:**

Biodegradability : Result: not rapidly degradable  
Biodegradation: 39.7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(401 d)  
Method: OECD Test Guideline 111

**Bioaccumulative potential****Components:****metformin hydrochloride:**

Partition coefficient: n-octanol/water : log Pow: -2

**Sitagliptin Phosphate:**

Partition coefficient: n-octanol/water : log Pow: -0.03

**Mobility in soil****Components:****metformin hydrochloride:**

Distribution among environmental compartments : log Koc: 4.3  
Method: OECD Test Guideline 106

**Sitagliptin Phosphate:**

Distribution among environmental compartments : log Koc: 4.37

**Other adverse effects**

No data available

**Section 13: Disposal considerations****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

**Section 14: Transport information****International Regulations****UNRTDG**

# SAFETY DATA SHEET



## Sitagliptin / Metformin Extended Release Formulation

Version 2.5      Revision Date: 11.08.2025      SDS Number: 29117-00027      Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

---

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

### IATA-DGR

UN/ID No. : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations  
Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined

**Sitagliptin / Metformin Extended Release Formulation**

Version 2.5      Revision Date: 11.08.2025      SDS Number: 29117-00027      Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

---

IECSC : not determined

**Section 16: Other information**

Revision Date : 11.08.2025

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

# SAFETY DATA SHEET



## Sitagliptin / Metformin Extended Release Formulation

Version  
2.5

Revision Date:  
11.08.2025

SDS Number:  
29117-00027

Date of last issue: 14.04.2025  
Date of first issue: 07.11.2014

---

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN