

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

SECTION 1. IDENTIFICATION

Product name : Temozolomide Injection Formulation

Manufacturer or supplier's details

Company : MSD

Address : 855 Leandro N. Alem St., 8 Floor
Buenos Aires, Argentina C1001AFB

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity (Oral) : Category 5

Serious eye damage/eye irritation : Category 2A

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Bone marrow, thymus gland, Lymph nodes, spleen)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H303 May be harmful if swallowed.
H319 Causes serious eye irritation.
H341 Suspected of causing genetic defects.

Temozolomide Injection Formulation

Version 12.0 Revision Date: 18.12.2024 SDS Number: 27545-00026 Date of last issue: 03.12.2024
Date of first issue: 03.11.2014

H351 Suspected of causing cancer.
H360FD May damage fertility. May damage the unborn child.
H373 May cause damage to organs (Bone marrow, thymus gland, Lymph nodes, spleen) through prolonged or repeated exposure if swallowed.

Precautionary Statements :

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER/ doctor if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Citric acid	77-92-9	≥ 10 -< 20
Sodium chloride	7647-14-5	≥ 10 -< 20
Temozolomide	85622-93-1	≥ 5 -< 10

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

Temozolomide Injection Formulation

Version 12.0	Revision Date: 18.12.2024	SDS Number: 27545-00026	Date of last issue: 03.12.2024 Date of first issue: 03.11.2014
-----------------	------------------------------	----------------------------	---

- | | |
|---|--|
| | of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention. |
| If swallowed | : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin.
May be harmful if swallowed.
Causes serious eye irritation.
Suspected of causing genetic defects.
Suspected of causing cancer.
May damage fertility. May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|--|---|
| Suitable extinguishing media | : Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire fighting | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides
Nitrogen oxides (NO _x)
Metal oxides
Chlorine compounds |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

Materials to avoid : Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Temozolomide	85622-93-1	TWA	0.1 ug/m3 (OEB 5)	Internal
		Wipe limit	1 µg/100 cm2	Internal

Engineering measures : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.
Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
No open handling permitted.
Totally enclosed processes and materials transport systems are required.
Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

Temozolomide Injection Formulation

Version 12.0	Revision Date: 18.12.2024	SDS Number: 27545-00026	Date of last issue: 03.12.2024 Date of first issue: 03.11.2014
-----------------	------------------------------	----------------------------	---

Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

Acute toxicity

|| May be harmful if swallowed.

Product:

|| Acute oral toxicity : Acute toxicity estimate: 3.586 mg/kg
Method: Calculation method

Components:**Citric acid:**

Acute oral toxicity : LD50 (Mouse): 5.400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Sodium chloride:

Acute oral toxicity : LD50 (Rat): 3.550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Temozolomide:

Acute oral toxicity : LD50 (Dog): 19 mg/kg
LD50 (Rat): 315 mg/kg
LD50 (Mouse): 205 mg/kg

Skin corrosion/irritation

|| Not classified based on available information.

Components:**Citric acid:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Sodium chloride:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

|| Causes serious eye irritation.

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

Components:**Citric acid:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Sodium chloride:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitization**Skin sensitization**

|| Not classified based on available information.

Respiratory sensitization

|| Not classified based on available information.

Components:**Sodium chloride:**

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	negative

Temozolomide:

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

|| Suspected of causing genetic defects.

Components:**Citric acid:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

Test Type: in vitro micronucleus test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative
----------------------	---	--

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

Sodium chloride:

- Genotoxicity in vitro
- : Test Type: In vitro mammalian cell gene mutation test
Result: positive
 - Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
 - Test Type: Saccharomyces cerevisiae, gene mutation assay (in vitro)
Result: positive
 - Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: positive
 - Test Type: Chromosome aberration test in vitro
Result: positive
 - Test Type: Chromosome aberration test in vitro
Result: negative
- Genotoxicity in vivo
- : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative
 - Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Intraperitoneal injection
Result: positive
- Germ cell mutagenicity - Assessment
- : Weight of evidence does not support classification as a germ cell mutagen.

Temozolomide:

- Genotoxicity in vitro
- : Test Type: Bacterial reverse mutation assay (AMES)
Result: positive
 - Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Result: positive
- Germ cell mutagenicity - Assessment
- : Positive results from in vitro mammalian mutagenicity assays, chemical structure activity relationship to known germ cell mutagens

Carcinogenicity

II Suspected of causing cancer.

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

Components:**Sodium chloride:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Temozolomide:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	6 Months
	:	4 mg/kg body weight
Result	:	positive
Target Organs	:	Mammary gland

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies
------------------------------	---	---

Reproductive toxicity

|| May damage fertility. May damage the unborn child.

Components:**Citric acid:**

Effects on fetal development	:	Test Type: One-generation reproduction toxicity study
		Species: Rat
		Application Route: Ingestion
		Result: negative

Temozolomide:

Effects on fertility	:	Test Type: Fertility/early embryonic development
		Species: Rat, male
		Application Route: Oral
		Fertility: LOAEL: 8,5 mg/kg body weight
		Result: positive

Effects on fetal development	:	Test Type: Embryo-fetal development
		Species: Rat
		Application Route: Oral
		Embryo-fetal toxicity.: LOAEL: 13 mg/kg body weight
		Result: positive, Malformations were observed.

Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	--

STOT-single exposure

|| Not classified based on available information.

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

Components:**Citric acid:**

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Bone marrow, thymus gland, Lymph nodes, spleen) through prolonged or repeated exposure if swallowed.

Components:**Temozolomide:**

Routes of exposure : Ingestion
Target Organs : Bone marrow, thymus gland, Lymph nodes, spleen
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Citric acid:**

Species : Rat
NOAEL : 4.000 mg/kg
LOAEL : 8.000 mg/kg
Application Route : Ingestion
Exposure time : 10 Days

Sodium chloride:

Species : Rat
LOAEL : 2.533 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Temozolomide:

Species : Rat, female
NOAEL : 4 mg/kg
LOAEL : 21 mg/kg
Application Route : Oral
Exposure time : 6 Months
Target Organs : thymus gland, Bone marrow, Reproductive organs, Lymph nodes

Species : Rat, male
NOAEL : 8,5 mg/kg
LOAEL : 34 mg/kg
Application Route : Oral
Exposure time : 6 Months
Target Organs : thymus gland, Bone marrow, male reproductive organs, Gastrointestinal tract, Lymph nodes

Species : Dog
NOAEL : 2,5 mg/kg

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

LOAEL	:	6,3 mg/kg
Application Route	:	Oral
Exposure time	:	6 Months
Target Organs	:	Bone marrow, spleen, male reproductive organs, Gastrointestinal tract, thymus gland

Aspiration toxicity

|| Not classified based on available information.

Experience with human exposure**Components:****Temozolomide:**

Ingestion	:	Symptoms: Blood disorders, Nausea, Vomiting, Diarrhea, anorexia, Fatigue, hair loss
-----------	---	---

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Citric acid:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.535 mg/l Exposure time: 24 h
---	---	--

Sodium chloride:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.840 mg/l Exposure time: 96 h
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 4.136 mg/l Exposure time: 48 h
---	---	--

Toxicity to algae/aquatic plants	:	EC50: > 2.000 mg/l Exposure time: 96 h
----------------------------------	---	---

Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 252 mg/l Exposure time: 33 d
-------------------------------------	---	--

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia pulex (Water flea)): 314 mg/l Exposure time: 21 d
--	---	--

Toxicity to microorganisms	:	EC10: > 1.000 mg/l
----------------------------	---	--------------------

Temozolomide:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	--

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 90 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 40 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50: > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability**Components:****Citric acid:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

Temozolomide:

Biodegradability	:	Result: rapidly degradable Biodegradation: 83 % Exposure time: 35 d
Stability in water	:	Degradation half life (DT50): < 1 d

Bioaccumulative potential**Components:****Citric acid:**

Partition coefficient: n-octanol/water	:	log Pow: -1,72
--	---	----------------

Temozolomide:

Partition coefficient: n-octanol/water	:	log Pow: 1,35
--	---	---------------

Mobility in soil

No data available

Other adverse effects

No data available

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	18.12.2024
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

Temozolomide Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
12.0	18.12.2024	27545-00026	Date of first issue: 03.11.2014

compile the Material Safety
Data SheeteChem Portal search results and European Chemicals Agen-
cy, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8