

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Caspofungin Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Serious eye damage/eye irritation : Category 1

Effects on or via lactation

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

H362 May cause harm to breast-fed children.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: Prevention:

P203 Obtain, read and follow all safety instructions before use.
P260 Do not breathe dust.
P263 Avoid contact during pregnancy and while nursing.
P264+P265 Wash hands thoroughly after handling. Do not touch eyes.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

: Response:

P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.
P318 IF exposed or concerned, get medical advice.
P391 Collect spillage.

: Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (%) w/w) |
|---------------|-------------|------------------------|
| Caspofungin | 179463-17-3 | >= 30 - < 50 |
| Sucrose | 57-50-1 | >= 30 - < 50 |
| Acetic acid | 64-19-7 | >= 1 - < 3 |

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : Get medical attention.

In case of skin contact : Wash with water and soap.
Get medical attention.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : Get medical attention.

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

| | |
|---|---|
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin. Causes serious eye damage. May cause harm to breast-fed children. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

| | |
|---|---|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire-fighting | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). |

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

| | |
|-----------------------------|--|
| Technical measures | <ul style="list-style-type: none">Static electricity may accumulate and ignite suspended dust causing an explosion.Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | <ul style="list-style-type: none">Use only with adequate ventilation. |
| Advice on safe handling | <ul style="list-style-type: none">Avoid contact during pregnancy and while nursing.Do not breathe dust.Do not swallow.Do not get in eyes.Avoid prolonged or repeated contact with skin.Wash skin thoroughly after handling.Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessmentKeep container tightly closed.Minimize dust generation and accumulation.Keep container closed when not in use.Keep away from heat and sources of ignition.Take precautionary measures against static discharges.Do not eat, drink or smoke when using this product.Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | <ul style="list-style-type: none">Keep in properly labelled containers.Keep tightly closed. |
| Materials to avoid | <ul style="list-style-type: none">Store in accordance with the particular national regulations.Do not store with the following product types: Strong oxidizing agents |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|-------------|-------------|-------------------------------------|--|----------|
| Caspofungin | 179463-17-3 | TWA | 140 µg/m ³ (OEB 2) | Internal |
| Sucrose | 57-50-1 | TWA | 10 mg/m ³ | ACGIH |
| Acetic acid | 64-19-7 | STEL | 15 ppm 37 mg/m ³ | IN OEL |

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

| | | | | |
|--|--|------|--------------------------------|--------|
| | | TWA | 10 ppm 25 mg/m ³ | IN OEL |
| | | TWA | 10 ppm | ACGIH |
| | | STEL | 15 ppm | ACGIH |

Engineering measures

- : Ensure adequate ventilation, especially in confined areas.
- Minimize workplace exposure concentrations.
- Apply measures to prevent dust explosions.
- Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

| | |
|--------------------------|---|
| Respiratory protection | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | |
| Hand protection | : Combined particulates and organic vapour type |
| Material | : Chemical-resistant gloves |
| Remarks | : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. |
| Eye protection | : Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield |
| Skin and body protection | : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc). |
| Hygiene measures | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-----------------|---------------------|
| Appearance | : powder |
| Colour | : off-white |
| Odour | : No data available |
| Odour Threshold | : No data available |

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

| | | |
|--|---|---|
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | Not applicable |
| Evaporation rate | : | Not applicable |
| Flammability (solid, gas) | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : | Not applicable |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | Not applicable |
| Relative vapour density | : | Not applicable |
| Relative density | : | No data available |
| Density | : | No data available |
| Solubility(ies) | | |
| Water solubility | : | No data available |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, kinematic | : | Not applicable |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight | : | No data available |
| Minimum ignition energy | : | 100 - 300 mJ 30 - 100 mJ |

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

Particle characteristics

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.
Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Caspofungin:

Acute oral toxicity : LD50 (Mouse): > 2,000 mg/kg
Acute toxicity (other routes of administration) : LD50 (Mouse): 19 mg/kg
Application Route: Intravenous
LD50 (Rat): 38 mg/kg
Application Route: Intravenous

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Acetic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg
Remarks: Based on data from similar materials
Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

||| Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
||| Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Caspofungin:

||| Species : Rabbit
||| Result : Mild skin irritation

Acetic acid:

||| Species : Rabbit
||| Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Caspofungin:

||| Species : Rabbit
||| Method : Bovine cornea (BCOP)
||| Result : Irreversible effects on the eye

Acetic acid:

||| Species : Rabbit
||| Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Caspofungin:

||| Genotoxicity in vitro : Test Type: Chromosomal aberration
||| : Test system: Chinese hamster ovary cells
||| : Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Alkaline elution assay

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

| | |
|-----------------------|---|
| | Test system: rat hepatocytes Result: negative |
| | Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster fibroblasts Result: negative |
| Genotoxicity in vivo | : Test Type: Chromosomal aberration Species: Mouse Cell type: Bone marrow Result: negative |
| Sucrose: | |
| Genotoxicity in vitro | : Test Type: In vitro mammalian cell gene mutation test Result: negative |
| Acetic acid: | |
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosome aberration test in vitro Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative |
| | Test Type: In vitro mammalian cell gene mutation test Result: equivocal Remarks: Based on data from similar materials |
| Genotoxicity in vivo | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: inhalation (vapour) Result: negative Remarks: Based on data from similar materials |

Carcinogenicity

Not classified based on available information.

Components:

Acetic acid:

| | |
|-------------------|----------------|
| Species | : Mouse |
| Application Route | : Skin contact |
| Exposure time | : 32 weeks |
| Result | : negative |

Reproductive toxicity

May cause harm to breast-fed children.

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

Components:

Caspofungin:

| | |
|------------------------------------|--|
| Effects on fertility | : Test Type: Fertility Species: Rat, male and female Application Route: Intravenous injection Fertility: NOAEL Parent: 5 mg/kg body weight Result: No effects on fertility and early embryonic development were detected. |
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Intravenous injection General Toxicity Maternal: LOAEL: 5 mg/kg body weight Embryo-foetal toxicity: NOAEL F1: 2 mg/kg body weight Symptoms: Abnormalities of the musculoskeletal system Result: Embryotoxic effects and adverse effects on the offspring were detected. |
| | Test Type: Development Species: Rabbit Application Route: Intravenous injection General Toxicity Maternal: NOAEL: 3 mg/kg body weight Developmental Toxicity: NOAEL F1: \geq 6 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected. |
| Reproductive toxicity - Assessment | : Studies indicating a hazard to babies during the lactation period |

Acetic acid:

| | |
|-------------------------------|--|
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative |
|-------------------------------|--|

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Caspofungin:

| | |
|---------------------|---------------|
| Species | : Monkey |
| NOAEL | : 2 mg/kg |
| LOAEL | : 5 mg/kg |
| Application Route | : Intravenous |
| Exposure time | : 27 Weeks |
| Number of exposures | : daily |
| Target Organs | : Liver |

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

| | | |
|-------------------|---|--------------------|
| Species | : | Rat |
| LOAEL | : | 1.8 mg/kg |
| Application Route | : | Intravenous |
| Exposure time | : | 27 Weeks |
| Symptoms | : | Swelling of tissue |

| | | |
|---------------------|---|--------------------|
| Species | : | Rat |
| NOAEL | : | 2 mg/kg |
| LOAEL | : | 5 mg/kg |
| Application Route | : | Intravenous |
| Exposure time | : | 14 Weeks |
| Number of exposures | : | daily |
| Symptoms | : | Swelling of tissue |

Acetic acid:

| | | |
|-------------------|---|-----------|
| Species | : | Rat |
| NOAEL | : | 290 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 8 Weeks |

Aspiration toxicity

Not classified based on available information.

Components:

Caspofungin:

||| No aspiration toxicity classification

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Caspofungin:

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 2.4 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 22.6 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 0.1 mg/l Exposure time: 72 h |
| | | NOEC (Pseudokirchneriella subcapitata (green algae)): 0.05 mg/l Exposure time: 72 h |
| M-Factor (Acute aquatic toxicity) | : | 10 |

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

| | | |
|--|---|---|
| Toxicity to microorganisms | : | EC50: > 127 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 |
| | | NOEC: 38 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 0.084 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0.67 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 |
| M-Factor (Chronic aquatic toxicity) | : | 1 |

Acetic acid:

| | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : | ErC50 (Skeletonema costatum (marine diatom)): > 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials |
| | | NOEC (Skeletonema costatum (marine diatom)): > 1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials |
| Toxicity to microorganisms | : | NOEC (Pseudomonas putida): 1,150 mg/l Exposure time: 16 h |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: > 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) |

Persistence and degradability

Components:

Caspofungin:

Caspofungin Formulation

Version 7.0 Revision Date: 14.04.2025 SDS Number: 24288-00028 Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 71.9 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

Stability in water : Degradation half life (DT50): 2.8 h

Acetic acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 96 %
Exposure time: 20 d

Bioaccumulative potential

Components:

Caspofungin:

Partition coefficient: n-octanol/water : log Pow: -1.6

Sucrose:

Partition coefficient: n-octanol/water : Pow: < 1

Acetic acid:

Partition coefficient: n-octanol/water : log Pow: -0.17

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version 7.0 Revision Date: 14.04.2025 SDS Number: 24288-00028 Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

N.O.S.
(Caspofungin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Caspofungin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Caspofungin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

| | | | |
|----------------|------------------------------|----------------------------|---|
| Version 7.0 | Revision Date: 14.04.2025 | SDS Number: 24288-00028 | Date of last issue: 28.09.2024 Date of first issue: 21.10.2014 |
|----------------|------------------------------|----------------------------|---|

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

| | |
|---------------|---|
| ACGIH | : USA. ACGIH Threshold Limit Values (TLV) |
| IN OEL | : India. Permissible levels of certain chemical substances in work environment. |
| ACGIH / TWA | : 8-hour, time-weighted average |
| ACGIH / STEL | : Short-term exposure limit |
| IN OEL / TWA | : Time-Weighted Average Concentration (TWA) (8 hrs.) |
| IN OEL / STEL | : Short-term exposure Limit STEL (15 min) |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

SAFETY DATA SHEET

according to the Globally Harmonized System



Caspofungin Formulation

Version
7.0

Revision Date:
14.04.2025

SDS Number:
24288-00028

Date of last issue: 28.09.2024
Date of first issue: 21.10.2014

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN