

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Caspofungin Formulation

Manufacturer or supplier's details

Company name of supplier	: MSD
Address	: 126 E. Lincoln Avenue Rahway, New Jersey U.S.A. 07065
Telephone	: 908-740-4000
Emergency telephone	: 1-908-423-6000
E-mail address	: EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use	: Pharmaceutical
Restrictions on use	: Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation : Category 1

Effects on or via lactation

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements	: H318 Causes serious eye damage. H362 May cause harm to breast-fed children.
-------------------	--

Precautionary Statements	: Prevention: P201 Obtain special instructions before use. P260 Do not breathe dust. P263 Avoid contact during pregnancy and while nursing. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P308 + P313 IF exposed or concerned: Get medical advice/ attention.
--------------------------	--

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Caspofungin	179463-17-3	≥ 30 -< 50
Sucrose	57-50-1	≥ 30 -< 50
Acetic acid	64-19-7	≥ 1 -< 3

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: Get medical attention.
In case of skin contact	: Wash with water and soap. Get medical attention.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	: Get medical attention.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Causes serious eye damage. May cause harm to breast-fed children.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid contact during pregnancy and while nursing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

- assessment
 Keep container tightly closed.
 Minimize dust generation and accumulation.
 Keep container closed when not in use.
 Keep away from heat and sources of ignition.
 Take precautionary measures against static discharges.
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labeled containers.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Caspofungin	179463-17-3	TWA	140 µg/m ³ (OEB 2)	Internal
Sucrose	57-50-1	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³	ACGIH
Acetic acid	64-19-7	VLE-PPT	10 ppm	NOM-010-STPS-2014
		VLE-CT	15 ppm	NOM-010-STPS-2014
		TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH

- Engineering measures** : Ensure adequate ventilation, especially in confined areas.
 Minimize workplace exposure concentrations.
 Apply measures to prevent dust explosions.
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Material	:	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	off-white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Minimum ignition energy	:	100 - 300 mJ 30 - 100 mJ
Particle characteristics	:	
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Caspofungin:**

Acute oral toxicity : LD50 (Mouse): > 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 19 mg/kg
Application Route: Intravenous

LD50 (Rat): 38 mg/kg
Application Route: Intravenous

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Acetic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**Caspofungin:**

Species : Rabbit
Result : Mild skin irritation

Acetic acid:

Species : Rabbit
Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Caspofungin:**

Species : Rabbit
Result : Irreversible effects on the eye

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Method : Bovine cornea (BCOP)

Acetic acid:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:**Caspofungin:**

Genotoxicity in vitro : Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Alkaline elution assay
Test system: rat hepatocytes
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster fibroblasts
Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Mouse
Cell type: Bone marrow
Result: negative

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Acetic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: equivocal

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: inhalation (vapor)
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Acetic acid:**

Species : Mouse
Application Route : Skin contact
Exposure time : 32 weeks
Result : negative

Reproductive toxicity

May cause harm to breast-fed children.

Components:**Caspofungin:**

Effects on fertility : Test Type: Fertility
Species: Rat, male and female
Application Route: Intravenous injection
Fertility: NOAEL Parent: 5 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Intravenous injection
General Toxicity Maternal: LOAEL: 5 mg/kg body weight
Embryo-fetal toxicity.: NOAEL F1: 2 mg/kg body weight
Symptoms: Abnormalities of the musculoskeletal system.
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development
Species: Rabbit
Application Route: Intravenous injection
General Toxicity Maternal: NOAEL: 3 mg/kg body weight
Developmental Toxicity: NOAEL F1: \geq 6 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Reproductive toxicity - Assessment : Studies indicating a hazard to babies during the lactation period

Acetic acid:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Caspofungin:**

Species : Monkey
NOAEL : 2 mg/kg
LOAEL : 5 mg/kg
Application Route : Intravenous
Exposure time : 27 Weeks
Number of exposures : daily
Target Organs : Liver

Species : Rat
LOAEL : 1.8 mg/kg
Application Route : Intravenous
Exposure time : 27 Weeks
Symptoms : Swelling of tissue

Species : Rat
NOAEL : 2 mg/kg
LOAEL : 5 mg/kg
Application Route : Intravenous
Exposure time : 14 Weeks
Number of exposures : daily
Symptoms : Swelling of tissue

Acetic acid:

Species : Rat
NOAEL : 290 mg/kg
Application Route : Ingestion
Exposure time : 8 Weeks

Aspiration toxicity

Not classified based on available information.

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Components:**Caspofungin:**

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Caspofungin:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 2.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 22.6 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0.1 mg/l Exposure time: 72 h NOEC (Pseudokirchneriella subcapitata (green algae)): 0.05 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.084 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.67 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: > 127 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC: 38 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Acetic acid:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): > 100 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

NOEC (Skeletonema costatum (marine diatom)): > 1 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 21 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): 1,150 mg/l
Exposure time: 16 h

Persistence and degradability**Components:****Caspofungin:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 71.9 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

Stability in water : Degradation half life (DT50): 2.8 h

Acetic acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 96 %
Exposure time: 20 d

Bioaccumulative potential**Components:****Caspofungin:**

Partition coefficient: n-octanol/water : log Pow: -1.6

Sucrose:

Partition coefficient: n-octanol/water : Pow: < 1

Acetic acid:

Partition coefficient: n-octanol/water : log Pow: -0.17

Mobility in soil

No data available

Other adverse effects

No data available

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Caspofungin)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Caspofungin)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Caspofungin)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NOM-002-SCT**

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

(Caspofungin)

Class	:	9
Packing group	:	III
Labels	:	9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for
producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	14.04.2025
Date format	:	dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014	:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NOM-010-STPS-2014 / VLE-	:	Time weighted average limit value
PPT	:	
NOM-010-STPS-2014 / VLE-	:	Short term exposure limit value
CT	:	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.1	14.04.2025	24293-00027	Date of first issue: 21.10.2014

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8