

SAFETY DATA SHEET



Fosaprepitant Formulation

Version
8.0

Revision Date:
28.09.2024

SDS Number:
23897-00023

Date of last issue: 26.09.2023
Date of first issue: 21.10.2014

SECTION 1. IDENTIFICATION

Product identifier : Fosaprepitant Formulation

Manufacturer or supplier's details

Company : MSD

Address : Avenida Tanner de Melo, Quadra 10 Lote 4A, Galpão A
Parque Industrial Vice Presidente José Alencar Aparecida de
Goiás – GO, Brazil

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Reproductive organs, Prostate)

Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H373 May cause damage to organs (Reproductive organs,

SAFETY DATA SHEET



Fosaprepitant Formulation

Version
8.0

Revision Date:
28.09.2024

SDS Number:
23897-00023

Date of last issue: 26.09.2023
Date of first issue: 21.10.2014

Prostate) through prolonged or repeated exposure if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: Prevention:

P260 Do not breathe dust.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

: Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Fosaprepitant	265121-04-8	Acute Tox. (Oral), 4 Skin Irrit., 2 Eye Irrit., 2A STOT RE, (Oral)(Reproductive organs, Prostate) , 2 Aquatic Chronic, 1	>= 30 -< 50
Disodium EDTA, dihydrate	6381-92-6	Acute Tox. (Oral), 5 Acute Tox. (Inhalation), 4 STOT RE, (Respiratory Tract) , 2	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

Fosaprepitant Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 23897-00023	Date of last issue: 26.09.2023 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

	When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SAFETY DATA SHEET



Fosaprepitant Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 23897-00023	Date of last issue: 26.09.2023 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

SAFETY DATA SHEET



Fosaprepitant Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 23897-00023	Date of last issue: 26.09.2023 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Fosaprepitant	265121-04-8	TWA	200 µg/m ³	Internal

Engineering measures	:	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
-----------------------------	---	--

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection		
Material	:	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety goggles
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



Fosaprepitant Formulation

Version 8.0 Revision Date: 28.09.2024 SDS Number: 23897-00023 Date of last issue: 26.09.2023
Date of first issue: 21.10.2014

Physical state	:	powder
Color	:	off-white
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET



Fosaprepitant Formulation

Version 8.0 Revision Date: 28.09.2024 SDS Number: 23897-00023 Date of last issue: 26.09.2023 Date of first issue: 21.10.2014

Molecular weight : No data available

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1.435 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

Fosaprepitant:

Acute oral toxicity : LD50 (Rat, female): > 500 mg/kg
LD50 (Mouse, female): > 500 mg/kg

Disodium EDTA, dihydrate:

Acute oral toxicity : LD50 (Rat): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 1 mg/l
Exposure time: 6 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 412

Fosaprepitant FormulationVersion
8.0Revision Date:
28.09.2024SDS Number:
23897-00023Date of last issue: 26.09.2023
Date of first issue: 21.10.2014**Skin corrosion/irritation**

Causes skin irritation.

Components:**Fosaprepitant:**

Species	:	Rabbit
Result	:	Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Fosaprepitant:**

Species	:	Bovine cornea
Result	:	Eye irritation

Disodium EDTA, dihydrate:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Disodium EDTA, dihydrate:**

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:**Fosaprepitant:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Test system: human lymphoblastoid cells Result: negative
		Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Result: negative

Fosaprepitant Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 23897-00023	Date of last issue: 26.09.2023 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

		Test Type: in vitro test Test system: rat hepatocytes Result: negative
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse Cell type: Bone marrow Result: negative
Disodium EDTA, dihydrate:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Fosaprepitant:

Species	:	Rat, female
Application Route	:	Oral
Exposure time	:	2 Years
	:	50 mg/kg body weight
Target Organs	:	Liver
Remarks	:	Benign tumor(s)
Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	2 Years
	:	250 mg/kg body weight
Target Organs	:	Liver, Thyroid
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

Disodium EDTA, dihydrate:

Species	:	Rat
Application Route	:	Ingestion

Fosaprepitant Formulation

Version 8.0 Revision Date: 28.09.2024 SDS Number: 23897-00023 Date of last issue: 26.09.2023
Date of first issue: 21.10.2014

Exposure time	:	103 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**Fosaprepitant:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat, male and female Fertility: NOAEL: 2.000 mg/kg body weight Result: negative
Effects on fetal development	:	Species: Rat, female General Toxicity Maternal: NOAEL: 2.000 mg/kg body weight Result: negative

Disodium EDTA, dihydrate:

Effects on fertility	:	Test Type: Four-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Reproductive organs, Prostate) through prolonged or repeated exposure if swallowed.

Components:**Fosaprepitant:**

Routes of exposure	:	Ingestion
Target Organs	:	Reproductive organs, Prostate
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Disodium EDTA, dihydrate:

Routes of exposure	:	inhalation (dust/mist/fume)
Target Organs	:	Respiratory Tract

Fosaprepitant Formulation

Version 8.0 Revision Date: 28.09.2024 SDS Number: 23897-00023 Date of last issue: 26.09.2023
Date of first issue: 21.10.2014

||| Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Fosaprepitant:**

||| Species : Rat, male and female
||| NOAEL : 2.000 mg/kg
||| Application Route : Oral
||| Exposure time : 6 Months
||| Target Organs : Liver, Thyroid

||| Species : Dog
||| LOAEL : 50 mg/kg
||| Application Route : Oral
||| Exposure time : 9 Months
||| Target Organs : Testis

||| Species : Dog
||| NOAEL : 32 mg/kg
||| Application Route : Oral
||| Exposure time : 1 y
||| Remarks : No significant adverse effects were reported

||| Species : Rat
||| NOAEL : 4 mg/kg
||| Application Route : Intravenous
||| Exposure time : 5 Weeks
||| Remarks : No significant adverse effects were reported

||| Species : Dog
||| NOAEL : 10 mg/kg
||| Application Route : Intravenous
||| Exposure time : 5 Weeks
||| Remarks : No significant adverse effects were reported

Disodium EDTA, dihydrate:

||| Species : Rat
||| NOAEL : 500 mg/kg
||| Application Route : Ingestion
||| Exposure time : 13 Weeks

||| Species : Rat
||| LOAEL : 0,03 mg/l
||| Application Route : inhalation (dust/mist/fume)
||| Exposure time : 4 Weeks
||| Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Fosaprepitant FormulationVersion
8.0Revision Date:
28.09.2024SDS Number:
23897-00023Date of last issue: 26.09.2023
Date of first issue: 21.10.2014**Experience with human exposure****Components:****Fosaprepitant:**

Ingestion	: Symptoms: hiccups, Fatigue, liver function change, constipation, Headache, anorexia
-----------	---

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Fosaprepitant:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0,462 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility. Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0,345 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility. Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 0,184 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility. Based on data from similar materials
	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,184 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility. Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0,195 mg/l Exposure time: 32 Days Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0,018 mg/l Exposure time: 21 Days Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	: 1

Disodium EDTA, dihydrate:

SAFETY DATA SHEET



Fosaprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 26.09.2023
8.0 28.09.2024 23897-00023 Date of first issue: 21.10.2014

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 140 mg/l Exposure time: 48 h Method: DIN 38412
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	:	EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 25 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC10 (activated sludge): > 500 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

Persistence and degradability

Components:

Fosaprepitant:

Biodegradability : Result: not rapidly degradable
Method: OECD Test Guideline 314

Disodium EDTA, dihydrate:

Biodegradation: 22.74, unit: day
Biodegradability : Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Fosaprepitant:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 50,1
Method: OECD Test Guideline 305
Remarks: Based on data from similar materials

Disodium EDTA, dihydrate:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)

SAFETY DATA SHEET



Fosaprepitant Formulation

Version 8.0 Revision Date: 28.09.2024 SDS Number: 23897-00023 Date of last issue: 26.09.2023 Date of first issue: 21.10.2014

||| Bioconcentration factor (BCF): < 500
||| Remarks: Based on data from similar materials

||| Partition coefficient: n-octanol/water : log Pow: -4,3

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Contaminated packaging : If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Fosaprepitant)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Fosaprepitant)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Fosaprepitant)
Class : 9
Packing group : III
Labels : 9

SAFETY DATA SHEET



Fosaprepitant Formulation

Version 8.0 Revision Date: 28.09.2024 SDS Number: 23897-00023 Date of last issue: 26.09.2023 Date of first issue: 21.10.2014

EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Fosaprepitant)
Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

SAFETY DATA SHEET



Fosaprepitant Formulation

Version
8.0

Revision Date:
28.09.2024

SDS Number:
23897-00023

Date of last issue: 26.09.2023
Date of first issue: 21.10.2014

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8