

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version  
7.1

Revision Date:  
26.09.2023

SDS Number:  
23917-00022

Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Fosaprepitant Formulation

#### Manufacturer or supplier's details

Company name of supplier : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4  
Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 2A  
Specific target organ toxicity - repeated exposure : Category 2 (Respiratory Tract)  
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Reproductive organs, Prostate)

#### GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure.  
H373 May cause damage to organs (Reproductive organs, Prostate) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version  
7.1

Revision Date:  
26.09.2023

SDS Number:  
23917-00022

Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Fosaprepitant	265121-04-8	>= 30 -< 50
Disodium EDTA, dihydrate	6381-92-6	>= 1 -< 5

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.  
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version 7.1	Revision Date: 26.09.2023	SDS Number: 23917-00022	Date of last issue: 20.03.2023 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

Most important symptoms and effects, both acute and delayed	so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. : Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

**Fosaprepitant Formulation**Version  
7.1Revision Date:  
26.09.2023SDS Number:  
23917-00022Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
Conditions for safe storage	: Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Fosaprepitant	265121-04-8	TWA	200 µg/m <sup>3</sup>	Internal

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version 7.1	Revision Date: 26.09.2023	SDS Number: 23917-00022	Date of last issue: 20.03.2023 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Safety goggles
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: off-white
Odor	: odorless
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing,

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version  
7.1

Revision Date:  
26.09.2023

SDS Number:  
23917-00022

Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper  
flammability limit : No data available

Lower explosion limit / Lower  
flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-  
octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-  
tions : May form explosive dust-air mixture during processing,  
handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition  
products : No hazardous decomposition products are known.

**Fosaprepitant Formulation**Version  
7.1Revision Date:  
26.09.2023SDS Number:  
23917-00022Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 1,435 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Fosaprepitant:**

Acute oral toxicity : LD50 (Rat, female): > 500 mg/kg  
LD50 (Mouse, female): > 500 mg/kg

**Disodium EDTA, dihydrate:**

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg  
Acute inhalation toxicity : LC50 (Rat, male): > 1 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 412

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Fosaprepitant:**

Species : Rabbit  
Result : Skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Fosaprepitant:**

Species : Bovine cornea  
Result : Eye irritation

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version  
7.1

Revision Date:  
26.09.2023

SDS Number:  
23917-00022

Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

---

### Disodium EDTA, dihydrate:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Disodium EDTA, dihydrate:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Fosaprepitant:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: human lymphoblastoid cells  
Result: negative

Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: in vitro test  
Test system: rat hepatocytes  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

### Disodium EDTA, dihydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version  
7.1

Revision Date:  
26.09.2023

SDS Number:  
23917-00022

Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Fosaprepitant:**

Species : Rat, female  
Application Route : Oral  
Exposure time : 2 Years  
Target Organs : Liver  
Remarks : Benign tumor(s)

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 2 Years  
Target Organs : Liver, Thyroid

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **Disodium EDTA, dihydrate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **Fosaprepitant:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Fertility: NOAEL: 2,000 mg/kg body weight  
Result: negative

Effects on fetal development : Species: Rat, female  
General Toxicity Maternal: NOAEL: 2,000 mg/kg body weight

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version 7.1	Revision Date: 26.09.2023	SDS Number: 23917-00022	Date of last issue: 20.03.2023 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

Result: negative

Species: Rabbit, female  
General Toxicity Maternal: NOAEL: 25 mg/kg body weight  
Result: negative

### Disodium EDTA, dihydrate:

Effects on fertility : Test Type: Four-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure.  
May cause damage to organs (Reproductive organs, Prostate) through prolonged or repeated exposure if swallowed.

### Components:

#### **Fosaprepitant:**

Routes of exposure : Ingestion  
Target Organs : Reproductive organs, Prostate  
Assessment : May cause damage to organs through prolonged or repeated exposure.

#### **Disodium EDTA, dihydrate:**

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Respiratory Tract  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### **Fosaprepitant:**

Species : Rat, male and female  
NOAEL : 2,000 mg/kg  
Application Route : Oral  
Exposure time : 6 Months  
Target Organs : Liver, Thyroid

Species : Dog  
LOAEL : 50 mg/kg

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version 7.1      Revision Date: 26.09.2023      SDS Number: 23917-00022      Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

---

Application Route	:	Oral
Exposure time	:	9 Months
Target Organs	:	Testis
Species	:	Dog
NOAEL	:	32 mg/kg
Application Route	:	Oral
Exposure time	:	1 y
Remarks	:	No significant adverse effects were reported
Species	:	Rat
NOAEL	:	4 mg/kg
Application Route	:	Intravenous
Exposure time	:	5 Weeks
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	10 mg/kg
Application Route	:	Intravenous
Exposure time	:	5 Weeks
Remarks	:	No significant adverse effects were reported

### **Disodium EDTA, dihydrate:**

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Species	:	Rat
LOAEL	:	0.03 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Method	:	OECD Test Guideline 412

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

#### **Fosaprepitant:**

Ingestion	:	Symptoms: hiccups, Fatigue, liver function change, constipation, Headache, anorexia
-----------	---	---

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

#### **Fosaprepitant:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.462 mg/l Exposure time: 96 h
------------------	---	--

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version  
7.1

Revision Date:  
26.09.2023

SDS Number:  
23917-00022

Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.  
Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.345 mg/l  
Exposure time: 48 h

Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.  
Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.184 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.  
Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.184 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.  
Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.195 mg/l  
Exposure time: 32 Days  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.018 mg/l  
Exposure time: 21 Days  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

### Disodium EDTA, dihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 140 mg/l  
Exposure time: 48 h  
Method: DIN 38412

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version 7.1      Revision Date: 26.09.2023      SDS Number: 23917-00022      Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10 (activated sludge): > 500 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Fosaprepitant:**

Biodegradability : Result: not rapidly degradable  
Method: OECD Test Guideline 314

##### **Disodium EDTA, dihydrate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### **Fosaprepitant:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 50.1  
Method: OECD Test Guideline 305  
Remarks: Based on data from similar materials

##### **Disodium EDTA, dihydrate:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): < 500  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: -4.3

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version 7.1 Revision Date: 26.09.2023 SDS Number: 23917-00022 Date of last issue: 20.03.2023 Date of first issue: 21.10.2014

If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Fosaprepitant)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Fosaprepitant)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Fosaprepitant)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### NOM-002-SCT

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Fosaprepitant)  
Class : 9  
Packing group : III  
Labels : 9

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version  
7.1

Revision Date:  
26.09.2023

SDS Number:  
23917-00022

Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

### SECTION 15. REGULATORY INFORMATION

#### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

#### **The ingredients of this product are reported in the following inventories:**

AICS	: not determined
DSL	: not determined
IECSC	: not determined

---

### SECTION 16. OTHER INFORMATION

Revision Date : 26.09.2023  
Date format : dd.mm.yyyy

#### **Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

# SAFETY DATA SHEET



## Fosaprepitant Formulation

Version  
7.1

Revision Date:  
26.09.2023

SDS Number:  
23917-00022

Date of last issue: 20.03.2023  
Date of first issue: 21.10.2014

---

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8