

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4      Revision Date: 14.04.2025      SDS Number: 20584-00028      Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

### SECTION 1: IDENTIFICATION

Product name : Aprepitant Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Building A - Level 1/26 Talavera Rd  
Macquarie Park NSW, Australia 2113

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Specific target organ toxicity - : Category 2 (Prostate, Testis)  
repeated exposure (Oral)

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H373 May cause damage to organs (Prostate, Testis) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**

P260 Do not breathe dust.

**Response:**

P314 Get medical advice/ attention if you feel unwell.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4 Revision Date: 14.04.2025 SDS Number: 20584-00028 Date of last issue: 06.04.2024 Date of first issue: 09.10.2014

---

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Aprepitant	170729-80-3	>= 30 -< 60
Sucrose	57-50-1	>= 30 -< 60
Cellulose	9004-34-6	>= 10 -< 30

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
May cause damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

# SAFETY DATA SHEET



## Aprepitant Formulation

Version  
5.4

Revision Date:  
14.04.2025

SDS Number:  
20584-00028

Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Fluorine compounds  
Nitrogen oxides (NOx)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : 2Z

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4	Revision Date: 14.04.2025	SDS Number: 20584-00028	Date of last issue: 06.04.2024 Date of first issue: 09.10.2014
----------------	------------------------------	----------------------------	---

Local/Total ventilation	and bonding, or inert atmospheres.
Advice on safe handling	<ul style="list-style-type: none"><li>: Use only with adequate ventilation.</li><li>: Do not breathe dust.</li></ul>
	<ul style="list-style-type: none"><li>Do not swallow.</li><li>Avoid contact with eyes.</li><li>Avoid prolonged or repeated contact with skin.</li></ul>
	<ul style="list-style-type: none"><li>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</li><li>Minimize dust generation and accumulation.</li><li>Keep container closed when not in use.</li><li>Keep away from heat and sources of ignition.</li><li>Take precautionary measures against static discharges.</li><li>Take care to prevent spills, waste and minimize release to the environment.</li></ul>
Hygiene measures	<ul style="list-style-type: none"><li>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.</li><li>When using do not eat, drink or smoke.</li><li>Wash contaminated clothing before re-use.</li><li>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</li></ul>
Conditions for safe storage	<ul style="list-style-type: none"><li>: Keep in properly labelled containers.</li><li>Store in accordance with the particular national regulations.</li></ul>
Materials to avoid	<ul style="list-style-type: none"><li>: Do not store with the following product types:</li></ul>
	<ul style="list-style-type: none"><li>Strong oxidizing agents</li></ul>

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Aprepitant	170729-80-3	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	AU OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	AU OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4      Revision Date: 14.04.2025      SDS Number: 20584-00028      Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: coloured
Odour	: odourless
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4      Revision Date: 14.04.2025      SDS Number: 20584-00028      Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Minimum ignition energy	: < 3 mJ
Particle characteristics	
Particle size	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

### Acute toxicity

Not classified based on available information.

**Aprepitant Formulation**Version  
5.4Revision Date:  
14.04.2025SDS Number:  
20584-00028Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014**Components:****Aprepitant:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 800 - 2,000 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): > 2,000 mg/kg  
Application Route: Intraperitoneal

**Sucrose:**

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Aprepitant:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Aprepitant:**

Species : Rabbit  
Result : No eye irritation  
Method : Draize Test

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

# SAFETY DATA SHEET



## Aprepitant Formulation

Version  
5.4

Revision Date:  
14.04.2025

SDS Number:  
20584-00028

Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

### Respiratory sensitisation

Not classified based on available information.

### Components:

#### **Aprepitant:**

Remarks : No data available

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### **Aprepitant:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Alkaline elution assay  
Test system: rat hepatocytes  
Result: negative

Test Type: in vitro assay  
Test system: human lymphoblastoid cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

#### **Sucrose:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

#### **Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion

# SAFETY DATA SHEET



## Aprepitant Formulation

Version  
5.4

Revision Date:  
14.04.2025

SDS Number:  
20584-00028

Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Aprepitant:**

Species	:	Mouse, male
Application Route	:	Oral
Exposure time	:	106 weeks
Dose	:	>=1000 mg/kg body weight
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

Species	:	Mouse, female
Application Route	:	Oral
Exposure time	:	106 weeks
Dose	:	>= 500 mg/kg body weight
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	105 weeks
Dose	:	2000 mg/kg body weight
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

#### **Cellulose:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **Aprepitant:**

Effects on fertility	:	Test Type: Fertility Species: Rat, male and female Fertility: NOAEL: 2,000 mg/kg body weight Result: No effects on fertility
----------------------	---	---

Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 2,000 mg/kg body weight Result: No effects on foetal development
-------------------------------	---	---

# SAFETY DATA SHEET



## Aprepitant Formulation

Version  
5.4

Revision Date:  
14.04.2025

SDS Number:  
20584-00028

Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: No effects on foetal development

### **Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

May cause damage to organs (Prostate, Testis) through prolonged or repeated exposure if swallowed.

### **Components:**

#### **Aprepitant:**

Target Organs : Prostate, Testis  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### **Components:**

#### **Aprepitant:**

Species : Dog  
LOAEL : >= 50 mg/kg  
Application Route : Oral  
Exposure time : 39 Weeks  
Target Organs : Prostate, Testis

Species : Rat  
NOAEL : 125 mg/kg  
Application Route : Oral  
Exposure time : 27 Weeks  
Target Organs : Liver, Thyroid

Species : Monkey  
NOAEL : 0.240 mg/kg

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4      Revision Date: 14.04.2025      SDS Number: 20584-00028      Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

Application Route : Intravenous  
Exposure time : 7 d  
Remarks : No significant adverse effects were reported

Species : Rat, female  
LOAEL : 125 mg/kg  
Application Route : Oral  
Exposure time : 106 Weeks  
Target Organs : Kidney

### **Cellulose:**

Species : Rat  
NOAEL : >= 9,000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

#### **Aprepitant:**

Ingestion : Symptoms: Headache, Fatigue, hiccups, constipation, anorexia, liver function change, Rash, Nausea, Diarrhoea, hypotension

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

#### **Aprepitant:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.462 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.345 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.184 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4      Revision Date: 14.04.2025      SDS Number: 20584-00028      Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.184 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.195 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.018 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 100 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility

### **Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

### **Persistence and degradability**

#### **Components:**

##### **Aprepitant:**

Biodegradability : Result: not rapidly degradable  
Biodegradation: 50 %  
Exposure time: 66 Days  
Method: OECD Test Guideline 314

##### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

### **Bioaccumulative potential**

#### **Components:**

##### **Aprepitant:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 50.1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.75

##### **Sucrose:**

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4      Revision Date: 14.04.2025      SDS Number: 20584-00028      Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

Partition coefficient: n-octanol/water : Pow: < 1

### **Mobility in soil**

#### **Components:**

##### **Aprepitant:**

Distribution among environmental compartments : log Koc: 3.10

##### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Aprepitant)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### **IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Aprepitant)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

#### **IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4      Revision Date: 14.04.2025      SDS Number: 20584-00028      Date of last issue: 06.04.2024  
Date of first issue: 09.10.2014

---

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
(Aprepitant)

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Aprepitant)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 2Z  
Environmentally hazardous : yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)  
Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

# SAFETY DATA SHEET



## Aprepitant Formulation

Version 5.4	Revision Date: 14.04.2025	SDS Number: 20584-00028	Date of last issue: 06.04.2024 Date of first issue: 09.10.2014
----------------	------------------------------	----------------------------	---

---

## SECTION 16: ANY OTHER RELEVANT INFORMATION

### Further information

Revision Date	:	14.04.2025
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
Date format	:	dd.mm.yyyy

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	:	8-hour, time-weighted average
AU OEL / TWA	:	Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

# SAFETY DATA SHEET



## Aprepitant Formulation

---

Version 5.4	Revision Date: 14.04.2025	SDS Number: 20584-00028	Date of last issue: 06.04.2024 Date of first issue: 09.10.2014
----------------	------------------------------	----------------------------	---

---

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN