

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Aprepitant Formulation

Manufacturer or supplier's details

Company : MSD

Address : 199 Wenhai North Road
HEDA, Hangzhou - Zhejiang Province - CHINA 310018

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : powder
Colour : coloured
Odour : odourless

May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

GHS Classification

Specific target organ toxicity - : Category 2
repeated exposure

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :  

Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or re-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

peated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P260 Do not breathe dust.
P273 Avoid release to the environment.

Response:

P319 Get medical help if you feel unwell.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Aprepitant	170729-80-3	>= 30 -< 50
Sucrose	57-50-1	>= 30 -< 50
Cellulose	9004-34-6	>= 10 -< 20

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version 6.0	Revision Date: 2025/04/14	SDS Number: 20596-00029	Date of last issue: 2024/09/28 Date of first issue: 2014/10/09
----------------	------------------------------	----------------------------	---

If swallowed	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Fluorine compounds Nitrogen oxides (NO _x)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

- : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures

- : Static electricity may accumulate and ignite suspended dust causing an explosion.

Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation

- : Use only with adequate ventilation.

Advice on safe handling

- : Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Minimize dust generation and accumulation.

Keep container closed when not in use.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact

- : Oxidizing agents

Storage

Conditions for safe storage

- : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid

- : Do not store with the following product types:

Strong oxidizing agents

Packaging material

- : Unsuitable material: None known.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Aprepitant	170729-80-3	TWA	0.2 mg/m ³ (OEB 2)	Internal
Sucrose	57-50-1	TWA	10 mg/m ³	ACGIH
Cellulose	9004-34-6	PC-TWA	10 mg/m ³	CN OEL
		TWA	10 mg/m ³	ACGIH

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type

Eye/face protection : Particulates type
: Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection

Hand protection

Material

: Work uniform or laboratory coat.

: Chemical-resistant gloves

Hygiene measures

: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : coloured

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version 6.0 Revision Date: 2025/04/14 SDS Number: 20596-00029 Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

Molecular weight : No data available

Minimum ignition energy : < 3 mJ

Particle characteristics

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Aprepitant:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 800 - 2,000 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): > 2,000 mg/kg
Application Route: Intraperitoneal

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Aprepitant:

Species	:	Rabbit
Method	:	Draize Test
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Aprepitant:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Draize Test

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Aprepitant:

Remarks	:	No data available
---------	---	-------------------

Germ cell mutagenicity

Not classified based on available information.

Components:

Aprepitant:

Genotoxicity in vitro	:	Test Type: Ames test Result: negative
Test Type: Chromosomal aberration		

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

Test system: Chinese hamster ovary cells
Result: negative

Test Type: Alkaline elution assay
Test system: rat hepatocytes
Result: negative

Test Type: in vitro assay
Test system: human lymphoblastoid cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Aprepitant:

Species : Mouse, male
Application Route : Oral
Exposure time : 106 weeks
Dose : >=1000 mg/kg body weight
Result : positive
Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse, female
Application Route : Oral
Exposure time : 106 weeks
Dose : >= 500 mg/kg body weight

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	105 weeks
Dose	:	2000 mg/kg body weight
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

Cellulose:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

Aprepitant:

Effects on fertility	:	Test Type: Fertility Species: Rat, male and female Fertility: NOAEL: 2,000 mg/kg body weight Result: No effects on fertility
Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 2,000 mg/kg body weight Result: No effects on foetal development
	:	Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 25 mg/kg body weight Result: No effects on foetal development

Cellulose:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Aprepitant:

Target Organs Assessment	:	Prostate, Testis
	:	May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Aprepitant:

Species	:	Dog
LOAEL	:	>= 50 mg/kg
Application Route	:	Oral
Exposure time	:	39 Weeks
Target Organs	:	Prostate, Testis

Species	:	Rat
NOAEL	:	125 mg/kg
Application Route	:	Oral
Exposure time	:	27 Weeks
Target Organs	:	Liver, Thyroid

Species	:	Monkey
NOAEL	:	0.240 mg/kg
Application Route	:	Intravenous
Exposure time	:	7 d
Remarks	:	No significant adverse effects were reported

Species	:	Rat, female
LOAEL	:	125 mg/kg
Application Route	:	Oral
Exposure time	:	106 Weeks
Target Organs	:	Kidney

Cellulose:

Species	:	Rat
NOAEL	:	>= 9,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

Experience with human exposure

Components:

Aprepitant:

Ingestion	: Symptoms: Headache, Fatigue, hiccups, constipation, anorexia, liver function change, Rash, Nausea, Diarrhoea, hypotension
-----------	---

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Aprepitant:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0.462 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0.345 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 0.184 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.184 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.195 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.018 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

Method: OECD Test Guideline 209
Remarks: No toxicity at the limit of solubility

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Persistence and degradability

Components:

Aprepitant:

Biodegradability : Result: not rapidly degradable
Biodegradation: 50 %
Exposure time: 66 Days
Method: OECD Test Guideline 314

Cellulose:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Aprepitant:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 50.1
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.75

Sucrose:

Partition coefficient: n-octanol/water : Pow: < 1

Mobility in soil

Components:

Aprepitant:

Distribution among environmental compartments : log Koc: 3.10

Other adverse effects

No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Aprepitant)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Aprepitant)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Aprepitant)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

GB 6944/12268

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Aprepitant)
Class	:	9
Packing group	:	III
Labels	:	9
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	---

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	:	Not listed
---	---	------------

Hazardous Chemicals for Priority Management under SAWS	:	Not listed
--	---	------------

Catalogue of Specially Controlled Hazardous Chemicals	:	Not listed
---	---	------------

List of Explosive Precursors	:	Not listed
------------------------------	---	------------

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals	:	Not listed
-------------------------------------	---	------------

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	:	Not listed
---	---	------------

Regulation on the Administration of Precursor Chemicals

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed
List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed
List of Key Controlled New Pollutants : Not listed

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
ACGIH / TWA : 8-hour, time-weighted average
CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Aprepitant Formulation

Version
6.0

Revision Date:
2025/04/14

SDS Number:
20596-00029

Date of last issue: 2024/09/28
Date of first issue: 2014/10/09

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN