

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

## SECTION 1. IDENTIFICATION

Product identifier : Ertapenem Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Avenida Tanner de Melo, Quadra 10 Lote 4A, Galpão A  
Parque Industrial Vice Presidente José Alencar Aparecida de  
Goiás – GO, Brazil

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

## SECTION 2. HAZARDS IDENTIFICATION

**GHS Classification in accordance with ABNT NBR 14725 Standard**

Respiratory sensitization : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

**GHS label elements in accordance with ABNT NBR 14725 Standard**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.Precautionary Statements : **Prevention:**  
P261 Avoid breathing dust.  
P273 Avoid release to the environment.

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

P284 Wear respiratory protection.

**Response:**

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P391 Collect spillage.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Ertapenem	153773-82-1	Resp. Sens., 1 Aquatic Acute, 1 Aquatic Chronic, 2	>= 70 -< 90

**SECTION 4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.  
In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).  
Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

released into the atmosphere in sufficient concentration.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- |                             |   |   |
|-----------------------------|---|---|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.  |
| Local/Total ventilation     | : | Use only with adequate ventilation.   |
| Advice on safe handling     | : | Do not breathe dust.<br>Do not swallow.<br>Avoid contact with eyes.<br>Avoid prolonged or repeated contact with skin.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.  |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Keep tightly closed.<br>Store in accordance with the particular national regulations.   |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents   |

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
------------	---------	----------------------------------	--	-------

## Ertapenem Formulation

Version 5.3      Revision Date: 14.04.2025      SDS Number: 20962-00023      Date of last issue: 28.09.2024  
 Date of first issue: 03.11.2014

Ertapenem	153773-82-1	TWA	0.15 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: RSEN				

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
 Minimize workplace exposure concentrations.  
 Apply measures to prevent dust explosions.  
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
 Safety goggles

Skin and body protection : Skin should be washed after contact.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : powder

Color : white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

---

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

products

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Ertapenem:**

Acute oral toxicity : LD50 (Mouse): &gt; 500 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): > 700 mg/kg  
Application Route: IntravenousLD50 (Rat): > 700 mg/kg  
Application Route: Intravenous**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Ertapenem:**Species : Rabbit  
Result : No skin irritation**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Ertapenem:**Species : Rabbit  
Result : Mild eye irritation**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****Ertapenem:**Routes of exposure : inhalation (dust/mist/fume)  
Assessment : Probability of respiratory sensitization in humans based on animal testing

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

---

Result : positive

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Ertapenem:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Alkaline elution assay  
Test system: rat hepatocytes  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: human lymphoblastoid cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Ertapenem:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Intravenous  
Fertility: NOAEL: 700 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Test Type: Fertility  
Species: Mouse  
Fertility: NOAEL: 700  
Result: No effects on fertility.

Effects on fetal development : Test Type: Development  
Species: Mouse  
Application Route: Intravenous injection  
Developmental Toxicity: NOAEL: 700 mg/kg body weight  
Result: No effects on early embryonic development.

Test Type: Development



**Ertapenem Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

---

Species: Mouse  
Application Route: Intravenous injection  
Developmental Toxicity: NOAEL: 350 mg/kg body weight  
Symptoms: Reduced body weight  
Remarks: The mechanism or mode of action may not be relevant in humans.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Ertapenem:**

Species : Rat  
LOAEL : 2 mg/kg  
Application Route : Intravenous  
Exposure time : 2 Weeks  
Target Organs : Blood  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Rat  
LOAEL : 60 mg/kg  
Application Route : Intravenous  
Exposure time : 6 Months  
Target Organs : Blood  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Monkey  
NOAEL : 360 mg/kg  
LOAEL : 500 mg/kg  
Application Route : Intravenous  
Exposure time : 27 Weeks  
Target Organs : Liver, Kidney  
Remarks : The mechanism or mode of action may not be relevant in humans.

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Ertapenem:**

Inhalation : Remarks: May cause sensitization by inhalation.  
Ingestion : Symptoms: Diarrhea, Nausea, Headache, vaginitis

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

## SECTION 12. ECOLOGICAL INFORMATION

## Ecotoxicity

Components:

## Ertapenem:

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l<br>Exposure time: 96 h   |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): > 500 mg/l<br>Exposure time: 48 h   |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 51 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 51 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>EC50 (Anabaena flos-aquae): 0,23 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Anabaena flos-aquae): 0,13 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity)                                      | : | 1  |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Pimephales promelas (fathead minnow)): 2,5 mg/l<br>Exposure time: 32 d<br>Method: OECD Test Guideline 210  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 82 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211   |
| Toxicity to microorganisms   | : | EC10: 3,9 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition  |

## Persistence and degradability

Components:

## Ertapenem:

- |                  |   |  |
|------------------|---|--|
| Biodegradability | : | Result: Not readily biodegradable.<br>Biodegradation: 4,7 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301B |
|------------------|---|--|

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

---

Stability in water : Degradation half life (DT50): 15,3 d

**Bioaccumulative potential****Components:****Ertapenem:**

Partition coefficient: n-octanol/water : log Pow: -2,22

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Ertapenem)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Ertapenem)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077

---

**Ertapenem Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ertapenem)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****ANTT**

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ertapenem)

Class : 9

Packing group : III

Labels : 9

Hazard Identification Number : 90

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Sodium hydrogencarbonate

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION**

Revision Date : 14.04.2025

Date format : dd.mm.yyyy

**Further information**

## Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.3	14.04.2025	20962-00023	Date of first issue: 03.11.2014

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8