

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Section 1: Identification

Product name : Ertapenem Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Respiratory sensitisation : Category 1

Hazardous to the aquatic
environment - acute hazard : Category 1

Hazardous to the aquatic
environment - chronic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H334 May cause allergy or asthma symptoms or breathing
difficulties if inhaled.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

P261 Avoid breathing dust.
P273 Avoid release to the environment.
P284 Wear respiratory protection.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ertapenem	153773-82-1	>= 70 -< 90

Section 4: First-aid measures

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	: Wash with water and soap. Get medical attention if symptoms occur.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and	: Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

delayed		tive airways dysfunction syndrome). Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	2Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
Conditions for safe storage	: Keep in properly labelled containers. Keep tightly closed.

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Materials to avoid : Store in accordance with the particular national regulations.
Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ertapenem	153773-82-1	TWA	0.15 mg/m ³ (OEB 2)	Internal
Further information: RSEN				

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety goggles

Skin and body protection : Skin should be washed after contact.

Section 9: Physical and chemical properties

Appearance : powder

Colour : white

Odour : No data available

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Molecular weight : No data available

Particle characteristics
Particle size : No data available

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Ertapenem:**

Acute oral toxicity : LD50 (Mouse): > 500 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): > 700 mg/kg
Application Route: Intravenous

LD50 (Rat): > 700 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:**Ertapenem:**

Species : Rabbit
Result : No skin irritation

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Ertapenem:**

Species	:	Rabbit
Result	:	Mild eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**Ertapenem:**

Exposure routes	:	inhalation (dust/mist/fume)
Assessment	:	Probability of respiratory sensitisation in humans based on animal testing
Result	:	positive

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Ertapenem:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Alkaline elution assay Test system: rat hepatocytes Result: negative Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: human lymphoblastoid cells Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:**Ertapenem:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Intravenous Fertility: NOAEL: 700 mg/kg body weight Result: No effects on fertility and early embryonic development were detected. Test Type: Fertility Species: Mouse Fertility: NOAEL: 700 Result: No effects on fertility
Effects on foetal development	:	Test Type: Development Species: Mouse Application Route: Intravenous injection Developmental Toxicity: NOAEL: 700 mg/kg body weight Result: No effects on early embryonic development Test Type: Development Species: Mouse Application Route: Intravenous injection Developmental Toxicity: NOAEL: 350 mg/kg body weight Symptoms: Reduced body weight Remarks: The mechanism or mode of action may not be relevant in humans.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Ertapenem:**

Species	:	Rat
LOAEL	:	2 mg/kg
Application Route	:	Intravenous
Exposure time	:	2 Weeks
Target Organs	:	Blood
Remarks	:	The mechanism or mode of action may not be relevant in humans.

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Species	: Rat
LOAEL	: 60 mg/kg
Application Route	: Intravenous
Exposure time	: 6 Months
Target Organs	: Blood
Remarks	: The mechanism or mode of action may not be relevant in humans.

Species	: Monkey
NOAEL	: 360 mg/kg
LOAEL	: 500 mg/kg
Application Route	: Intravenous
Exposure time	: 27 Weeks
Target Organs	: Liver, Kidney
Remarks	: The mechanism or mode of action may not be relevant in humans.

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Ertapenem:**

Inhalation	: Remarks: May cause sensitisation by inhalation.
Ingestion	: Symptoms: Diarrhoea, Nausea, Headache, vaginitis

Section 12: Ecological information**Ecotoxicity****Components:****Ertapenem:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 51 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 51 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

EC50 (Anabaena flos-aquae): 0.23 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.13 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 2.5 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 82 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC10: 3.9 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Persistence and degradability**Components:****Ertapenem:**Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4.7 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Stability in water : Degradation half life (DT50): 15.3 d

Bioaccumulative potential**Components:****Ertapenem:**

Partition coefficient: n-octanol/water : log Pow: -2.22

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Contaminated packaging : Dispose of in accordance with local regulations.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ertapenem)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Ertapenem)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ertapenem)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ertapenem)
Class	: 9

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

Packing group : III
Labels : 9
Hazchem Code : 2Z
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100425 Pharmaceutical Active Ingredients Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

Ertapenem Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
7.3	14.04.2025	20987-00023	Date of first issue: 03.11.2014

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN