

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version 10.3 Revision Date: 14.04.2025 SDS Number: 15841-00031 Date of last issue: 28.09.2024 Date of first issue: 05.11.2014

---

### Section 1: Identification

Product name : Imipenem / Cilastatin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### Section 2: Hazard identification

#### GHS Classification

Serious eye damage/eye irritation : Category 2

Respiratory sensitisation : Category 1

Reproductive toxicity : Category 2

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

#### GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version  
10.3

Revision Date:  
14.04.2025

SDS Number:  
15841-00031

Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

difficulties if inhaled.

H361d Suspected of damaging the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

#### : **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284 Wear respiratory protection.

#### **Response:**

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P391 Collect spillage.

#### **Storage:**

P405 Store locked up.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### **Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cilastatin	81129-83-1	>= 50 -< 70
Imipenem	74431-23-5	>= 30 -< 50

## Section 4: First-aid measures

**Imipenem / Cilastatin Formulation**

Version 10.3      Revision Date: 14.04.2025      SDS Number: 15841-00031      Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

---

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). Contact with dust can cause mechanical irritation or drying of the skin. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of damaging the unborn child.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

---

**Section 5: Fire-fighting measures**

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

---

Version 10.3	Revision Date: 14.04.2025	SDS Number: 15841-00031	Date of last issue: 28.09.2024 Date of first issue: 05.11.2014
-----------------	------------------------------	----------------------------	---

---

Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: 2Z

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### Section 7: Handling and storage

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation Advice on safe handling	: Use only with adequate ventilation. : Do not breathe dust.

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version 10.3	Revision Date: 14.04.2025	SDS Number: 15841-00031	Date of last issue: 28.09.2024 Date of first issue: 05.11.2014
-----------------	------------------------------	----------------------------	---

	<p>Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.</p>
Hygiene measures	<p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p>
Conditions for safe storage	<p>: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.</p>
Materials to avoid	<p>: Do not store with the following product types: Strong oxidizing agents</p>

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cilastatin	81129-83-1	TWA	5 mg/m3 (OEB 1)	Internal
Imipenem	74431-23-5	TWA	3000 ug/m3 (OEB 1)	Internal
	Further information: RSEN, DSEN			
		Wipe limit	100 µg/100 cm2	Internal

Engineering measures	<p>: Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility</p>
----------------------	---

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version 10.3      Revision Date: 14.04.2025      SDS Number: 15841-00031      Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

---

design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection : Chemical-resistant gloves
- Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
- 

### Section 9: Physical and chemical properties

- Appearance : powder
- Colour : white
- Odour : sulphurous
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.
- Flammability (liquids) : Not applicable
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : Not applicable

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version 10.3      Revision Date: 14.04.2025      SDS Number: 15841-00031      Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

---

Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	1 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

---

## Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

## Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version 10.3      Revision Date: 14.04.2025      SDS Number: 15841-00031      Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

---

### Acute toxicity

Not classified based on available information.

#### Components:

##### **Cilastatin:**

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg  
LD50 (Mouse): 8,000 mg/kg

##### **Imipenem:**

Acute oral toxicity : LD50 (Mouse): 10,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 1,500 mg/kg  
Application Route: Intravenous

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### **Cilastatin:**

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

##### **Cilastatin:**

Species : Rabbit  
Result : Moderate eye irritation

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Components:

##### **Cilastatin:**

Exposure routes : Skin contact  
Remarks : No data available

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version 10.3      Revision Date: 14.04.2025      SDS Number: 15841-00031      Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

---

Exposure routes : Inhalation  
Remarks : No data available

### Imipenem:

Remarks : May cause sensitisation of susceptible persons by inhalation of aerosol or dust.

Exposure routes : Skin contact  
Remarks : Not classified due to lack of data.

### Chronic toxicity

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Cilastatin:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Result: negative

#### Imipenem:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Result: negative

Test Type: reverse mutation assay  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Test Type: sister chromatid exchange assay  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Application Route: Intravenous  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Suspected of damaging the unborn child.

**Imipenem / Cilastatin Formulation**Version  
10.3Revision Date:  
14.04.2025SDS Number:  
15841-00031Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014**Components:****Cilastatin:**

Effects on fertility

- : Test Type: Fertility/early embryonic development  
Application Route: Intravenous  
Fertility: LOAEL: 1,000  
Symptoms: No adverse effects  
Result: No effects on fertility and early embryonic development were detected.

**Imipenem:**

Effects on fertility

- : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Intravenous  
Fertility: LOAEL: 80 mg/kg body weight  
Symptoms: No adverse effects, Reduced foetal weight  
Result: No effects on fertility and early embryonic development were detected.

Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Subcutaneous  
Fertility: LOAEL: 320 mg/kg body weight  
Symptoms: No adverse effects, Reduced foetal weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development

- : Test Type: Development  
Species: Monkey  
Application Route: Intravenous  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Development  
Species: Rabbit  
Application Route: Intravenous  
Developmental Toxicity: NOAEL: 60 mg/kg body weight  
Result: No teratogenic effects

Test Type: Development  
Species: Rat  
Application Route: Intravenous  
Developmental Toxicity: NOAEL: 60 mg/kg body weight  
Result: No teratogenic effects

Reproductive toxicity - Assessment

- : Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**Imipenem / Cilastatin Formulation**

---

Version 10.3	Revision Date: 14.04.2025	SDS Number: 15841-00031	Date of last issue: 28.09.2024 Date of first issue: 05.11.2014
-----------------	------------------------------	----------------------------	---

---

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Cilastatin:**

Species	:	Rat
NOAEL	:	>= 500 mg/kg
Application Route	:	Intravenous
Exposure time	:	90 Days
Remarks	:	No significant adverse effects were reported
Species	:	Monkey
NOAEL	:	>= 500 mg/kg
Application Route	:	Intravenous
Exposure time	:	5 Weeks
Remarks	:	No significant adverse effects were reported

**Imipenem:**

Species	:	Monkey
NOAEL	:	60 mg/kg
LOAEL	:	150 mg/kg
Application Route	:	Intravenous
Exposure time	:	6 Months
Target Organs	:	Kidney
Species	:	Monkey
NOAEL	:	120 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	6 Months
Remarks	:	No significant adverse effects were reported
Species	:	Rat
NOAEL	:	180 mg/kg
Application Route	:	Intravenous
Exposure time	:	6 Months
Remarks	:	No significant adverse effects were reported
Species	:	Rabbit
LOAEL	:	150 mg/kg
Application Route	:	Intravenous
Target Organs	:	Kidney

**Aspiration toxicity**

Not classified based on available information.

**Imipenem / Cilastatin Formulation**

Version 10.3 Revision Date: 14.04.2025 SDS Number: 15841-00031 Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

---

**Experience with human exposure****Components:****Imipenem:**

Inhalation : Symptoms: Nausea, Vomiting, Diarrhoea, Fever, hypotension, Dizziness, Drowsiness, Convulsions, pruritis, Rash  
Remarks: May cause sensitisation of susceptible persons by inhalation of aerosol or dust.

---

**Section 12: Ecological information****Ecotoxicity****Components:****Cilastatin:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 111 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 99 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae): > 99 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
EC50 (Pseudokirchneriella subcapitata (green algae)): > 99 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 99 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 99 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): > 9.9 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l

**Imipenem / Cilastatin Formulation**

Version 10.3 Revision Date: 14.04.2025 SDS Number: 15841-00031 Date of last issue: 28.09.2024 Date of first issue: 05.11.2014

---

Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Imipenem:**

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 78 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.0046 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Anabaena flos-aquae (cyanobacterium)): 0.002 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- EC50 (Pseudokirchneriella subcapitata (green algae)): > 74 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 74 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 100
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 9.4 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 11 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 10
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Cilastatin:**

- Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 27 %

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version 10.3      Revision Date: 14.04.2025      SDS Number: 15841-00031      Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

---

Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Imipenem:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 29 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

### Cilastatin:

Partition coefficient: n-octanol/water : log Pow: -3.53

### Imipenem:

Partition coefficient: n-octanol/water : log Pow: < -1

### Mobility in soil

#### Components:

### Cilastatin:

Distribution among environmental compartments : log Koc: 2.3

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Imipenem)  
Class : 9  
Packing group : III

---

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version 10.3 Revision Date: 14.04.2025 SDS Number: 15841-00031 Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

---

Labels : 9  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Imipenem)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Imipenem)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### NZS 5433

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Imipenem)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 2Z  
Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

Version 10.3      Revision Date: 14.04.2025      SDS Number: 15841-00031      Date of last issue: 28.09.2024  
Date of first issue: 05.11.2014

---

### Section 15: Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**HSNO Approval Number**

HSR100425 Pharmaceutical Active Ingredients Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

### Section 16: Other information

Revision Date : 14.04.2025

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

# SAFETY DATA SHEET



## Imipenem / Cilastatin Formulation

---

Version 10.3	Revision Date: 14.04.2025	SDS Number: 15841-00031	Date of last issue: 28.09.2024 Date of first issue: 05.11.2014
-----------------	------------------------------	----------------------------	---

---

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN