

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3 Revision Date: 14.04.2025 SDS Number: 23502-00025 Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

SECTION 1: IDENTIFICATION

Product name : Posaconazole Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : Building A - Level 1/26 Talavera Rd
Macquarie Park NSW, Australia 2113

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation : Category 2B

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H320 Causes eye irritation.
H361d Suspected of damaging the unborn child.
H372 Causes damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3	Revision Date: 14.04.2025	SDS Number: 23502-00025	Date of last issue: 06.04.2024 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Posaconazole	171228-49-2	>= 10 -< 30
Cellulose	9004-34-6	>= 10 -< 30

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3 Revision Date: 14.04.2025 SDS Number: 23502-00025 Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

If swallowed	for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
Most important symptoms and effects, both acute and delayed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Diarrhoea Headache Vomiting Nausea Fever Contact with dust can cause mechanical irritation or drying of the skin. Causes eye irritation. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: 2Z

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3	Revision Date: 14.04.2025	SDS Number: 23502-00025	Date of last issue: 06.04.2024 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3	Revision Date: 14.04.2025	SDS Number: 23502-00025	Date of last issue: 06.04.2024 Date of first issue: 21.10.2014
----------------	------------------------------	----------------------------	---

place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Posaconazole	171228-49-2	TWA	300 µg/m ³ (OEB 2)	Internal
Cellulose	9004-34-6	TWA	10 mg/m ³	AU OEL
		TWA	10 mg/m ³	ACGIH

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3 Revision Date: 14.04.2025 SDS Number: 23502-00025 Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3 Revision Date: 14.04.2025 SDS Number: 23502-00025 Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

Acute toxicity

Not classified based on available information.

Components:

Posaconazole:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg LD50 (Mouse): > 3,000 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg

Cellulose:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3 Revision Date: 14.04.2025 SDS Number: 23502-00025 Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

Skin corrosion/irritation

Not classified based on available information.

Components:

Posaconazole:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Components:

Posaconazole:

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Posaconazole:

Test Type : Magnusson-Kligman-Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Posaconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Intravenous

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version
9.3

Revision Date:
14.04.2025

SDS Number:
23502-00025

Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

Result: negative

Cellulose:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Posaconazole:

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : positive
Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : positive
Remarks : The mechanism or mode of action is not relevant in humans.

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Posaconazole:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male
General Toxicity - Parent: NOAEL: 180 mg/kg body weight
Symptoms: No effects on mating performance
Result: negative

Posaconazole Solid FormulationVersion
9.3Revision Date:
14.04.2025SDS Number:
23502-00025Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

Test Type: Fertility/early embryonic development
Species: Rat, female
General Toxicity - Parent: NOAEL: 45 mg/kg body weight
Symptoms: No effects on mating performance
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat, female
Application Route: Oral
Developmental Toxicity: LOAEL: 29 mg/kg body weight
Result: Fetotoxicity, Malformations were observed.

Test Type: Embryo-foetal development
Species: Rabbit, female
Developmental Toxicity: LOAEL: 40 mg/kg body weight
Result: Fetotoxicity

Reproductive toxicity - Assessment

: Some evidence of adverse effects on development, based on animal experiments.

Cellulose:

Effects on fertility

: Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development

: Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through prolonged or repeated exposure if swallowed.

Components:**Posaconazole:**

Exposure routes

: Ingestion

Target Organs

: Adrenal gland, Bone marrow, Kidney, Liver, Reproductive organs, Nervous system

Assessment

: Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3 Revision Date: 14.04.2025 SDS Number: 23502-00025 Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

Repeated dose toxicity

Components:

Posaconazole:

Species : Rat, female
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 6 Months
Target Organs : Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary

Species : Dog
LOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 392 Days
Target Organs : Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal cord, lymphoid tissue

Species : Monkey
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 1 Months
Target Organs : Bone marrow, Adrenal gland, Lymph nodes, Blood

Species : Dog
LOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 56 Weeks
Target Organs : Adrenal gland, Bone marrow, Kidney, Nervous system, spleen, thymus gland, Testis, lymphoid tissue

Species : Monkey
LOAEL : 180 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Blood, Gastrointestinal tract, spleen

Species : Monkey
LOAEL : 8 mg/kg
Application Route : Intravenous
Exposure time : 1 Months
Target Organs : Cardio-vascular system, Lungs, Adrenal gland, Blood

Cellulose:

Species : Rat
NOAEL : >= 9,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3 Revision Date: 14.04.2025 SDS Number: 23502-00025 Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

Experience with human exposure

Components:

Posaconazole:

Ingestion : Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver effects, Rash, pruritis, Diarrhoea, hypertension, neutropenia, electrolyte imbalance

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Posaconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.95 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.276 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.509 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.041 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.206 mg/l
Exposure time: 33 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.244 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50 (Natural microorganism): > 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version
9.3

Revision Date:
14.04.2025

SDS Number:
23502-00025

Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Posaconazole:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 28 h
Method: OECD Test Guideline 314

Stability in water : Degradation half life (DT50): > 30 d
Method: OECD Test Guideline 111

Cellulose:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Posaconazole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 20
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.15

Mobility in soil

Components:

Posaconazole:

Distribution among environmental compartments : log Koc: 5.52

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version 9.3 Revision Date: 14.04.2025 SDS Number: 23502-00025 Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Posaconazole)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Posaconazole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Posaconazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Posaconazole)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Environmentally hazardous : yes

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version
9.3

Revision Date:
14.04.2025

SDS Number:
23502-00025

Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Revision Date : 14.04.2025
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>
Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

SAFETY DATA SHEET



Posaconazole Solid Formulation

Version
9.3

Revision Date:
14.04.2025

SDS Number:
23502-00025

Date of last issue: 06.04.2024
Date of first issue: 21.10.2014

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN