

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

SECTION 1. IDENTIFICATION

Product name : Vaniprevir Formulation

Manufacturer or supplier's details

Company : MSD

Address : 855 Leandro N. Alem St., 8 Floor
Buenos Aires, Argentina C1001AFB

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (gallbladder, Liver)

Short-term (acute) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (gallbladder, Liver) through prolonged or repeated exposure if swallowed.
H402 Harmful to aquatic life.

Precautionary Statements : **Prevention:**
P260 Do not breathe dust.
P273 Avoid release to the environment.
Response:
P314 Get medical advice/ attention if you feel unwell.

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Glycerides, C8-10	85409-09-2	>= 50 -< 70
Vaniprevir	923590-37-8	>= 10 -< 20

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap. Get medical attention if symptoms occur.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.

SAFETY DATA SHEET



Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

- | | |
|--|---|
| Specific hazards during fire fighting | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

SECTION 7. HANDLING AND STORAGE

- | | |
|-------------------------|--|
| Technical measures | : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : Use only with adequate ventilation. |
| Advice on safe handling | : Do not breathe dust. |

Vaniprevir Formulation

Version 6.2 Revision Date: 14.04.2025 SDS Number: 25767-00023 Date of last issue: 29.09.2023
 Date of first issue: 27.10.2014

Do not swallow.
 Avoid contact with eyes.
 Avoid prolonged or repeated contact with skin.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Minimize dust generation and accumulation.
 Keep container closed when not in use.
 Keep away from heat and sources of ignition.
 Take precautionary measures against static discharges.
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Vaniprevir	923590-37-8	TWA	300 µg/m ³	Internal

Engineering measures : Ensure adequate ventilation, especially in confined areas.
 Minimize workplace exposure concentrations.
 Apply measures to prevent dust explosions.
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!
 For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
 Safety goggles

SAFETY DATA SHEET



Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Skin and body protection : Skin should be washed after contact.
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: tan
Odor	: odorless
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1 g/cm ³
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Components:**Glycerides, C8-10:**

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LD50 (Rat): > 1,86 mg/l Exposure time: 6 h Test atmosphere: dust/mist Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Remarks: Based on data from similar materials

Vaniprevir:

Acute oral toxicity : LD50 (Rat): > 750 mg/kg
Remarks: No adverse effect has been observed in acute toxicity tests.

LD0 (Dog): > 300 mg/kg
Remarks: No adverse effect has been observed in acute toxicity tests.

LD50 (Mouse): > 2.000 mg/kg
Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Not classified based on available information.

Components:**Glycerides, C8-10:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Vaniprevir:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Glycerides, C8-10:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Vaniprevir:

Species : Bovine cornea
Result : Mild eye irritation
Method : Bovine cornea (BCOP)

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Components:**Glycerides, C8-10:**

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

Vaniprevir:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Glycerides, C8-10:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
--	---	--

	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
--	---	---

Vaniprevir:

Genotoxicity in vitro	:	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	---

	:	Test Type: Alkaline elution assay Test system: rat hepatocytes Result: negative
--	---	---

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
----------------------	---	---

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Carcinogenicity

Not classified based on available information.

Components:**Vaniprevir:**

Species	:	Rat, male and female
Application Route	:	Oral
Activity duration	:	104 Weeks
	:	>= 120 mg/kg body weight
Result	:	negative

Species	:	Mouse
Application Route	:	Oral
Activity duration	:	6 Months
	:	>= 300 mg/kg body weight
	:	75 mg/kg body weight
Result	:	negative
Target Organs	:	gallbladder

Reproductive toxicity

Not classified based on available information.

Components:**Glycerides, C8-10:**

Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
		Species: Rat
		Application Route: Ingestion
		Method: OECD Test Guideline 422
		Result: negative
		Remarks: Based on data from similar materials

Effects on fetal development	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
		Species: Rat
		Application Route: Ingestion
		Method: OECD Test Guideline 422
		Result: negative
		Remarks: Based on data from similar materials

Vaniprevir:

Effects on fertility	:	Test Type: Fertility/early embryonic development
		Species: Rat, male and female
		Application Route: Oral
		General Toxicity Parent: NOAEL: >= 250 mg/kg body weight
		Result: No effects on fertility.

Effects on fetal development	:	Test Type: Development
		Species: Rat, female
		Application Route: Oral
		General Toxicity Maternal: NOAEL: 120 mg/kg body weight
		Developmental Toxicity: LOAEC F1: 180 mg/kg body weight

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Symptoms: No specific developmental abnormalities.
Result: negative

Test Type: Development
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 120 mg/kg body weight
Developmental Toxicity: NOAEL F1: $\geq$ 240 mg/kg body weight
Symptoms: No specific developmental abnormalities.
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (gallbladder, Liver) through prolonged or repeated exposure if swallowed.

Components:**Vaniprevir:**

Routes of exposure	: Ingestion
Target Organs	: gallbladder, Liver
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Glycerides, C8-10:**

Species	: Rat
NOAEL	: $\geq$ 1.000 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407
Remarks	: Based on data from similar materials

Vaniprevir:

Species	: Rat
NOAEL	: 120 mg/kg
LOAEL	: 360 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Liver

Species	: Dog
NOAEL	: 15 mg/kg
LOAEL	: 30 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Target Organs	: Liver, gallbladder
Symptoms	: Gastrointestinal disturbance

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Species	:	Mouse
NOAEL	:	150 mg/kg
LOAEL	:	300 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Target Organs	:	Liver, Kidney, Gastrointestinal tract, Heart, gallbladder, Stomach

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Vaniprevir:**

Ingestion : Symptoms: stomach discomfort, Diarrhea, Nausea, Headache

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Glycerides, C8-10:**

Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 10 - 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EL50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

Vaniprevir:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 4 mg/l Exposure time: 48 h
---	---	--

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.

LC50 (Americamysis): > 4 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.

NOEC (Pseudokirchneriella subcapitata (green algae)): 4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability**Components:****Glycerides, C8-10:**

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Vaniprevir:

Biodegradability : Result: not rapidly degradable
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Glycerides, C8-10:**

Partition coefficient: n-octanol/water : log Pow: < 4

Vaniprevir:

Partition coefficient: n-octanol/water : log Pow: 4,12

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry.	:	Not applicable
---	---	----------------

Control of precursors and essential chemicals for the preparation of drugs.	:	Not applicable
---	---	----------------

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
------	---	----------------

DSL	:	not determined
-----	---	----------------

IECSC	:	not determined
-------	---	----------------

SECTION 16. OTHER INFORMATION

Vaniprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 29.09.2023
6.2	14.04.2025	25767-00023	Date of first issue: 27.10.2014

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8