

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

SECTION 1. IDENTIFICATION

Product identifier : Posaconazole Injection Formulation

Manufacturer or supplier's details

Company : MSD

Address : Avenida Tanner de Melo, Quadra 10 Lote 4A, Galpão A
Parque Industrial Vice Presidente José Alencar Aparecida de
Goias – GO, Brazil

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification in accordance with ABNT NBR 14725 Standard**

Skin sensitization : Category 1

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.
H373 May cause damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through prolonged or repeated exposure if swallowed.
H412 Harmful to aquatic life with long lasting effects.

Posaconazole Injection Formulation

Version 10.1 Revision Date: 14.04.2025 SDS Number: 22490-00025 Date of last issue: 28.09.2024
Date of first issue: 16.10.2014

Precautionary Statements : **Prevention:**
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts	182410-00-0	Skin Sens., 1	>= 30 -< 50
Posaconazole	171228-49-2	Eye Irrit., 2B Repr., 2 STOT RE, (Oral)(Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) , 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 1 -< 2,5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Diarrhea Fever Headache Nausea Vomiting May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Sulfur oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers).

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Posaconazole	171228-49-2	TWA	300 µg/m ³ (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Aqueous solution

Color : Colorless to pale yellow

Odor : odorless

Odor Threshold : No data available

pH : 2,6

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1,15 g/cm ³
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Posaconazole:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

LD50 (Mouse): > 3.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:**

Result : No skin irritation

Posaconazole:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:**

Result : No eye irritation

Posaconazole:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

Respiratory sensitization

Not classified based on available information.

Components:**.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:**

Assessment : Probability or evidence of skin sensitization in humans

Posaconazole:

Test Type : Magnusson-Kligman-Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: The test was conducted according to guideline

Test Type: Chromosome aberration test in vitro
Result: negative

Posaconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Intravenous
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Posaconazole:**

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

Reproductive toxicity

Not classified based on available information.

Components:**Posaconazole:**

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat, male General Toxicity Parent: NOAEL: 180 mg/kg body weight Symptoms: No effects on mating performance. Result: negative Test Type: Fertility/early embryonic development Species: Rat, female General Toxicity Parent: NOAEL: 45 mg/kg body weight Symptoms: No effects on mating performance. Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat, female Application Route: Oral Developmental Toxicity: LOAEL: 29 mg/kg body weight Result: Fetotoxicity., Malformations were observed. Test Type: Embryo-fetal development Species: Rabbit, female Developmental Toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity.
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through prolonged or repeated exposure if swallowed.

Components:**Posaconazole:**

Routes of exposure	:	Ingestion
Target Organs	:	Adrenal gland, Bone marrow, Kidney, Liver, Reproductive organs, Nervous system
Assessment	:	Causes damage to organs through prolonged or repeated

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

exposure.

Repeated dose toxicity**Components:****Posaconazole:**

Species	: Rat, female
LOAEL	: 5 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary

Species	: Dog
LOAEL	: 3 mg/kg
Application Route	: Oral
Exposure time	: 392 Days
Target Organs	: Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal cord, lymphoid tissue

Species	: Monkey
LOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 1 Months
Target Organs	: Bone marrow, Adrenal gland, Lymph nodes, Blood

Species	: Dog
LOAEL	: 3 mg/kg
Application Route	: Oral
Exposure time	: 56 Weeks
Target Organs	: Adrenal gland, Bone marrow, Kidney, Nervous system, spleen, thymus gland, Testis, lymphoid tissue

Species	: Monkey
LOAEL	: 180 mg/kg
Application Route	: Oral
Exposure time	: 12 Months
Target Organs	: Blood, Gastrointestinal tract, spleen

Species	: Monkey
LOAEL	: 8 mg/kg
Application Route	: Intravenous
Exposure time	: 1 Months
Target Organs	: Cardio-vascular system, Lungs, Adrenal gland, Blood

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Posaconazole:**

Ingestion	: Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver effects, Rash, pruritis, Diarrhea, hypertension, neutropenia,
-----------	---

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

electrolyte imbalance

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 220 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 96 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): > 100 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: The test was conducted according to guideline
Toxicity to microorganisms	:	NOEC: 100 mg/l Exposure time: 3 h

Posaconazole:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,95 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,276 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,509 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0,041 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0,206 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,244 mg/l Exposure time: 21 d

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

ic toxicity) Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility.

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (Natural microorganism): > 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability**Components:****.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 28 d

Posaconazole:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 50 %
Exposure time: 28 h
Method: OECD Test Guideline 314

Stability in water : Degradation half life (DT50): > 30 d
Method: OECD Test Guideline 111

Bioaccumulative potential**Components:****.beta.-Cyclodextrin, sulfobutyl ethers, sodium salts:**

Partition coefficient: n-octanol/water : log Pow: < -2

Posaconazole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 20
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4,15

Mobility in soil**Components:****Posaconazole:**

Distribution among environmental compartments : log Koc: 5,52

Other adverse effects

No data available

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	14.04.2025
Date format	:	dd.mm.yyyy

Posaconazole Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
10.1	14.04.2025	22490-00025	Date of first issue: 16.10.2014

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8