

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bi-layer Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Pharmaceutical

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
120 Moorgate
EC2M 6UR London, United Kingdom

Telephone : +44 (0) 2081548000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Reproductive toxicity, Category 2 H361d: Suspected of damaging the unborn child.

Specific target organ toxicity - repeated exposure, Category 2 H373: May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Hazardous components which must be listed on the label:

Lamivudine
Tenofovir

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Lamivudine	134678-17-4	Repr. 2; H361d	>= 10 - < 20

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version 5.0 Revision Date: 20.11.2025 SDS Number: 9371580-00011 Date of last issue: 14.04.2025
Date of first issue: 27.08.2021

		STOT RE 2; H373 (Blood)	
Tenofovir	202138-50-9	Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT RE 2; H373 (Bone, Kidney)	≥ 10 - < 20
Doravirine	1338225-97-0		≥ 1 - < 10
Substances with a workplace exposure limit :			
Cellulose	9004-34-6 232-674-9		≥ 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye irritation.
Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Halogenated compounds
Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
If spillage enters rivers or watercourses, inform the Environ-
ment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-
tainer for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces
with compressed air).
Dust deposits should not be allowed to accumulate on surfac-
es, as these may form an explosive mixture if they are re-
leased into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and dis-
posal of this material, as well as those materials and items
employed in the cleanup of releases. You will need to deter-
mine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding
certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dust of any kind

10 mg/m³

Value type (Form of exposure): TWA (Inhalable)

Basis: GB EH40

4 mg/m³

Value type (Form of exposure): TWA (Respirable fraction)

Basis: GB EH40

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Cellulose	9004-34-6	TWA (inhalable dust)	10 mg/m ³	GB EH40
		TWA (Respirable dust)	4 mg/m ³	GB EH40
		STEL (inhalable dust)	20 mg/m ³	GB EH40
Lamivudine	134678-17-4	TWA	100 µg/m ³ (OEB 2)	Internal
Tenofovir	202138-50-9	TWA	150 µg/m ³ (OEB 2)	Internal
Doravirine	1338225-97-0	TWA	500 µg/m ³ (OEB2)	Internal

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Doravirine	Fresh water	0.04 mg/l
	Marine water	0.04 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

8.2 Exposure controls

Engineering measures

Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	:	
Material	:	Chemical-resistant gloves
Skin and body protection	:	Work uniform or laboratory coat.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to BS EN 143
Filter type	:	Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

flammability limit

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight : No data available

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Lamivudine:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): 4,000 mg/kg
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg
Application Route: Intravenous

Tenofovir:

Acute oral toxicity : LD50 (Rat): > 1,500 mg/kg
LD50 (Dog): 30 mg/kg

Doravirine:

Acute oral toxicity : LD50 (Rat): > 750 mg/kg
Remarks: No mortality observed at this dose.

(Rat): Method: Phototoxicity
Remarks: No evidence of phototoxicity was observed

LD50 (Dog): > 1,000 mg/kg
Remarks: No mortality observed at this dose.

LD50 (Mouse): > 450 mg/kg
Remarks: No mortality observed at this dose.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Cellulose:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Lamivudine:

Species	: Rabbit
Result	: Mild skin irritation

Tenofovir:

Species	: Rabbit
Result	: Mild skin irritation

Doravirine:

Remarks	: No data available
---------	---------------------

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Lamivudine:

Species	: Rabbit
Result	: No eye irritation

Tenofovir:

Species	: Rabbit
Result	: Severe irritation

Doravirine:

Remarks	: No data available
---------	---------------------

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Respiratory sensitisation

Not classified based on available information.

Components:

Lamivudine:

Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Tenofovir:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: Not a skin sensitizer.

Doravirine:

Remarks	: No data available
---------	---------------------

Germ cell mutagenicity

Not classified based on available information.

Components:

Lamivudine:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Test Type: Mouse Lymphoma
Result: equivocal

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Rat Application Route: Oral Result: negative
----------------------	---

Test Type: Unscheduled DNA synthesis (UDS) test with
mammalian liver cells in vivo
Species: Rat
Result: negative

Tenofovir:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: equivocal
-----------------------	---

Test Type: In vitro mammalian cell gene mutation test
Result: positive

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Doravirine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Cell type: Bone marrow
Application Route: Oral
Result: negative

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Lamivudine:

Species : Rat
Exposure time : 2 Years
Result : negative

Species : Mouse
Exposure time : 2 Years
Result : negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Tenofovir:

Species	: Mouse
Application Route	: Oral
Exposure time	: 104 weeks
Result	: negative

Species	: Rat
Application Route	: Oral
Exposure time	: 104 weeks
Result	: negative

Doravirine:

Species	: Mouse
Application Route	: Oral
Exposure time	: 6 Months
Result	: negative
Remarks	: No significant adverse effects were reported

Cellulose:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 72 weeks
Result	: negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Lamivudine:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 900 mg/kg body weight Result: No effects on fertility and early embryonic development were detected.
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Symptoms: Preimplantation loss, Skeletal malformations Result: Embryotoxic effects and adverse effects on the offspring were detected. Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 45 mg/kg body weight Symptoms: Effects on foetal development Result: positive

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Tenofovir:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Result: No adverse effects

Test Type: Embryo-foetal development
Species: Rabbit
Result: No adverse effects

Doravirine:

Effects on fertility : Test Type: Fertility
Species: Rat, male and female
Fertility: NOAEL: 450 mg/kg body weight
Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 450 mg/kg body weight
Result: No adverse effects

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 300 mg/kg body weight
Result: No adverse effects

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Lamivudine:

Exposure routes	: Ingestion
Target Organs	: Blood
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Tenofovir:

Target Organs	: Bone, Kidney
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Lamivudine:

Species	: Rat
NOAEL	: 425 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Blood
Symptoms	: Gastrointestinal discomfort, Breathing difficulties, Fatality
Remarks	: Significant toxicity observed in testing

Species	: Dog
LOAEL	: 90 mg/kg
Application Route	: Oral
Exposure time	: 12 Months
Target Organs	: Blood, spleen, Liver
Symptoms	: Salivation, Diarrhoea, Changes in the blood count, Liver disorders, Gastrointestinal disturbance

Species	: Mouse
NOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 1 Months
Target Organs	: Blood

Tenofovir:

Species	: Rat
NOAEL	: 30 mg/kg
LOAEL	: 300 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Bone

Species	: Dog
NOAEL	: 3 mg/kg
LOAEL	: >= 10 mg/kg
Application Route	: Oral
Exposure time	: 42 Weeks
Target Organs	: Kidney

Species	: Monkey
LOAEL	: 10 mg/kg
Application Route	: Subcutaneous
Exposure time	: 10 Months
Target Organs	: Bone

Doravirine:

Species	: Rat
NOAEL	: 450 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Remarks	: No significant adverse effects were reported

Species	: Mouse
NOAEL	: > 450 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: > 1,000 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Remarks	: No significant adverse effects were reported

Cellulose:

Species	: Rat
NOAEL	: >= 9,000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Lamivudine:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Ingestion : Symptoms: Headache, Fatigue, Respiratory disorders, Diarrhoea, Cough

Tenofovir:

Ingestion : Symptoms: Nausea, Diarrhoea, Vomiting, flatulence, Headache, Rash

Doravirine:

Ingestion : Symptoms: confusion, Headache, Dizziness, Nausea, Rash, abnormal dreams, flushing, Neurological disorders, mental depression

SECTION 12: Ecological information

12.1 Toxicity

Components:

Lamivudine:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 97.7 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 96.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 96.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Tenofovir:

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 69 mg/l
End point: Growth
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 18 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 1,000 mg/l
Exposure time: 3 h

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

	Test Type: Respiration inhibition Method: OECD Test Guideline 209
	NOEC : > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 9 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 12 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Doravirine:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Americamysis): 9.1 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 5.8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
	NOEC (Pseudokirchneriella subcapitata (green algae)): 5.8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to microorganisms	: EC50 : > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	NOEC : 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 1 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other	: NOEC: 0.38 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

|| aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility

Cellulose:

|| Toxicity to fish

: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

12.2 Persistence and degradability

Components:

Lamivudine:

|| Biodegradability

: Result: Not readily biodegradable.
Biodegradation: 4 %
Exposure time: 28 d

Tenofovir:

|| Biodegradability

: Result: Not readily biodegradable.
Biodegradation: 3.66 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Doravirine:

|| Biodegradability

: Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 28 d

Cellulose:

|| Biodegradability

: Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

Lamivudine:

|| Partition coefficient: n-octanol/water

: log Pow: -1.44

Tenofovir:

|| Partition coefficient: n-octanol/water

: log Pow: 1.06
pH: 7

Doravirine:

|| Partition coefficient: n-

: log Pow: 2.08

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

|| Octanol/water

12.4 Mobility in soil

Components:

Lamivudine:

|| Distribution among environmental compartments : log Koc: 2.03

Tenofovir:

|| Distribution among environmental compartments : log Koc: 3.33
Method: OECD Test Guideline 106

Doravirine:

|| Distribution among environmental compartments : log Koc: 2.86

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f) at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

SECTION 14: Transport information

14.1 UN number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	: Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS	: not determined
CA. DSL	: not determined
IECSC	: not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	: Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
-------------------	--

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

Full text of H-Statements

H302	: Harmful if swallowed.
H319	: Causes serious eye irritation.
H361d	: Suspected of damaging the unborn child.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
STOT RE	: Specific target organ toxicity - repeated exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	20.11.2025	9371580-00011	Date of first issue: 27.08.2021

compile the Safety Data
Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Eye Irrit. 2	H319
Repr. 2	H361d
STOT RE 2	H373

Classification procedure:

Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN