

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : M-M-R Formulation

Manufacturer or supplier's details

Company : MSD

Address : 199 Wenhai North Road
HEDA, Hangzhou - Zhejiang Province - CHINA 310018

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : lyophilised cake

Colour : light yellow

Odour : No data available

Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

Precautionary statements

: Prevention:

P273 Avoid release to the environment.

: Response:

P391 Collect spillage.

: Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--------------------------|-----------|-----------------------|
| Sodium chloride | 7647-14-5 | >= 1 -< 10 |
| Sucrose | 57-50-1 | >= 1 -< 10 |
| Neomycin, sulfate (salt) | 1405-10-3 | >= 0.025 -< 0.1 |

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

| | | | |
|----------------|------------------------------|----------------------------|---|
| Version 5.0 | Revision Date: 2025/04/14 | SDS Number: 81073-00027 | Date of last issue: 2025/02/25 Date of first issue: 2015/03/26 |
|----------------|------------------------------|----------------------------|---|

| | |
|---|---|
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. |
| Protection of first-aiders | : No special precautions are necessary for first aid responders. |
| Notes to physician | : Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

| | |
|---|---|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire-fighting | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides Metal oxides Chlorine compounds Oxides of phosphorus Phosphorus compounds Nitrogen oxides (NO _x) |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

Methods and materials for containment and cleaning up

- : Sweep up or vacuum up spillage and collect in suitable container for disposal.
- Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
- Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
- Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures

- : Static electricity may accumulate and ignite suspended dust causing an explosion.

Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation

- : Use only with adequate ventilation.

Advice on safe handling

- : Do not breathe dust.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Minimize dust generation and accumulation.

Keep container closed when not in use.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact

- : Oxidizing agents

Storage

Conditions for safe storage

- : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid

- : Do not store with the following product types:

Strong oxidizing agents

Packaging material

- : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|------------|---------|-------------------------------------|--|-------|
| | | | | |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

| | | | | |
|--------------------------------|-----------|------------|----------------------------|----------|
| Sucrose | 57-50-1 | TWA | 10 mg/m3 | ACGIH |
| Neomycin, sulfate (salt) | 1405-10-3 | TWA | 1.5 mg/m3 (OEB 1) | Internal |
| Further information: DSEN, OTO | | | | |
| | | Wipe limit | 0.1 mg/100 cm ² | Internal |

Engineering measures

- : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type

Eye/face protection : Particulates type
: Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection

Hand protection

Material

: Work uniform or laboratory coat.

: Chemical-resistant gloves

Hygiene measures

: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|------------------------------|---------------------|
| Appearance | : lyophilised cake |
| Colour | : light yellow |
| Odour | : No data available |
| Odour Threshold | : No data available |
| pH | : No data available |
| Melting point/freezing point | : Not applicable |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 81073-00027 Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

Initial boiling point and boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 81073-00027 Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

| | |
|------------------------------------|--|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents. |
| Conditions to avoid | : Heat, flames and sparks. Avoid dust formation. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : No hazardous decomposition products are known. |

11. TOXICOLOGICAL INFORMATION

| | |
|-----------------|--|
| Exposure routes | : Inhalation Skin contact Ingestion Eye contact |
|-----------------|--|

Acute toxicity

Not classified based on available information.

Product:

| | |
|---------------------|--|
| Acute oral toxicity | : Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method |
|---------------------|--|

Components:

Sodium chloride:

| | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat): 3,550 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat): > 42 mg/l Exposure time: 1 h Test atmosphere: dust/mist |
| Acute dermal toxicity | : LD50 (Rabbit): > 5,000 mg/kg |

Sucrose:

| | |
|---------------------|----------------------------|
| Acute oral toxicity | : LD50 (Rat): 29,700 mg/kg |
|---------------------|----------------------------|

Neomycin, sulfate (salt):

| | |
|---|---|
| Acute oral toxicity | : LD50 (Mouse): 2,880 mg/kg LD50 (Rat): 2,750 mg/kg |
| Acute toxicity (other routes of administration) | : LD50 (Rat): 633 mg/kg Application Route: Subcutaneous LD50 (Mouse): 116 mg/kg Application Route: Intraperitoneal |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26



LD50 (Mouse): 27.6 mg/kg
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg
Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium chloride:

| | | |
|---------|---|--------------------|
| Species | : | Rabbit |
| Result | : | No skin irritation |

Neomycin, sulfate (salt):

| | | |
|---------|---|----------------------|
| Species | : | Rabbit |
| Result | : | Mild skin irritation |

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium chloride:

| | | |
|---------|---|-------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |

Neomycin, sulfate (salt):

| | | |
|---------|---|-------------------|
| Species | : | Rabbit |
| Result | : | No eye irritation |

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Sodium chloride:

| | | |
|-----------------|---|-------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Exposure routes | : | Skin contact |
| Species | : | Mouse |
| Result | : | negative |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

Neomycin, sulfate (salt):

| | | |
|-----------------|---|----------|
| Exposure routes | : | Dermal |
| Species | : | Humans |
| Result | : | positive |

Germ cell mutagenicity

Not classified based on available information.

Components:

Sodium chloride:

| | | |
|-------------------------------------|---|--|
| Genotoxicity in vitro | : | Test Type: In vitro mammalian cell gene mutation test Result: positive |
| | | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | | Test Type: Saccharomyces cerevisiae, gene mutation assay (in vitro) Result: positive |
| | | Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: positive |
| | | Test Type: Chromosome aberration test in vitro Result: positive |
| | | Test Type: Chromosome aberration test in vitro Result: negative |
| Genotoxicity in vivo | : | Test Type: In vivo micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: negative |
| | | Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Intraperitoneal injection Result: positive |
| Germ cell mutagenicity - Assessment | : | Weight of evidence does not support classification as a germ cell mutagen. |

Sucrose:

| | | |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: In vitro mammalian cell gene mutation test Result: negative |
|-----------------------|---|---|

Neomycin, sulfate (salt):

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 81073-00027 Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

| | |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative |
| | Test Type: Chromosomal aberration Test system: Human lymphocytes Result: positive |
| | Test Type: in vitro micronucleus test Result: negative |
| Genotoxicity in vivo | : Test Type: Cytogenetic assay Species: Mouse Cell type: Bone marrow Application Route: Intravenous injection Result: negative |

Carcinogenicity

Not classified based on available information.

Components:

Sodium chloride:

| | |
|-------------------|-------------|
| Species | : Rat |
| Application Route | : Ingestion |
| Exposure time | : 2 Years |
| Result | : negative |

Neomycin, sulfate (salt):

| | |
|---------------|------------|
| Species | : Rat |
| Exposure time | : 2 Years |
| Result | : negative |

Reproductive toxicity

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

| | |
|-------------------------------|--|
| Effects on fertility | : Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 25 mg/kg body weight Result: No effects on fertility and early embryonic development were detected. |
| Effects on foetal development | : Test Type: Embryo-foetal development |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

| | |
|------------------------------------|---|
| ment | Species: Rat Application Route: Oral Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight Result: No adverse effects, No teratogenic effects |
| | Test Type: Development Species: Rat Application Route: Subcutaneous Developmental Toxicity: LOAEL: 6 mg/kg body weight Result: positive |
| Reproductive toxicity - Assessment | : Some evidence of adverse effects on development, based on animal experiments. |

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Neomycin, sulfate (salt):

| | |
|---------------|--|
| Target Organs | : Kidney, inner ear |
| Assessment | : May cause damage to organs through prolonged or repeated exposure. |
| Remarks | : Based on human experience. |

Repeated dose toxicity

Components:

Sodium chloride:

| | |
|-------------------|---------------|
| Species | : Rat |
| LOAEL | : 2,533 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 2 yr |

Neomycin, sulfate (salt):

| | |
|-------------------|----------------|
| Species | : Mouse |
| LOAEL | : 30 mg/kg |
| Application Route | : Subcutaneous |
| Exposure time | : 14 d |
| Target Organs | : Kidney |

| | |
|-------------------|-----------------|
| Species | : Guinea pig |
| NOAEL | : 50 mg/kg |
| LOAEL | : 100 mg/kg |
| Application Route | : Intramuscular |
| Exposure time | : 30 - 60 Weeks |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

| | | | |
|----------------|------------------------------|----------------------------|---|
| Version 5.0 | Revision Date: 2025/04/14 | SDS Number: 81073-00027 | Date of last issue: 2025/02/25 Date of first issue: 2015/03/26 |
|----------------|------------------------------|----------------------------|---|

| | | | |
|--|-------------------|---|--|
| | Target Organs | : | ear |
| | Species | : | Guinea pig |
| | NOAEL | : | 10 mg/kg |
| | Application Route | : | Oral |
| | Exposure time | : | 90 d |
| | Remarks | : | No significant adverse effects were reported |
| | Species | : | Guinea pig |
| | LOAEL | : | 100 mg/kg |
| | Application Route | : | Subcutaneous |
| | Exposure time | : | 34 d |
| | Species | : | Dog |
| | LOAEL | : | 24 mg/kg |
| | Application Route | : | Intramuscular |
| | Exposure time | : | 30 d |
| | Target Organs | : | Kidney |
| | Species | : | Rat |
| | LOAEL | : | 25 mg/kg |
| | Application Route | : | oral (feed) |
| | Exposure time | : | 84 Weeks |
| | Target Organs | : | ear |
| | Symptoms | : | hearing loss |
| | Remarks | : | mortality observed |
| | Species | : | Dog |
| | LOAEL | : | 20 mg/kg |
| | Application Route | : | Subcutaneous |
| | Exposure time | : | 90 d |
| | Target Organs | : | Kidney |

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Neomycin, sulfate (salt):

| | | | |
|--|--------------|---|--|
| | Skin contact | : | Symptoms: Sensitisation Remarks: May irritate skin. |
| | Eye contact | : | Remarks: May cause eye irritation. |
| | Ingestion | : | Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium chloride:

| | |
|--|--|
| Toxicity to fish | : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,840 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 4,136 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : EC50: > 2,000 mg/l Exposure time: 96 h |
| Toxicity to fish (Chronic toxicity) | : NOEC (Pimephales promelas (fathead minnow)): 252 mg/l Exposure time: 33 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia pulex (Water flea)): 314 mg/l Exposure time: 21 d |
| Toxicity to microorganisms | : EC10: > 1,000 mg/l |

Neomycin, sulfate (salt):

| | |
|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 72 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 LC50 (Americamysis): 39 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 |
| Toxicity to algae/aquatic plants | : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| | : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| | : NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

| | | |
|-------------------------------------|---|--|
| M-Factor (Acute aquatic toxicity) | : | 1,000 |
| M-Factor (Chronic aquatic toxicity) | : | 10 |
| Toxicity to microorganisms | : | EC50 (Natural microorganism): 107.6 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 |
| | | EC10 (Natural microorganism): 2.8 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 |

Persistence and degradability

Components:

Neomycin, sulfate (salt):

| | | |
|------------------|---|---|
| Biodegradability | : | Result: rapidly degradable Biodegradation: 50 % Exposure time: 1.2 d Method: OECD Test Guideline 314 |
|------------------|---|---|

Bioaccumulative potential

Components:

Sucrose:

| | | |
|--|---|----------|
| Partition coefficient: n-octanol/water | : | Pow: < 1 |
|--|---|----------|

Neomycin, sulfate (salt):

| | | |
|--|---|---------------|
| Partition coefficient: n-octanol/water | : | log Pow: < -2 |
|--|---|---------------|

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

| | | |
|------------------------|---|---|
| Waste from residues | : | Do not dispose of waste into sewer. Dispose of in accordance with local regulations. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

| | | | |
|----------------|------------------------------|----------------------------|---|
| Version 5.0 | Revision Date: 2025/04/14 | SDS Number: 81073-00027 | Date of last issue: 2025/02/25 Date of first issue: 2015/03/26 |
|----------------|------------------------------|----------------------------|---|

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Neomycin, sulfate (salt))
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Neomycin, sulfate (salt))
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Neomycin, sulfate (salt))
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Neomycin, sulfate (salt))
Class : 9
Packing group : III
Labels : 9
Marine pollutant : no

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

: This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 81073-00027 Date of last issue: 2025/02/25 Date of first issue: 2015/03/26

Environmental Protection Law

||| List of Priority Controlled Chemicals : Not listed
||| List of Key Controlled New Pollutants : Not listed

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



M-M-R Formulation

Version
5.0

Revision Date:
2025/04/14

SDS Number:
81073-00027

Date of last issue: 2025/02/25
Date of first issue: 2015/03/26

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN