

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : M-M-R Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 3

##### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H400 Very toxic to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version 3.2      Revision Date: 25.02.2025      SDS Number: 85480-00024      Date of last issue: 30.09.2023  
Date of first issue: 26.03.2015

### Response:

P391 Collect spillage.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium chloride	7647-14-5	$\geq 5 - < 10$
Sucrose	57-50-1	$\geq 1 - < 5$
Neomycin, sulfate (salt)	1405-10-3	$\geq 0.025 - < 0.1$

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version 3.2	Revision Date: 25.02.2025	SDS Number: 85480-00024	Date of last issue: 30.09.2023 Date of first issue: 26.03.2015
----------------	------------------------------	----------------------------	---

- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Metal oxides  
Chlorine compounds  
Oxides of phosphorus  
Phosphorus compounds  
Nitrogen oxides (NOx)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version 3.2      Revision Date: 25.02.2025      SDS Number: 85480-00024      Date of last issue: 30.09.2023  
Date of first issue: 26.03.2015

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	ACGIH
Neomycin, sulfate (salt)	1405-10-3	TWA	1.5 mg/m <sup>3</sup> (OEB 1)	Internal
Further information: DSEN, OTO				
		Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection : Chemical-resistant gloves
- Material
- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

Skin and body protection	: Work uniform or laboratory coat.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: lyophilised cake
Colour	: light yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: Not applicable
Initial boiling point and boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: soluble
Partition coefficient: n-	: No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics

Particle size : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **Sodium chloride:**

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

---

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

### **Sucrose:**

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

### **Neomycin, sulfate (salt):**

Acute oral toxicity : LD50 (Mouse): 2,880 mg/kg

LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 633 mg/kg  
Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 27.6 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg  
Application Route: Subcutaneous

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Sodium chloride:**

Species : Rabbit  
Result : No skin irritation

#### **Neomycin, sulfate (salt):**

Species : Rabbit  
Result : Mild skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Sodium chloride:**

Species : Rabbit  
Result : No eye irritation

#### **Neomycin, sulfate (salt):**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Sodium chloride:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

##### Neomycin, sulfate (salt):

Exposure routes	:	Dermal
Species	:	Humans
Result	:	positive

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Sodium chloride:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test
		Result: positive

		Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative

		Test Type: Saccharomyces cerevisiae, gene mutation assay (in vitro)
		Result: positive

		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
		Result: positive

		Test Type: Chromosome aberration test in vitro
		Result: positive

		Test Type: Chromosome aberration test in vitro
		Result: negative

Genotoxicity in vivo	:	Test Type: In vivo micronucleus test
		Species: Mouse
		Application Route: Intraperitoneal injection
		Result: negative

		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
--	--	--



# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

---

Species: Rat  
Application Route: Intraperitoneal injection  
Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

### Neomycin, sulfate (salt):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: positive

Test Type: in vitro micronucleus test  
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intravenous injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Sodium chloride:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### Neomycin, sulfate (salt):

Species : Rat  
Exposure time : 2 Years  
Result : negative

### Reproductive toxicity

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

### Components:

#### **Neomycin, sulfate (salt):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 25 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight  
Result: No adverse effects, No teratogenic effects

Test Type: Development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 6 mg/kg body weight  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

#### **STOT - single exposure**

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

### Components:

#### **Neomycin, sulfate (salt):**

Target Organs : Kidney, inner ear  
Assessment : May cause damage to organs through prolonged or repeated exposure.  
Remarks : Based on human experience.

#### **Repeated dose toxicity**

### Components:

#### **Sodium chloride:**

Species : Rat  
LOAEL : 2,533 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

#### **Neomycin, sulfate (salt):**

Species : Mouse  
LOAEL : 30 mg/kg  
Application Route : Subcutaneous

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

Exposure time	: 14 d
Target Organs	: Kidney
Species	: Guinea pig
NOAEL	: 50 mg/kg
LOAEL	: 100 mg/kg
Application Route	: Intramuscular
Exposure time	: 30 - 60 Weeks
Target Organs	: ear
Species	: Guinea pig
NOAEL	: 10 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Remarks	: No significant adverse effects were reported
Species	: Guinea pig
LOAEL	: 100 mg/kg
Application Route	: Subcutaneous
Exposure time	: 34 d
Species	: Dog
LOAEL	: 24 mg/kg
Application Route	: Intramuscular
Exposure time	: 30 d
Target Organs	: Kidney
Species	: Rat
LOAEL	: 25 mg/kg
Application Route	: oral (feed)
Exposure time	: 84 Weeks
Target Organs	: ear
Symptoms	: hearing loss
Remarks	: mortality observed
Species	: Dog
LOAEL	: 20 mg/kg
Application Route	: Subcutaneous
Exposure time	: 90 d
Target Organs	: Kidney

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **Neomycin, sulfate (salt):**

Skin contact	: Symptoms: Sensitisation Remarks: May irritate skin.
Eye contact	: Remarks: May cause eye irritation.
Ingestion	: Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Sodium chloride:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,840 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 4,136 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50: > 2,000 mg/l  
plants Exposure time: 96 h

Toxicity to microorganisms : EC10: > 1,000 mg/l

Toxicity to fish (Chronic tox- : NOEC: 252 mg/l  
icity) Exposure time: 33 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other : NOEC: 314 mg/l  
aquatic invertebrates (Chron- Exposure time: 21 d  
ic toxicity) Species: Daphnia pulex (Water flea)

##### **Neomycin, sulfate (salt):**

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 72 mg/l  
aquatic invertebrates Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 39 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic : EC50 ( Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l  
plants Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 ( Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to microorganisms : EC50 (Natural microorganism): 107.6 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 10

### Persistence and degradability

#### Components:

##### **Neomycin, sulfate (salt):**

Biodegradability : Result: rapidly degradable  
Biodegradation: 50 %  
Exposure time: 1.2 d  
Method: OECD Test Guideline 314

### Bioaccumulative potential

#### Components:

##### **Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

##### **Neomycin, sulfate (salt):**

Partition coefficient: n-octanol/water : log Pow: < -2

### Mobility in soil

No data available

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

##### IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Neomycin, sulfate (salt))
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

##### IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS	: not determined
------	------------------

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

DSL : not determined

IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 25.02.2025

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

# SAFETY DATA SHEET

according to the Globally Harmonized System



## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	25.02.2025	85480-00024	Date of first issue: 26.03.2015

---

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN