

M-M-R Formulation

Version 3.3 Revision Date: 25.02.2025 SDS Number: 81081-00025 Date of last issue: 28.09.2024
Date of first issue: 26.03.2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : M-M-R Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium chloride	7647-14-5	≥ 5 - < 10
Sucrose	57-50-1	≥ 1 - < 5
Neomycin, sulfate (salt)	1405-10-3	< 0.1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Most important symptoms and effects, both acute and delayed	:	Get medical attention if symptoms occur. Rinse mouth thoroughly with water. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation.
Notes to physician	:	No special precautions are necessary for first aid responders. Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides Chlorine compounds Oxides of phosphorus Phosphorus compounds Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

M-M-R Formulation

Version 3.3 Revision Date: 25.02.2025 SDS Number: 81081-00025 Date of last issue: 28.09.2024
 Date of first issue: 26.03.2015

Sucrose	57-50-1	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³	ACGIH
Neomycin, sulfate (salt)	1405-10-3	TWA	1.5 mg/m ³ (OEB 1)	Internal
Further information: DSEN, OTO				
		Wipe limit	0.1 mg/100 cm ²	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : lyophilized cake

Color : light yellow

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : Not applicable

Initial boiling point and boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Sodium chloride:**

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Neomycin, sulfate (salt):

Acute oral toxicity : LD50 (Mouse): 2,880 mg/kg
LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 633 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 27.6 mg/kg
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg
Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:**Sodium chloride:**

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Species : Rabbit
Result : No skin irritation

Neomycin, sulfate (salt):

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Sodium chloride:**

Species : Rabbit
Result : No eye irritation

Neomycin, sulfate (salt):

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Sodium chloride:**

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

Neomycin, sulfate (salt):

Routes of exposure : Dermal
Species : Humans
Result : positive

Germ cell mutagenicity

Not classified based on available information.

Components:**Sodium chloride:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Test Type: Saccharomyces cerevisiae, gene mutation assay (in vitro)

Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo

: Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -
Assessment

: Weight of evidence does not support classification as a germ cell mutagen.

Sucrose:

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test
Result: negative

Neomycin, sulfate (salt):

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosomal aberration

Test system: Human lymphocytes

Result: positive

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo

: Test Type: Cytogenetic assay
Species: Mouse
Cell type: Bone marrow
Application Route: Intravenous injection
Result: negative

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Carcinogenicity

Not classified based on available information.

Components:**Sodium chloride:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Neomycin, sulfate (salt):

Species	:	Rat
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity Parent: NOAEL: 25 mg/kg body weight Result: No effects on fertility and early embryonic development were detected.
----------------------	---	--

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Oral Embryo-fetal toxicity.: NOAEL: 275 mg/kg body weight Result: No adverse effects., No teratogenic effects.
------------------------------	---	--

	:	Test Type: Development Species: Rat Application Route: Subcutaneous Developmental Toxicity: LOAEL: 6 mg/kg body weight Result: positive
--	---	---

Reproductive toxicity - Assessment	:	Some evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	---

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Components:**Neomycin, sulfate (salt):**

Target Organs	:	Kidney, inner ear
Assessment	:	May cause damage to organs through prolonged or repeated exposure.
Remarks	:	Based on human experience.

Repeated dose toxicity**Components:****Sodium chloride:**

Species	:	Rat
LOAEL	:	2,533 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 y

Neomycin, sulfate (salt):

Species	:	Mouse
LOAEL	:	30 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	14 d
Target Organs	:	Kidney

Species	:	Guinea pig
NOAEL	:	50 mg/kg
LOAEL	:	100 mg/kg
Application Route	:	Intramuscular
Exposure time	:	30 - 60 Weeks
Target Organs	:	ear

Species	:	Guinea pig
NOAEL	:	10 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Remarks	:	No significant adverse effects were reported

Species	:	Guinea pig
LOAEL	:	100 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	34 d

Species	:	Dog
LOAEL	:	24 mg/kg
Application Route	:	Intramuscular
Exposure time	:	30 d
Target Organs	:	Kidney

Species	:	Rat
LOAEL	:	25 mg/kg
Application Route	:	oral (feed)
Exposure time	:	84 Weeks
Target Organs	:	ear

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Symptoms : hearing loss
Remarks : mortality observed

Species : Dog
LOAEL : 20 mg/kg
Application Route : Subcutaneous
Exposure time : 90 d
Target Organs : Kidney

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Neomycin, sulfate (salt):**

Skin contact : Symptoms: Sensitization
Remarks: May irritate skin.
Eye contact : Remarks: May cause eye irritation.
Ingestion : Symptoms: Nausea, Vomiting, Diarrhea, tinnitus, hearing loss,
Loss of balance

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Sodium chloride:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,840 mg/l
Exposure time: 96 h
Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 4,136 mg/l
aquatic invertebrates : Exposure time: 48 h
Toxicity to algae/aquatic : EC50: > 2,000 mg/l
plants : Exposure time: 96 h
Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 252 mg/l
icity) : Exposure time: 33 d
Toxicity to daphnia and other : NOEC (Daphnia pulex (Water flea)): 314 mg/l
aquatic invertebrates (Chron- : Exposure time: 21 d
ic toxicity)
Toxicity to microorganisms : EC10: > 1,000 mg/l

Neomycin, sulfate (salt):

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 72 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202
LC50 (Americamysis): 39 mg/l
Exposure time: 96 h

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Natural microorganism): 107.6 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability**Components:****Neomycin, sulfate (salt):**

Biodegradability : Result: rapidly degradable
Biodegradation: 50 %
Exposure time: 1.2 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

Neomycin, sulfate (salt):

Partition coefficient: n-octanol/water : log Pow: < -2

Mobility in soil

No data available

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NOM-002-SCT**

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Neomycin, sulfate (salt))
Class	:	9
Packing group	:	III
Labels	:	9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	25.02.2025
Date format	:	dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014	:	Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
NOM-010-STPS-2014 / VLE-	:	Time weighted average limit value
PPT	:	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
3.3	25.02.2025	81081-00025	Date of first issue: 26.03.2015

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8