

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1 Revision Date: 14.04.2025 SDS Number: 86802-00027 Date of last issue: 06.07.2024 Date of first issue: 02.04.2015

---

### Section 1: Identification

**Product identifier** : Efavirenz Solid Formulation

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

**Manufacturer or supplier's details**

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

**Classification of the substance or mixture**

Acute toxicity (Oral) : Category 4  
Serious eye damage/eye irritation : Category 2  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - repeated exposure : Category 1 (Central nervous system, Skin)  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

**GHS Label elements, including precautionary statements**

Hazard pictograms :

Signal word : Danger

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

|   |  |
|---|--|
| Hazard statements   | : H302 Harmful if swallowed.<br>H319 Causes serious eye irritation.<br>H360D May damage the unborn child.<br>H372 Causes damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.<br>H410 Very toxic to aquatic life with long lasting effects.   |
| Precautionary statements  | : <b>Prevention:</b><br>P201 Obtain special instructions before use.<br>P202 Do not handle until all safety precautions have been read and understood.<br>P260 Do not breathe dust.<br>P264 Wash skin thoroughly after handling.<br>P270 Do not eat, drink or smoke when using this product.<br>P273 Avoid release to the environment.<br>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.<br><br><b>Response:</b><br>P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.<br>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P308 + P313 IF exposed or concerned: Get medical advice/ attention.<br>P337 + P313 If eye irritation persists: Get medical advice/ attention.<br>P391 Collect spillage.<br><br><b>Storage:</b><br>P405 Store locked up.<br><br><b>Disposal:</b><br>P501 Dispose of contents/ container to an approved waste disposal plant. |
| <b>Other hazards which do not result in classification</b>                      |  |
| May form explosive dust-air mixture during processing, handling or other means. |  |

---

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

| Chemical name           | CAS-No.     | Concentration (% w/w) |
|-------------------------|-------------|-----------------------|
| Efavirenz               | 154598-52-4 | >= 30 -< 50           |
| Cellulose               | 9004-34-6   | >= 10 -< 20           |
| Magnesium stearate      | 557-04-0    | >= 1 -< 10            |
| Sodium dodecyl sulphate | 151-21-3    | >= 1 -< 3             |
| Titanium dioxide        | 13463-67-7  | >= 0.1 -< 1           |

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

### Section 4: First-aid measures

#### Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.  
Causes serious eye irritation.  
May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

#### Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

### Section 5: Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

#### Special hazards arising from the substance or mixture

Specific hazards during fire- : Avoid generating dust; fine dust dispersed in air in sufficient

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

---

|                |                              |                            |   |
|----------------|------------------------------|----------------------------|---|
| Version<br>5.1 | Revision Date:<br>14.04.2025 | SDS Number:<br>86802-00027 | Date of last issue: 06.07.2024<br>Date of first issue: 02.04.2015 |
|----------------|------------------------------|----------------------------|---|

---

fighting

concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Sulphur oxides

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

---

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**Efavirenz Solid Formulation**Version  
5.1Revision Date:  
14.04.2025SDS Number:  
86802-00027Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015**Section 7: Handling and storage****Precautions for safe handling**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

**Conditions for safe storage, including any incompatibilities**

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

**Section 8: Exposure controls/personal protection****Control parameters****Occupational Exposure Limits**

| Components | CAS-No.     | Value type<br>(Form of<br>exposure) | Control parame-<br>ters / Permissible<br>concentration | Basis    |
|------------|-------------|-------------------------------------|--|----------|
| Efavirenz  | 154598-52-4 | TWA                                 | 100 µg/m3  | Internal |
| Cellulose  | 9004-34-6   | PEL (long)                          | 10 mg/m3   | SG OEL   |

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

|                |                              |                            |   |
|----------------|------------------------------|----------------------------|---|
| Version<br>5.1 | Revision Date:<br>14.04.2025 | SDS Number:<br>86802-00027 | Date of last issue: 06.07.2024<br>Date of first issue: 02.04.2015 |
|----------------|------------------------------|----------------------------|---|

|                    |            |                                     |          |        |
|--------------------|------------|-------------------------------------|----------|--------|
|                    |            | term)                               |          |        |
|                    |            | TWA                                 | 10 mg/m3 | ACGIH  |
| Magnesium stearate | 557-04-0   | PEL (long term)                     | 10 mg/m3 | SG OEL |
|                    |            | TWA (Inhalable particulate matter)  | 10 mg/m3 | ACGIH  |
|                    |            | TWA (Respirable particulate matter) | 3 mg/m3  | ACGIH  |
| Titanium dioxide   | 13463-67-7 | PEL (long term)                     | 10 mg/m3 | SG OEL |

### Appropriate engineering control measures

- : Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Individual protection measures, such as personal protective equipment (PPE)

|                        |   |
|------------------------|---|
| Eye/face protection    | : Wear the following personal protective equipment:<br>Safety goggles   |
| Skin protection        | : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.<br>Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).   |
| Respiratory protection | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  |
| Filter type            | : Particulates type   |
| Hand protection        |   |
| Material               | : Chemical-resistant gloves   |
| Remarks                | : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. |

### Section 9: Physical and chemical properties

|            |          |
|------------|----------|
| Appearance | : powder |
|------------|----------|

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

|  |   |   |
|--|---|---|
| Colour   | : | white to off-white  |
| Odour  | : | No data available   |
| Odour Threshold                                  | : | No data available   |
| pH   | : | No data available   |
| Melting point/freezing point                     | : | No data available   |
| Initial boiling point and boiling range          | : | No data available   |
| Flash point                                      | : | No data available   |
| Evaporation rate                                 | : | No data available   |
| Flammability (solid, gas)                        | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : | No data available   |
| Upper explosion limit / Upper flammability limit | : | No data available   |
| Lower explosion limit / Lower flammability limit | : | No data available   |
| Vapour pressure                                  | : | No data available   |
| Relative vapour density                          | : | No data available   |
| Density  | : | No data available   |
| Solubility(ies)                                  |   |   |
| Water solubility                                 | : | No data available   |
| Partition coefficient: n-octanol/water           | : | No data available   |
| Auto-ignition temperature                        | : | No data available   |
| Decomposition temperature                        | : | No data available   |
| Viscosity  |   |   |
| Viscosity, dynamic                               | : | No data available   |
| Viscosity, kinematic                             | : | No data available   |
| Explosive properties                             | : | Not explosive   |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing.                        |

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

---

### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.  
  
Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 849.05 mg/kg  
Method: Calculation method

#### Components:

##### **Efavirenz:**

Acute oral toxicity : LD50 (Rat, female): 419 mg/kg  
LDLo (Rat, male): 1,000 mg/kg

##### **Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

### **Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### **Sodium dodecyl sulphate:**

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### **Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Efavirenz:**

Result : Mild skin irritation  
Remarks : slight irritation

#### **Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **Sodium dodecyl sulphate:**

Species : Rabbit  
Result : Skin irritation

#### **Titanium dioxide:**

Species : Rabbit  
Result : No skin irritation

**Efavirenz Solid Formulation**

---

|                |                              |                            |   |
|----------------|------------------------------|----------------------------|---|
| Version<br>5.1 | Revision Date:<br>14.04.2025 | SDS Number:<br>86802-00027 | Date of last issue: 06.07.2024<br>Date of first issue: 02.04.2015 |
|----------------|------------------------------|----------------------------|---|

---

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Efavirenz:**

Remarks : Moderate eye irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Sodium dodecyl sulphate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**Titanium dioxide:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Efavirenz:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative

**Magnesium stearate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

### **Sodium dodecyl sulphate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

### **Titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Efavirenz:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

### **Magnesium stearate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### **Sodium dodecyl sulphate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Efavirenz:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Target Organs : Lungs, Liver  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Rat  
Application Route : Oral

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

Exposure time : 2 Years  
Result : negative

### Cellulose:

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

### Sodium dodecyl sulphate:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : negative  
Remarks : Based on data from similar materials

### Titanium dioxide:

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : positive  
Remarks : The mechanism or mode of action may not be relevant in humans.  
  
Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

### Reproductive toxicity

May damage the unborn child.

### Components:

#### Efavirenz:

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Fertility: NOAEL: 200 - 400 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Monkey  
Application Route: Oral

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

---

|                |                              |                            |   |
|----------------|------------------------------|----------------------------|---|
| Version<br>5.1 | Revision Date:<br>14.04.2025 | SDS Number:<br>86802-00027 | Date of last issue: 06.07.2024<br>Date of first issue: 02.04.2015 |
|----------------|------------------------------|----------------------------|---|

---

Developmental Toxicity: LOAEL: 60 mg/kg body weight  
Symptoms: Malformations were observed.

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 75 mg/kg body weight  
Result: No embryotoxic effects

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Sodium dodecyl sulphate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version  
5.1

Revision Date:  
14.04.2025

SDS Number:  
86802-00027

Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.

#### Components:

##### **Efavirenz:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### **Repeated dose toxicity**

#### Components:

##### **Efavirenz:**

|                   |   |   |
|-------------------|---|---|
| Species           | : | Rat   |
| LOAEL             | : | 50 mg/kg  |
| Application Route | : | Oral  |
| Exposure time     | : | 3 Months  |
| Target Organs     | : | Kidney  |
| Species           | : | Monkey  |
| LOAEL             | : | 100 mg/kg   |
| Application Route | : | Oral  |
| Exposure time     | : | 1 - 2 yr  |
| Target Organs     | : | Central nervous system, Liver, Kidney, Thyroid, Adrenal gland |

|                   |   |                        |
|-------------------|---|------------------------|
| Species           | : | Monkey                 |
| LOAEL             | : | 90 mg/kg               |
| Application Route | : | Oral                   |
| Exposure time     | : | 1 Months               |
| Target Organs     | : | Central nervous system |
| Symptoms          | : | Lethargy, Weakness     |

##### **Cellulose:**

|                   |   |                |
|-------------------|---|----------------|
| Species           | : | Rat            |
| NOAEL             | : | >= 9,000 mg/kg |
| Application Route | : | Ingestion      |
| Exposure time     | : | 90 Days        |

##### **Magnesium stearate:**

|                   |   |             |
|-------------------|---|-------------|
| Species           | : | Rat         |
| NOAEL             | : | > 100 mg/kg |
| Application Route | : | Ingestion   |

## SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024  
5.1 14.04.2025 86802-00027 Date of first issue: 02.04.2015

Exposure time : 90 Days  
Remarks : Based on data from similar materials

## **Sodium dodecyl sulphate:**

Species : Rat  
NOAEL : 488 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

## **Titanium dioxide:**

Species : Rat  
NOAEL : 24,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

Species : Rat  
NOAEL : 10 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 yr

## Aspiration toxicity

Not classified based on available information.

## Experience with human exposure

## Components:

## Efavirenz:

|           |  |
|-----------|--|
|           | Target Organs: Skin<br>Symptoms: Rash                                  |
| Ingestion | Target Organs: Central nervous system<br>Symptoms: Dizziness, insomnia |
|           | Target Organs: Heart<br>Symptoms: irregular heart beat                 |
|           |  |

---

## Section 12: Ecological information

## Toxicity

## Components:

## Ffavirenz-

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0.85 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1.1 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

|                |                              |                            |   |
|----------------|------------------------------|----------------------------|---|
| Version<br>5.1 | Revision Date:<br>14.04.2025 | SDS Number:<br>86802-00027 | Date of last issue: 06.07.2024<br>Date of first issue: 02.04.2015 |
|----------------|------------------------------|----------------------------|---|

|  |  |
|--|--|
| Toxicity to algae/aquatic plants                                       | : NOEC (Selenastrum capricornutum (green algae)): 0.026 mg/l<br>Exposure time: 12 d<br>Method: FDA 4.01  |
|  | : NOEC (Microcystis aeruginosa (blue-green algae)): 0.76 mg/l<br>Exposure time: 12 d<br>Method: FDA 4.01   |
| M-Factor (Acute aquatic toxicity)                                      | : 1  |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Pimephales promelas (fathead minnow)): 0.066 mg/l<br>Exposure time: 33 d<br>Method: OECD Test Guideline 210  |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 0.16 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211   |
| M-Factor (Chronic aquatic toxicity)                                    | : 1  |
| <b>Cellulose:</b>  |  |
| Toxicity to fish   | : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials   |
| <b>Magnesium stearate:</b>   |  |
| Toxicity to fish   | : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l<br>Exposure time: 48 h<br>Method: DIN 38412<br>Remarks: Based on data from similar materials   |
| Toxicity to daphnia and other aquatic invertebrates                    | : EL50 (Daphnia magna (Water flea)): > 1 mg/l<br>Exposure time: 47 h<br>Test substance: Water Accommodated Fraction<br>Method: Directive 67/548/EEC, Annex V, C.2.<br>Remarks: Based on data from similar materials<br>No toxicity at the limit of solubility        |
| Toxicity to algae/aquatic plants                                       | : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials<br>No toxicity at the limit of solubility |
|  | : NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201   |

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

|                |                              |                            |   |
|----------------|------------------------------|----------------------------|---|
| Version<br>5.1 | Revision Date:<br>14.04.2025 | SDS Number:<br>86802-00027 | Date of last issue: 06.07.2024<br>Date of first issue: 02.04.2015 |
|----------------|------------------------------|----------------------------|---|

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### **Sodium dodecyl sulphate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l  
Exposure time: 72 h  
NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l  
Exposure time: 42 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : EC50: 135 mg/l  
Exposure time: 3 h

### **Titanium dioxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **Persistence and degradability**

### **Components:**

#### **Efavirenz:**

Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

Biodegradation: 11 %  
Exposure time: 32 d  
Method: FDA 3.11

### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

### **Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

### **Sodium dodecyl sulphate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 95 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### **Bioaccumulative potential**

#### **Components:**

##### **Efavirenz:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 454  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.4

##### **Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

##### **Sodium dodecyl sulphate:**

Partition coefficient: n-octanol/water : log Pow: 0.83

### **Mobility in soil**

#### **Components:**

##### **Efavirenz:**

Distribution among environmental compartments : log Koc: 3.36  
Method: FDA 3.08

### **Other adverse effects**

No data available

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

### Section 13: Disposal considerations

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### Section 14: Transport information

#### International Regulations

##### UNRTDG

UN number : UN 3077

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Efavirenz)

Transport hazard class(es) : 9

Packing group : III

Labels : 9

Environmental hazards : yes

##### IATA-DGR

UN/ID No. : UN 3077

UN proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Efavirenz)

Transport hazard class(es) : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 956

Packing instruction (passenger aircraft) : 956

Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Efavirenz)

Transport hazard class(es) : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

Version 5.1      Revision Date: 14.04.2025      SDS Number: 86802-00027      Date of last issue: 06.07.2024  
Date of first issue: 02.04.2015

---

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### Section 15: Regulatory information

#### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

### Section 16: Other information

Revision Date : 14.04.2025

#### Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>  
Sheet

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

# SAFETY DATA SHEET



## Efavirenz Solid Formulation

---

|                |                              |                            |   |
|----------------|------------------------------|----------------------------|---|
| Version<br>5.1 | Revision Date:<br>14.04.2025 | SDS Number:<br>86802-00027 | Date of last issue: 06.07.2024<br>Date of first issue: 02.04.2015 |
|----------------|------------------------------|----------------------------|---|

---

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN