

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Moxifloxacin Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irritation : Category 2B

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2 (Liver)

GHS label elements

Hazard pictograms



Signal word

: Warning

Hazard statements

: H302 Harmful if swallowed.
H320 Causes eye irritation.

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version 5.0 Revision Date: 17.06.2025 SDS Number: 1732268-00017 Date of last issue: 14.04.2025
Date of first issue: 05.06.2017

Precautionary statements :

H361d Suspected of damaging the unborn child.
H373 May cause damage to organs (Liver) through prolonged or repeated exposure.

Prevention:
P203 Obtain, read and follow all safety instructions before use.
P264+P265 Wash hands thoroughly after handling. Do not touch eyes.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P317 + P330 IF SWALLOWED: Get medical help. Rinse mouth.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P318 IF exposed or concerned, get medical advice.
P337 + P317 If eye irritation persists: Get medical help.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Moxifloxacin HCL	186826-86-8	>= 70 - < 90
Cellulose	9004-34-6	>= 30 - < 50

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

In case of eye contact	: Thoroughly clean shoes before reuse. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed. Causes eye irritation. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version 5.0 Revision Date: 17.06.2025 SDS Number: 1732268-00017 Date of last issue: 14.04.2025
Date of first issue: 05.06.2017

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Moxifloxacin HCL	186826-86-8	TWA	1000 µg/m ³ (OEB 1)	Internal
Cellulose	9004-34-6	TWA	10 mg/m ³	ACGIH

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	pink
Odour	:	odourless
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

flammability limit

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-
octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

Acute oral toxicity : Acute toxicity estimate: 1,886 mg/kg
Method: Calculation method

Components:

Moxifloxacin HCL:

Acute oral toxicity : LD50 (Rat): 1,320 mg/kg
LD50 (Mouse): > 435 mg/kg
LD50 (Monkey): 1,500 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Moxifloxacin HCL:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Components:

Moxifloxacin HCL:

Species : Rabbit
Result : Moderate eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Moxifloxacin HCL:

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive Test Type: Chromosome aberration test in vitro Result: negative Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Application Route: Oral Result: negative

Cellulose:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Cellulose:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 72 weeks
Result	: negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Moxifloxacin HCL:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Fertility: LOAEL: 500 mg/kg body weight Result: Effects on fertility
----------------------	--

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

Effects on foetal development	: Test Type: Embryo-foetal development Species: Monkey Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: negative
	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Intravenous injection Developmental Toxicity: LOAEL: 20 mg/kg body weight Symptoms: Skeletal malformations
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

Cellulose:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Components:

Moxifloxacin HCL:

Target Organs	: Liver
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Moxifloxacin HCL:

Species	: Rat
LOAEL	: 100 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks

Species	: Rat
NOAEL	: 100 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

Target Organs	: Liver
Symptoms	: Liver disorders

Species	: Rat
NOAEL	: 20 mg/kg
Application Route	: Oral
Exposure time	: 6 Months
Target Organs	: Liver
Symptoms	: Liver disorders

Species	: Monkey
NOAEL	: 50 mg/kg
Application Route	: Oral
Exposure time	: 4 Weeks
Symptoms	: No adverse effects

Species	: Monkey
NOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Gastrointestinal tract
Symptoms	: Vomiting

Species	: Monkey
Application Route	: Oral
Exposure time	: 26 Weeks
Target Organs	: Liver
Symptoms	: Liver disorders

Cellulose:

Species	: Rat
NOAEL	: $\geq 9,000$ mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Moxifloxacin HCL:

Ingestion	: Symptoms: Nausea, Abdominal pain, Headache, Dizziness, central nervous system effects, joint pain
-----------	---

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cellulose:

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date : 17.06.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET

according to the Globally Harmonized System



Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.0	17.06.2025	1732268-00017	Date of first issue: 05.06.2017

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN