

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

SECTION 1: IDENTIFICATION

Product name : Timolol Formulation

Manufacturer or supplier's details

Company : MSD

Address : Building A - Level 1/26 Talavera Rd
Macquarie Park NSW, Australia 2113

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Specific target organ toxicity - repeated exposure : Category 1 (Cardio-vascular system, Lungs)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H372 Causes damage to organs (Cardio-vascular system, Lungs) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Timolol Formulation

Version 4.0	Revision Date: 14.04.2025	SDS Number: 1598379-00017	Date of last issue: 06.04.2024 Date of first issue: 01.05.2017
----------------	------------------------------	------------------------------	---

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate	26921-17-5	< 1
Benzodecinium bromide	7281-04-1	< 1

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	14.04.2025	1598379-00017	06.04.2024
			Date of first issue: 01.05.2017

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Metal oxides
Phosphorus compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.
-

Timolol Formulation

Version 4.0	Revision Date: 14.04.2025	SDS Number: 1598379-00017	Date of last issue: 06.04.2024 Date of first issue: 01.05.2017
----------------	------------------------------	------------------------------	---

- Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate	26921-17-5	TWA	10 µg/m ³ (OEB 3)	Internal
	Further information: Eye, Skin			
		Wipe limit	100 µg/100 cm ²	Internal
Benzodecinium bromide	7281-04-1	TWA	>= 100 < 1000 µg/m ³ (OEB 2)	Internal

- Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	14.04.2025	1598379-00017	06.04.2024
			Date of first issue: 01.05.2017

Minimize open handling.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution
Colour	:	Colorless to pale yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

Acute toxicity

Not classified based on available information.

Components:**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Acute oral toxicity	: LD50 (Rat): 1,000 mg/kg
	LD50 (Mouse): 1,140 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Mouse): 300 mg/kg
	Application Route: Intraperitoneal
	LD50 (Mouse): 800 mg/kg
	Application Route: Subcutaneous

Benzodecinium bromide:

Acute oral toxicity	: LD50 (Rat): 230 mg/kg
Acute inhalation toxicity	: Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 - 5,000 mg/kg
	Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Species	: Rabbit
Method	: Draize Test
Result	: No skin irritation

Benzodecinium bromide:

Species	: Rabbit
Result	: Corrosive after 4 hours or less of exposure
Remarks	: Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Species	: Rabbit
Result	: Mild eye irritation

Species	: Dog
Result	: No eye irritation

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

Benzodecinium bromide:

Species	: Rabbit
Result	: Irreversible effects on the eye
Remarks	: Based on data from similar materials

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Benzodecinium bromide:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative

Benzodecinium bromide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

	Test Type: Chromosome aberration test in vitro
	Method: OECD Test Guideline 473
	Result: negative
	Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Mouse
	Application Route: Ingestion
	Method: OECD Test Guideline 474
	Result: negative
	Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
LOAEL	: 300 mg/kg body weight
Result	: negative
Target Organs	: Adrenal gland
Remarks	: The significance of these findings for humans is not certain.

Species	: Mouse, female
Application Route	: Oral
Exposure time	: 18 Months
LOAEL	: 500 mg/kg body weight
Result	: negative
Target Organs	: Lungs, Mammary gland, Uterus (including cervix)
Remarks	: The significance of these findings for humans is not certain.

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Benzodecinium bromide:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: negative
Remarks	: Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Timolol Formulation

Version 4.0	Revision Date: 14.04.2025	SDS Number: 1598379-00017	Date of last issue: 06.04.2024 Date of first issue: 01.05.2017
----------------	------------------------------	------------------------------	---

Components:**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Fertility: NOAEL Mating/Fertility: 150 mg/kg body weight Early Embryonic Development: NOAEL F1: 150 mg/kg body weight
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Developmental Toxicity: LOAEL F1: 50 mg/kg body weight Result: Some evidence of adverse effects on development, based on animal experiments.
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

Benzodecinium bromide:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Cardio-vascular system, Lungs) through prolonged or repeated exposure.

Product:

Target Organs	: Cardio-vascular system, Lungs
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Components:**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Target Organs	: Lungs, Cardio-vascular system
Assessment	: Causes damage to organs through prolonged or repeated

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

II exposure.

Repeated dose toxicity**Components:****(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Species	: Rat
NOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 67 Weeks

Species	: Dog
NOAEL	: 10 mg/kg
Application Route	: Oral
Exposure time	: 54 Weeks
Target Organs	: Kidney

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Product:**

General Information	: May cause Stomach/intestinal disorders Respiratory disorders Symptoms: Irregular cardiac activity, central nervous system effects
Eye contact	: Symptoms: burning or stinging of the eye

Components:**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Eye contact	: Symptoms: burning or stinging of the eye, dryness of the eyes, Headache, Nausea, Dizziness, dry mouth, changes in libido, hair loss, Allergic reactions
Ingestion	: Symptoms: Headache, Fatigue, Respiratory disorders, Gastrointestinal discomfort, Allergic reactions, Rash, hair loss, altered mental status, Dizziness, changes in libido

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 411 mg/l Exposure time: 96 h
Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): 161 mg/l

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
4.0	14.04.2025	1598379-00017	06.04.2024
			Date of first issue: 01.05.2017

aquatic invertebrates	Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition
	EC50 (Photobacterium phosphoreum): > 1,800 mg/l

Benzodecinium bromide:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	EC10 (Pseudokirchneriella subcapitata (green algae)): > 0.001 - 0.01 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): > 0.01 - 0.1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50: > 10 - 100 mg/l Exposure time: 30 min Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Persistence and degradability**Components:****(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 30 d

Stability in water : Hydrolysis: 0 %(61 d)
Method: FDA 3.09

Benzodecinium bromide:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Partition coefficient: n-octanol/water : log Pow: 1.48

Benzodecinium bromide:

Partition coefficient: n-octanol/water : log Pow: < 4
Remarks: Expert judgement

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

IATA-DGR

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

IMDG-Code

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Hazchem Code	: Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument	: Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date	:	14.04.2025
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

Timolol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
4.0	14.04.2025	1598379-00017	Date of first issue: 01.05.2017

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN