

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1 Revision Date: 2025/08/11 SDS Number: 2400317-00016 Date of last issue: 2025/04/14 Date of first issue: 2018/02/01

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Ertugliflozin (< 5%) / Sitagliptin Formulation

#### Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.  
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1	Revision Date: 2025/08/11	SDS Number: 2400317-00016	Date of last issue: 2025/04/14 Date of first issue: 2018/02/01
----------------	------------------------------	------------------------------	---

### Precautionary statements

#### : Prevention:

P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

#### : Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### : Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Important symptoms and out-lines of the emergency assumed : May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Sitagliptin Phosphate	654671-77-9	>= 30 - < 40	
Cellulose	9004-34-6	>= 20 - < 30	
Ertugliflozin	1210344-83-4	>= 3 - < 5	-
Magnesium stearate	557-04-0	>= 1 - < 10	2-611
Propyl 3,4,5-trihydroxybenzoate	121-79-9	>= 0.1 - < 1	3-1583

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1 Revision Date: 2025/08/11 SDS Number: 2400317-00016 Date of last issue: 2025/04/14 Date of first issue: 2018/02/01

---

In case of eye contact	for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
If swallowed	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
Most important symptoms and effects, both acute and delayed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Protection of first-aiders	: Causes skin irritation. Causes serious eye damage.
Notes to physician	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
	: Treat symptomatically and supportively.

---

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Metal oxides Oxides of phosphorus
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protection : Use personal protective equipment.

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1	Revision Date: 2025/08/11	SDS Number: 2400317-00016	Date of last issue: 2025/04/14 Date of first issue: 2018/02/01
----------------	------------------------------	------------------------------	---

tive equipment and emergency procedures	Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	<ul style="list-style-type: none"><li>: Avoid release to the environment.</li><li>Prevent further leakage or spillage if safe to do so.</li><li>Retain and dispose of contaminated wash water.</li><li>Local authorities should be advised if significant spillages cannot be contained.</li></ul>
Methods and materials for containment and cleaning up	<ul style="list-style-type: none"><li>: Sweep up or vacuum up spillage and collect in suitable container for disposal.</li><li>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).</li><li>Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.</li><li>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</li><li>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</li></ul>

## 7. HANDLING AND STORAGE

### Handling

Technical measures	<ul style="list-style-type: none"><li>: Static electricity may accumulate and ignite suspended dust causing an explosion.</li><li>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.</li></ul>
Local/Total ventilation	<ul style="list-style-type: none"><li>: Use only with adequate ventilation.</li></ul>
Advice on safe handling	<ul style="list-style-type: none"><li>: Do not get on skin or clothing.</li><li>Do not breathe dust.</li><li>Do not swallow.</li><li>Do not get in eyes.</li><li>Wash skin thoroughly after handling.</li><li>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</li><li>Keep container tightly closed.</li><li>Minimize dust generation and accumulation.</li><li>Keep container closed when not in use.</li><li>Keep away from heat and sources of ignition.</li><li>Take precautionary measures against static discharges.</li><li>Take care to prevent spills, waste and minimize release to the environment.</li></ul>
Avoidance of contact	<ul style="list-style-type: none"><li>: Oxidizing agents</li></ul>
Hygiene measures	<ul style="list-style-type: none"><li>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.</li></ul>

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1	Revision Date: 2025/08/11	SDS Number: 2400317-00016	Date of last issue: 2025/04/14 Date of first issue: 2018/02/01
----------------	------------------------------	------------------------------	---

When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
Sitagliptin Phosphate	654671-77-9	TWA	0.6 mg/m <sup>3</sup> (OEB 2)	Internal
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
Ertugliflozin	1210344-83-4	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m <sup>3</sup>	ACGIH

### Engineering measures

: All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version  
8.1

Revision Date:  
2025/08/11

SDS Number:  
2400317-00016

Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: powder
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point, initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Lower explosion limit and upper explosion limit / flammability limit	
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: Not applicable

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

Decomposition temperature	: No data available
pH	: No data available
Evaporation rate	: Not applicable
Auto-ignition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Vapour pressure	: Not applicable
Density and / or relative density	
Relative density	: No data available
Density	: No data available
Relative vapour density	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Sitagliptin Phosphate:**

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg  
LD50 (Mouse): 3,000 mg/kg

##### **Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **Ertugliflozin:**

Acute oral toxicity : LD50 (Rat): 500 mg/kg  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : Remarks: No data available

##### **Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

##### **Propyl 3,4,5-trihydroxybenzoate:**

Acute oral toxicity : LD50 (Mouse): 1,700 mg/kg

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

**Acute dermal toxicity** : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Components:**

##### **Sitagliptin Phosphate:**

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

##### **Ertugliflozin:**

Result : Corrosive

##### **Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

##### **Propyl 3,4,5-trihydroxybenzoate:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Components:**

##### **Sitagliptin Phosphate:**

Species : Rabbit  
Result : Irritating to eyes.  
Method : Draize Test

##### **Ertugliflozin:**

Result : Severe irritation

##### **Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1 Revision Date: 2025/08/11 SDS Number: 2400317-00016 Date of last issue: 2025/04/14 Date of first issue: 2018/02/01

---

### Propyl 3,4,5-trihydroxybenzoate:

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Sitagliptin Phosphate:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Not a skin sensitizer.

##### Ertugliflozin:

Test Type : Local lymph node assay (LLNA)  
Result : Not a skin sensitizer.

##### Magnesium stearate:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

##### Propyl 3,4,5-trihydroxybenzoate:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : positive  
  
Assessment : Probability or evidence of skin sensitisation in humans

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Sitagliptin Phosphate:

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version  
8.1

Revision Date:  
2025/08/11

SDS Number:  
2400317-00016

Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

Genotoxicity in vivo

- Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

### Cellulose:

Genotoxicity in vitro

- Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo

- Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Ertugliflozin:

Genotoxicity in vitro

- Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo

- Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Result: negative

### Magnesium stearate:

Genotoxicity in vitro

- Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

Result: negative  
Remarks: Based on data from similar materials

### Propyl 3,4,5-trihydroxybenzoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Test Type: Chromosome aberration test in vitro  
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Sitagliptin Phosphate:

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Rat  
Application Route : oral (drinking water)  
Exposure time : 2 Years  
Result : positive  
Target Organs : Liver  
Remarks : Significant toxicity observed in testing

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### Cellulose:

Species : Rat  
Application Route : Ingestion

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

Exposure time : 72 weeks  
Result : negative

### **Ertugliflozin:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### **Propyl 3,4,5-trihydroxybenzoate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Sitagliptin Phosphate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL Parent: 1,000 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Teratogenicity: LOAEL: 250 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rabbit  
Teratogenicity: NOAEL: 125 mg/kg body weight  
Result: No teratogenic effects

#### **Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Ertugliflozin:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 250 mg/kg body weight  
Remarks: Maternal toxicity observed.  
No significant adverse effects were reported

Test Type: Fertility/early embryonic development  
Species: Rabbit  
Application Route: Oral  
Fertility: NOAEL: 200 mg/kg body weight  
Remarks: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 50 mg/kg body weight  
Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 250 mg/kg body weight  
Remarks: No significant adverse effects were reported

### **Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### **Propyl 3,4,5-trihydroxybenzoate:**

**Ertugliflozin (< 5%) / Sitagliptin Formulation**

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Ertugliflozin:**

Exposure routes : Oral  
Target Organs : Kidney, Stomach, Prostate  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Sitagliptin Phosphate:**

Species : Mouse  
NOAEL : 500 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : > 2 yr  
Target Organs : Kidney

Species : Rat  
NOAEL : 500 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Liver, Kidney, Heart, Teeth

Species : Dog  
NOAEL : 10 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Oral  
Exposure time : 53 Weeks  
Target Organs : Central nervous system  
Symptoms : Loss of balance  
Remarks : The mechanism or mode of action may not be relevant in humans.

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

Species : Dog  
NOAEL : 2 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 27 Weeks  
Target Organs : Skeletal muscle, Central nervous system  
Symptoms : Loss of balance  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Monkey  
NOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Remarks : No significant adverse effects were reported

### Cellulose:

Species : Rat  
NOAEL : >= 9,000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### Ertugliflozin:

Species : Rat  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 30 d

Species : Rat  
LOAEL : 250 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Kidney

Species : Rat  
LOAEL : 25 mg/kg  
Application Route : Oral  
Exposure time : 180 d  
Target Organs : Kidney, Bone, Stomach

Species : Rat  
LOAEL : 25 mg/kg  
Exposure time : 90 d  
Target Organs : Kidney, Gastrointestinal tract, Prostate

Species : Dog  
NOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 270 d  
Remarks : No significant adverse effects were reported

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

Species : Mouse  
NOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Remarks : No significant adverse effects were reported

Species : Mouse  
NOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Target Organs : Bone  
Remarks : No significant adverse effects were reported

### **Magnesium stearate:**

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

### **Propyl 3,4,5-trihydroxybenzoate:**

Species : Rat  
NOAEL : 135 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

##### **Sitagliptin Phosphate:**

Inhalation : Symptoms: upper respiratory tract infection, pharyngitis, Headache  
Ingestion : Symptoms: upper respiratory tract infection, nasopharyngitis, Headache, Nausea, Abdominal pain, Diarrhoea

##### **Ertugliflozin:**

Ingestion : Symptoms: The most common side effects are:, Headache, constipation, Diarrhoea, Nausea, urinary tract infection, muscle pain, upper respiratory tract infection

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version  
8.1

Revision Date:  
2025/08/11

SDS Number:  
2400317-00016

Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Sitagliptin Phosphate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 60 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 39 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 9.2 mg/l  
Exposure time: 33 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

##### **Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

##### **Ertugliflozin:**

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 77 mg/l  
Exposure time: 72 h

**Ertugliflozin (< 5%) / Sitagliptin Formulation**Version  
8.1Revision Date:  
2025/08/11SDS Number:  
2400317-00016Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 50 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.14 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
  
NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Magnesium stearate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1 Revision Date: 2025/08/11 SDS Number: 2400317-00016 Date of last issue: 2025/04/14 Date of first issue: 2018/02/01

---

Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### **Propyl 3,4,5-trihydroxybenzoate:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 19.6 mg/l  
Exposure time: 48 h  
Test substance: Neutralised product  
Method: OECD Test Guideline 202  
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.22 mg/l  
Exposure time: 72 h  
Test substance: Neutralised product  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline  
  
EC10 (Pseudokirchneriella subcapitata (green algae)): 0.096 mg/l  
Exposure time: 72 h  
Test substance: Neutralised product  
Method: OECD Test Guideline 201  
Remarks: The test was conducted according to guideline

M-Factor (Acute aquatic toxicity) : 1  
M-Factor (Chronic aquatic toxicity) : 1  
Toxicity to microorganisms : EC50 (activated sludge): 636 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **Persistence and degradability**

#### **Components:**

#### **Sitagliptin Phosphate:**

Biodegradability : Result: not rapidly degradable  
Biodegradation: 39.7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314  
  
Stability in water : Hydrolysis: 50 %(401 d)  
Method: OECD Test Guideline 111

#### **Cellulose:**

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

**Biodegradability** : Result: Readily biodegradable.

### **Ertugliflozin:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 40.8 %  
Exposure time: 28 d

### **Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

### **Propyl 3,4,5-trihydroxybenzoate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 49.4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

## Bioaccumulative potential

### Components:

#### **Sitagliptin Phosphate:**

Partition coefficient: n-octanol/water : log Pow: -0.03

#### **Ertugliflozin:**

Partition coefficient: n-octanol/water : log Pow: 2.47

#### **Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

#### **Propyl 3,4,5-trihydroxybenzoate:**

Partition coefficient: n-octanol/water : log Pow: 1.8  
Remarks: Calculation

## Mobility in soil

### Components:

#### **Sitagliptin Phosphate:**

Distribution among environmental compartments : log Koc: 4.37

#### **Ertugliflozin:**

Distribution among environmental compartments : log Koc: 2.88

## Hazardous to the ozone layer

Not applicable

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1      Revision Date: 2025/08/11      SDS Number: 2400317-00016      Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

#### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version 8.1 Revision Date: 2025/08/11 SDS Number: 2400317-00016 Date of last issue: 2025/04/14 Date of first issue: 2018/02/01

---

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

#### Industrial Safety and Health Law

##### Harmful Substances Prohibited from Manufacture

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

##### Substances Prevented From Impairment of Health

Not applicable

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

Chemical name	Concentration (%)	Remarks
Magnesium stearate	>=1 - <10	-
Prop-1-yl 3,4,5-trihydroxybenzoate	>=0.1 - <1	From April 1st, 2025

#### Substances Subject to be Indicated Names

Law Article 57 (Ministerial Order Article 30 Appended Table 2)

Chemical name	Remarks
Magnesium stearate	-

#### Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

#### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version  
8.1

Revision Date:  
2025/08/11

SDS Number:  
2400317-00016

Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

### Ordinance on Prevention of Lead Poisoning

Not applicable

### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

### Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

### Poisonous and Deleterious Substances Control Law

Not applicable

### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

### High Pressure Gas Safety Act

Not applicable

### Explosive Control Law

Not applicable

### Vessel Safety Law

Not regulated as a dangerous good

### Aviation Law

Not regulated as a dangerous good

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

### Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

### Waste Disposal and Public Cleansing Law

Industrial waste

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

**Ertugliflozin (< 5%) / Sitagliptin Formulation**Version  
8.1Revision Date:  
2025/08/11SDS Number:  
2400317-00016Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01**16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only

# SAFETY DATA SHEET



## Ertugliflozin (< 5%) / Sitagliptin Formulation

Version  
8.1

Revision Date:  
2025/08/11

SDS Number:  
2400317-00016

Date of last issue: 2025/04/14  
Date of first issue: 2018/02/01

---

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN