

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

### Section 1: Identification

**Product identifier** : Sitagliptin / Ipragliflozin L-Proline Formulation

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

**Manufacturer or supplier's details**

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

**Classification of the substance or mixture**

Serious eye damage/eye irritation : Category 2  
Reproductive toxicity : Category 2  
Specific target organ toxicity - repeated exposure : Category 2 (Kidney, Liver)

**GHS Label elements, including precautionary statements**

Hazard pictograms : The image shows two diamond-shaped hazard pictograms. The left one contains a stylized eye with a cross over it, indicating serious eye damage. The right one contains a large exclamation mark inside a triangle, indicating hazard statement H373.

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Kidney, Liver) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version  
4.1

Revision Date:  
11.08.2025

SDS Number:  
3121446-00015

Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 18.9 %

### Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 30 -< 50
Ipragliflozin L-proline	951382-34-6	>= 10 -< 20
Sitagliptin Phosphate	654671-77-9	>= 10 -< 20
Magnesium stearate	557-04-0	>= 1 -< 10

### Section 4: First-aid measures

#### Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1 Revision Date: 11.08.2025 SDS Number: 3121446-00015 Date of last issue: 14.04.2025 Date of first issue: 28.08.2018

---

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

### Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of the skin.  
Causes serious eye irritation.  
Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

### Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## Section 5: Fire-fighting measures

### Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

### Section 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

#### Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### Section 7: Handling and storage

#### Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version  
4.1

Revision Date:  
11.08.2025

SDS Number:  
3121446-00015

Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.  
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Store in accordance with the particular national regulations.  
Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

---

## Section 8: Exposure controls/personal protection

### Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cellulose	9004-34-6	PEL (long term)	10 mg/m3	SG OEL
		TWA	10 mg/m3	ACGIH
Ipragliflozin L-proline	951382-34-6	TWA	0.4 mg/m3 (OEB 2)	Internal
Sitagliptin Phosphate	654671-77-9	TWA	0.6 mg/m3 (OEB 2)	Internal
Magnesium stearate	557-04-0	PEL (long term)	10 mg/m3	SG OEL
		TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

		ter)	
--	--	------	--

<b>Appropriate engineering control measures</b>	: Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
<b>Individual protection measures, such as personal protective equipment (PPE)</b>	
Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin protection	: Work uniform or laboratory coat.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves

---

### Section 9: Physical and chemical properties

Appearance	: powder
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

---

### Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Information on likely routes of : Inhalation

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1 Revision Date: 11.08.2025 SDS Number: 3121446-00015 Date of last issue: 14.04.2025 Date of first issue: 28.08.2018

---

exposure Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **Ipragliflozin L-proline:**

Acute oral toxicity : LD50 (Rat): < 1,000 mg/kg  
LDLo (Monkey): >= 1,000 mg/kg

##### **Sitagliptin Phosphate:**

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg  
LD50 (Mouse): 3,000 mg/kg

##### **Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Not classified based on available information.

#### Components:

##### **Sitagliptin Phosphate:**

Species : Rabbit  
Method : Draize Test

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

Result : No skin irritation

### **Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Components:**

#### **Ipragliflozin L-proline:**

Species : Rabbit  
Result : Mild eye irritation

#### **Sitagliptin Phosphate:**

Species : Rabbit  
Result : Irritating to eyes.  
Method : Draize Test

#### **Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **Ipragliflozin L-proline:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Result : Not a skin sensitizer.

#### **Sitagliptin Phosphate:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Not a skin sensitizer.

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

### **Magnesium stearate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Ipragliflozin L-proline:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster lung cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Cell type: Bone marrow  
Result: negative

#### **Sitagliptin Phosphate:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes

**Sitagliptin / Ipragliflozin L-Proline Formulation**

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

**Magnesium stearate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

**Ipragliflozin L-proline:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 years  
NOAEL : 500 mg/kg body weight  
Result : negative

Species : Rat, male  
Application Route : Oral  
Exposure time : 2 years  
NOAEL : 12.5 mg/kg body weight  
LOAEL : 40 mg/kg body weight  
Result : positive  
Remarks : The mechanism or mode of action is not relevant in humans.

Species : Rat, female  
Application Route : Oral  
Exposure time : 2 years  
LOAEL : > 125 mg/kg body weight

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

Result : positive  
Remarks : The mechanism or mode of action is not relevant in humans.

### **Sitagliptin Phosphate:**

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Rat  
Application Route : oral (drinking water)  
Exposure time : 2 Years  
Result : positive  
Target Organs : Liver  
Remarks : Significant toxicity observed in testing

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### **Reproductive toxicity**

Suspected of damaging the unborn child.

### **Components:**

#### **Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Ipragliflozin L-proline:**

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Result: Maternal toxicity observed., Reduced foetal weight

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Result: Maternal toxicity observed., Reduced foetal weight

Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral

**Sitagliptin / Ipragliflozin L-Proline Formulation**

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Effects on postnatal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**Sitagliptin Phosphate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL Parent: 1,000 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Teratogenicity: LOAEL: 250 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rabbit  
Teratogenicity: NOAEL: 125 mg/kg body weight  
Result: No teratogenic effects

**Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Kidney, Liver) through prolonged or repeated exposure.

**Components:****Ipragliflozin L-proline:**

Target Organs : Kidney, Liver  
Assessment : May cause damage to organs through prolonged or repeated

**Sitagliptin / Ipragliflozin L-Proline Formulation**

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

exposure.

**Repeated dose toxicity****Components:****Cellulose:**

Species : Rat  
NOAEL : >= 9,000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Ipragliflozin L-proline:**

Species : Rat  
NOAEL : 0.1 mg/kg  
Application Route : Oral  
Exposure time : 26 weeks  
Target Organs : Kidney, Liver, Gastrointestinal tract

Species : Monkey, male and female  
NOAEL : 1 - 10 mg/kg  
LOAEL : 10 - 300 mg/kg  
Application Route : Oral  
Exposure time : 52 weeks  
Target Organs : Kidney, Liver

**Sitagliptin Phosphate:**

Species : Mouse  
NOAEL : 500 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : > 2 yr  
Target Organs : Kidney

Species : Rat  
NOAEL : 500 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Liver, Kidney, Heart, Teeth

Species : Dog  
NOAEL : 10 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Oral  
Exposure time : 53 Weeks  
Target Organs : Central nervous system  
Symptoms : Loss of balance  
Remarks : The mechanism or mode of action may not be relevant in humans.

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1 Revision Date: 11.08.2025 SDS Number: 3121446-00015 Date of last issue: 14.04.2025 Date of first issue: 28.08.2018

---

Species : Dog  
NOAEL : 2 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 27 Weeks  
Target Organs : Skeletal muscle, Central nervous system  
Symptoms : Loss of balance  
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Monkey  
NOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Remarks : No significant adverse effects were reported

### **Magnesium stearate:**

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

##### **Ipragliflozin L-proline:**

Skin contact : Target Organs: Skin  
Symptoms: Eczema  
Ingestion : Target Organs: Kidney  
Symptoms: constipation, Thirst

##### **Sitagliptin Phosphate:**

Inhalation : Symptoms: upper respiratory tract infection, pharyngitis, Headache  
Ingestion : Symptoms: upper respiratory tract infection, nasopharyngitis, Headache, Nausea, Abdominal pain, Diarrhoea

---

## Section 12: Ecological information

### **Toxicity**

#### **Components:**

##### **Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

**Sitagliptin / Ipragliflozin L-Proline Formulation**

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

**Ipragliflozin L-proline:****Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

**Sitagliptin Phosphate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 60 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 39 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 9.2 mg/l  
Exposure time: 33 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 150 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

**Magnesium stearate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

##### **Sitagliptin Phosphate:**

Biodegradability : Result: not rapidly degradable  
Biodegradation: 39.7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(401 d)  
Method: OECD Test Guideline 111

##### **Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1      Revision Date: 11.08.2025      SDS Number: 3121446-00015      Date of last issue: 14.04.2025  
Date of first issue: 28.08.2018

---

### Bioaccumulative potential

#### Components:

##### **Sitagliptin Phosphate:**

Partition coefficient: n-octanol/water : log Pow: -0.03

##### **Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

### Mobility in soil

#### Components:

##### **Sitagliptin Phosphate:**

Distribution among environmental compartments : log Koc: 4.37

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### International Regulations

#### UNRTDG

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo) : Not applicable

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

Version 4.1 Revision Date: 11.08.2025 SDS Number: 3121446-00015 Date of last issue: 14.04.2025 Date of first issue: 28.08.2018

---

aircraft)

Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable

Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## Section 16: Other information

Revision Date : 11.08.2025

### Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD  
compile the Safety Data eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>  
Sheet

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health (General Provisions)

# SAFETY DATA SHEET



## Sitagliptin / Ipragliflozin L-Proline Formulation

---

Version 4.1	Revision Date: 11.08.2025	SDS Number: 3121446-00015	Date of last issue: 14.04.2025 Date of first issue: 28.08.2018
----------------	------------------------------	------------------------------	---

---

### Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average  
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN