

SAFETY DATA SHEET



Palonosetron Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 4720319-00013 Date of last issue: 04.12.2024 Date of first issue: 02.08.2019

SECTION 1. IDENTIFICATION

Product name : Palonosetron Formulation

Manufacturer or supplier's details

Company : MSD

Address : 855 Leandro N. Alem St., 8 Floor
Buenos Aires, Argentina C1001AFB

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Palonosetron Hydrochloride	135729-62-3	< 0,1

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

SAFETY DATA SHEET



Palonosetron Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 4720319-00013 Date of last issue: 04.12.2024 Date of first issue: 02.08.2019

Most important symptoms and effects, both acute and delayed	Get medical attention if symptoms occur. Rinse mouth thoroughly with water. None known.
Protection of first-aiders	No special precautions are necessary for first aid responders.
Notes to physician	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	None known.
Specific hazards during fire fighting	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	Carbon oxides
Specific extinguishing methods	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

Palonosetron FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
4720319-00013Date of last issue: 04.12.2024
Date of first issue: 02.08.2019

container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Palonosetron Hydrochloride	135729-62-3	TWA	0.4 µg/m ³ (OEB 5)	Internal
		Wipe limit	4 µg/100 cm ²	Internal

Engineering measures : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.
Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

Palonosetron Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 4720319-00013	Date of last issue: 04.12.2024 Date of first issue: 02.08.2019
----------------	------------------------------	------------------------------	---

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
No open handling permitted.
Totally enclosed processes and materials transport systems are required.
Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aqueous solution
Color	: clear
Odor	: No data available
Odor Threshold	: No data available
pH	: 4,5 - 5,5

SAFETY DATA SHEET



Palonosetron Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 4720319-00013 Date of last issue: 04.12.2024
Date of first issue: 02.08.2019

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1,015 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.

Palonosetron Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 4720319-00013 Date of last issue: 04.12.2024
Date of first issue: 02.08.2019

Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
--	--

Acute toxicity

Not classified based on available information.

Components:**Palonosetron Hydrochloride:**

Acute oral toxicity	: LDLo (Rat): 250 mg/kg LDLo (Mouse): 100 mg/kg LDLo (Dog): 50 mg/kg
---------------------	--

Skin corrosion/irritation

Not classified based on available information.

Components:**Palonosetron Hydrochloride:**

Remarks	: No skin irritation
---------	----------------------

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:**Palonosetron Hydrochloride:**

Genotoxicity in vitro	: Test Type: Ames test Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
-----------------------	---

Palonosetron FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
4720319-00013Date of last issue: 04.12.2024
Date of first issue: 02.08.2019

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster cells

Result: positive

Genotoxicity in vivo

: Test Type: In vivo micronucleus test

Species: Mouse

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:**Palonosetron Hydrochloride:**

Effects on fertility

: Test Type: Fertility
Species: Rat, male
Application Route: Intravenous
Fertility: NOAEL: 10 mg/kg body weight
Symptoms: No adverse effects.Test Type: Fertility
Species: Rat
Application Route: Oral
Fertility: NOAEL: > 30 mg/kg body weight
Symptoms: No effects on fertility.

Effects on fetal development

: Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 18 mg/kg body weight
Embryo-fetal toxicity: LOAEL: > 60 mg/kg body weight
Symptoms: Reduced body weight, No effects on fetal development., Reduced fetal weight.Test Type: Development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: LOAEL: 120 mg/kg body weight
Developmental Toxicity: NOAEL: 90 mg/kg body weight
Symptoms: No effects on fetal development.**STOT-single exposure**

Not classified based on available information.

Palonosetron Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 4720319-00013 Date of last issue: 04.12.2024
Date of first issue: 02.08.2019

STOT-repeated exposure

Not classified based on available information.

Components:**Palonosetron Hydrochloride:**

Routes of exposure	:	Ingestion
Target Organs	:	Gastrointestinal tract, Kidney, Central nervous system, Testis
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Palonosetron Hydrochloride:**

Species	:	Mouse
NOAEL	:	60 mg/kg
LOAEL	:	150 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Kidney, male reproductive organs
Remarks	:	May cause damage to organs.

Species	:	Rat
NOAEL	:	18 mg/kg
LOAEL	:	> 60 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	male reproductive organs, Liver
Remarks	:	Significant toxicity observed in testing

Species	:	Dog
LOAEL	:	20 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Central nervous system, Testis
Remarks	:	Significant toxicity observed in testing

Species	:	Rat
NOAEL	:	7 mg/kg
Application Route	:	Intravenous
Exposure time	:	6 Months
Target Organs	:	Central nervous system, Gastrointestinal tract
Remarks	:	Significant toxicity observed in testing

Species	:	Dog
NOAEL	:	6 mg/kg
Application Route	:	Intravenous
Exposure time	:	9 Months
Target Organs	:	Central nervous system, Gastrointestinal tract
Symptoms	:	Vomiting
Remarks	:	Significant toxicity observed in testing

SAFETY DATA SHEET



Palonosetron Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 4720319-00013 Date of last issue: 04.12.2024
Date of first issue: 02.08.2019

Aspiration toxicity

Not classified based on available information.

Components:

Palonosetron Hydrochloride:

|| Not applicable

Experience with human exposure

Components:

Palonosetron Hydrochloride:

|| Ingestion : Symptoms: The most common side effects are:, Headache, Diarrhea, Dizziness, Weakness, anxiety

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Palonosetron Hydrochloride:

Ecotoxicology Assessment

|| Acute aquatic toxicity : Toxic effects cannot be excluded, No data available

|| Chronic aquatic toxicity : Toxic effects cannot be excluded, No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET



Palonosetron Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 4720319-00013 Date of last issue: 04.12.2024
Date of first issue: 02.08.2019

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

SAFETY DATA SHEET



Palonosetron Formulation

Version
3.0

Revision Date:
14.04.2025

SDS Number:
4720319-00013

Date of last issue: 04.12.2024
Date of first issue: 02.08.2019

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8