

SAFETY DATA SHEET



Palonosetron Formulation

| | | | |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|
| Version 8.0 | Revision Date: 2025/04/14 | SDS Number: 4720324-00015 | Date of last issue: 2024/12/04 Date of first issue: 2019/08/02 |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Palonosetron Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) | ENCS No. |
|--------------------------------------------------|-------------|-----------------------|----------|
| Ethylenediaminetetraacetic acid disodium salt | 139-33-3 | < 0.1 | 2-1265 |
| Palonosetron Hydrochloride | 135729-62-3 | < 0.1 | - |

4. FIRST AID MEASURES

SAFETY DATA SHEET



Palonosetron Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
4720324-00015

Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

| | |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| If inhaled | : If inhaled, remove to fresh air. Get medical attention if symptoms occur. |
| In case of skin contact | : Wash with water and soap as a precaution. Get medical attention if symptoms occur. |
| In case of eye contact | : Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. |
| If swallowed | : If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : None known. |
| Protection of first-aiders | : No special precautions are necessary for first aid responders. |
| Notes to physician | : Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

| | |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire-fighting | : Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). |

Palonosetron Formulation

| | | | |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|
| Version 8.0 | Revision Date: 2025/04/14 | SDS Number: 4720324-00015 | Date of last issue: 2024/12/04 Date of first issue: 2019/08/02 |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|

Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE**Handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

Palonosetron Formulation

| | | | |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|
| Version 8.0 | Revision Date: 2025/04/14 | SDS Number: 4720324-00015 | Date of last issue: 2024/12/04 Date of first issue: 2019/08/02 |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Concentra- tion standard / Permissible con- centration | Basis |
|----------------------------|-------------|-------------------------------------|-------------------------------------------------------------------------------------------|----------|
| Palonosetron Hydrochloride | 135729-62-3 | TWA | 0.4 µg/m ³ (OEB 5) | Internal |
| | | Wipe limit | 4 µg/100 cm ² | Internal |

Engineering measures : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted. Totally enclosed processes and materials transport systems are required. Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions,

SAFETY DATA SHEET



Palonosetron Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
4720324-00015

Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

Skin and body protection

mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Aqueous solution

Colour : clear

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- : No data available
per flammability limit

Lower explosion limit / : No data available
Lower flammability limit

Flash point : No data available

Decomposition temperature : No data available

pH : 4.5 - 5.5

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : No data available

SAFETY DATA SHEET



Palonosetron Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 4720324-00015 Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Density and / or relative density
Relative density : No data available

Density : 1.015 g/cm³

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Ethylenediaminetetraacetic acid disodium salt:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 1 mg/l
Exposure time: 6 h

SAFETY DATA SHEET



Palonosetron Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 4720324-00015 Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

Test atmosphere: dust/mist
Method: OECD Test Guideline 412

Palonosetron Hydrochloride:

Acute oral toxicity : LDLo (Rat): 250 mg/kg
LDLo (Mouse): 100 mg/kg
LDLo (Dog): 50 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Palonosetron Hydrochloride:

Remarks : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ethylenediaminetetraacetic acid disodium salt:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethylenediaminetetraacetic acid disodium salt:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethylenediaminetetraacetic acid disodium salt:

SAFETY DATA SHEET



Palonosetron Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 4720324-00015 Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

| | |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials |
| | Test Type: In vitro mammalian cell gene mutation test Result: negative |
| | Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials |
| Genotoxicity in vivo | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative |

Palonosetron Hydrochloride:

| | |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Ames test Result: negative |
| | Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative |
| | Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative |
| | Test Type: Chromosome aberration test in vitro Test system: Chinese hamster cells Result: positive |
| Genotoxicity in vivo | : Test Type: In vivo micronucleus test Species: Mouse Result: negative |

Carcinogenicity

Not classified based on available information.

Components:

Ethylenediaminetetraacetic acid disodium salt:

| | |
|-------------------|----------------------------------------|
| Species | : Rat |
| Application Route | : Ingestion |
| Exposure time | : 103 weeks |
| Result | : negative |
| Remarks | : Based on data from similar materials |

SAFETY DATA SHEET



Palonosetron Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
4720324-00015

Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

Reproductive toxicity

Not classified based on available information.

Components:

Ethylenediaminetetraacetic acid disodium salt:

| | |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : Test Type: Four-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials |
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative |

Palonosetron Hydrochloride:

| | |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : Test Type: Fertility Species: Rat, male Application Route: Intravenous Fertility: NOAEL: 10 mg/kg body weight Symptoms: No adverse effects |
| | : Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: > 30 mg/kg body weight Symptoms: No effects on fertility |
| Effects on foetal development | : Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 18 mg/kg body weight Embryo-foetal toxicity: LOAEL: > 60 mg/kg body weight Symptoms: Reduced body weight, No effects on foetal development, Reduced foetal weight |
| | : Test Type: Development Species: Rabbit Application Route: Oral General Toxicity Maternal: LOAEL: 120 mg/kg body weight Developmental Toxicity: NOAEL: 90 mg/kg body weight Symptoms: No effects on foetal development |

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Palonosetron Formulation

| | | | |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|
| Version 8.0 | Revision Date: 2025/04/14 | SDS Number: 4720324-00015 | Date of last issue: 2024/12/04 Date of first issue: 2019/08/02 |
|----------------|------------------------------|------------------------------|-------------------------------------------------------------------|

Components:**Ethylenediaminetetraacetic acid disodium salt:**

| | | |
|-----------------|---|--------------------------------------------------------------------|
| Exposure routes | : | inhalation (dust/mist/fume) |
| Target Organs | : | Respiratory Tract |
| Assessment | : | May cause damage to organs through prolonged or repeated exposure. |

Palonosetron Hydrochloride:

| | | |
|-----------------|---|--------------------------------------------------------------------|
| Exposure routes | : | Ingestion |
| Target Organs | : | Gastrointestinal tract, Kidney, Central nervous system, Testis |
| Assessment | : | May cause damage to organs through prolonged or repeated exposure. |

Repeated dose toxicity**Components:****Ethylenediaminetetraacetic acid disodium salt:**

| | | |
|-------------------|---|-----------|
| Species | : | Rat |
| NOAEL | : | 500 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 13 Weeks |

| | | |
|-------------------|---|-----------------------------|
| Species | : | Rat |
| LOAEL | : | 0.03 mg/l |
| Application Route | : | inhalation (dust/mist/fume) |
| Exposure time | : | 4 Weeks |
| Method | : | OECD Test Guideline 412 |

Palonosetron Hydrochloride:

| | | |
|-------------------|---|----------------------------------|
| Species | : | Mouse |
| NOAEL | : | 60 mg/kg |
| LOAEL | : | 150 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 3 Months |
| Target Organs | : | Kidney, male reproductive organs |
| Remarks | : | May cause damage to organs. |

| | | |
|-------------------|---|------------------------------------------|
| Species | : | Rat |
| NOAEL | : | 18 mg/kg |
| LOAEL | : | > 60 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 3 Months |
| Target Organs | : | male reproductive organs, Liver |
| Remarks | : | Significant toxicity observed in testing |

| | | |
|-------------------|---|----------|
| Species | : | Dog |
| LOAEL | : | 20 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 3 Months |

SAFETY DATA SHEET



Palonosetron Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 4720324-00015 Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

| | | |
|-------------------|---|------------------------------------------------|
| Target Organs | : | Central nervous system, Testis |
| Remarks | : | Significant toxicity observed in testing |
| Species | : | Rat |
| NOAEL | : | 7 mg/kg |
| Application Route | : | Intravenous |
| Exposure time | : | 6 Months |
| Target Organs | : | Central nervous system, Gastrointestinal tract |
| Remarks | : | Significant toxicity observed in testing |
| Species | : | Dog |
| NOAEL | : | 6 mg/kg |
| Application Route | : | Intravenous |
| Exposure time | : | 9 Months |
| Target Organs | : | Central nervous system, Gastrointestinal tract |
| Symptoms | : | Vomiting |
| Remarks | : | Significant toxicity observed in testing |

Aspiration toxicity

Not classified based on available information.

Components:

Palonosetron Hydrochloride:

Not applicable

Experience with human exposure

Components:

Palonosetron Hydrochloride:

Ingestion : Symptoms: The most common side effects are:, Headache, Diarrhoea, Dizziness, Weakness, anxiety

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethylenediaminetetraacetic acid disodium salt:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 140 mg/l
Exposure time: 48 h
Method: DIN 38412

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

SAFETY DATA SHEET



Palonosetron Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 4720324-00015 Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

| | |
|------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials |
| | EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 25 mg/l Exposure time: 21 d |
| Toxicity to microorganisms | : EC10 (activated sludge): > 500 mg/l Exposure time: 30 min Method: OECD Test Guideline 209 |

Palonosetron Hydrochloride:

Ecotoxicology Assessment

| | |
|--------------------------|-------------------------------------------------------|
| Acute aquatic toxicity | : Toxic effects cannot be excluded, No data available |
| Chronic aquatic toxicity | : Toxic effects cannot be excluded, No data available |

Persistence and degradability

Components:

Ethylenediaminetetraacetic acid disodium salt:

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------|
| Biodegradability | : Result: Not readily biodegradable. Biodegradation: 2 % Exposure time: 28 d Method: OECD Test Guideline 301D |
|------------------|------------------------------------------------------------------------------------------------------------------------|

Bioaccumulative potential

Components:

Ethylenediaminetetraacetic acid disodium salt:

| | |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Bioaccumulation | : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): < 500 Remarks: Based on data from similar materials |
| Partition coefficient: n-octanol/water | : log Pow: -4.3 |

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

SAFETY DATA SHEET



Palonosetron Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 4720324-00015 Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

SAFETY DATA SHEET



Palonosetron Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
4720324-00015

Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

| Chemical name | Number |
|--------------------------------------------------------------------------|--------|
| Sodium salt of 2,2',2'',2'''-(ethane-1,2-diyl)dinitrilo)tetraacetic acid | 268 |

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Not applicable

Substances Subject to be Indicated Names

Not applicable

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

SAFETY DATA SHEET



Palonosetron Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
4720324-00015

Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Not regulated as a dangerous good

Aviation Law

Not regulated as a dangerous good

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET



Palonosetron Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
4720324-00015

Date of last issue: 2024/12/04
Date of first issue: 2019/08/02

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN