

# SAFETY DATA SHEET



## Vericiguat Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 5598522-00012      Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

### Section 1: Identification

**Product identifier** : Vericiguat Formulation

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

**Manufacturer or supplier's details**

Company : MSD

Address : 50 Tuas West Drive  
Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

**Classification of the substance or mixture**

Specific target organ toxicity - : Category 2 (Cardio-vascular system)  
repeated exposure (Oral)

**GHS Label elements, including precautionary statements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H373 May cause damage to organs (Cardio-vascular system)  
through prolonged or repeated exposure if swallowed.

Precautionary statements :

**Prevention:**

P260 Do not breathe dust.

**Response:**

P314 Get medical advice/ attention if you feel unwell.

**Disposal:**

P501 Dispose of contents/ container to an approved waste  
disposal plant.

# SAFETY DATA SHEET



## Vericiguat Formulation

Version 4.0 Revision Date: 14.04.2025 SDS Number: 5598522-00012 Date of last issue: 04.12.2024 Date of first issue: 25.03.2020

---

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form combustible dust concentrations in air during processing, handling or other means.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 30 -< 50
Vericiguat	1350653-20-1	>= 1 -< 10
Magnesium stearate	557-04-0	>= 1 -< 10

## Section 4: First-aid measures

### Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

### Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of the skin.

Dust contact with the eyes can lead to mechanical irritation.

May cause damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

### Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## Section 5: Fire-fighting measures

### Extinguishing media

Suitable extinguishing media : Water spray

# SAFETY DATA SHEET



## Vericiguat Formulation

---

Version 4.0	Revision Date: 14.04.2025	SDS Number: 5598522-00012	Date of last issue: 04.12.2024 Date of first issue: 25.03.2020
----------------	------------------------------	------------------------------	---

---

Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and dis-

# SAFETY DATA SHEET



## Vericiguat Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
5598522-00012

Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### Section 7: Handling and storage

#### Precautions for safe handling

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

#### Conditions for safe storage, including any incompatibilities

Conditions for safe storage	: Keep in properly labelled containers. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

# SAFETY DATA SHEET



## Vericiguat Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 5598522-00012      Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

### Section 8: Exposure controls/personal protection

#### Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Vericiguat	1350653-20-1	TWA	4 µg/m <sup>3</sup> (OEB 4)	Internal
		Wipe limit	40 µg/100 cm <sup>2</sup>	Internal
Magnesium stearate	557-04-0	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

#### Appropriate engineering control measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

#### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.

# SAFETY DATA SHEET



## Vericiguat Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 5598522-00012      Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

	If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	
Hand protection	: Particulates type
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.

---

### Section 9: Physical and chemical properties

Appearance	: tablet
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available

# SAFETY DATA SHEET



## Vericiguat Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 5598522-00012      Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

---

### Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

# SAFETY DATA SHEET



## Vericiguat Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
5598522-00012

Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

### Acute toxicity

Not classified based on available information.

### Components:

#### Cellulose:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

#### Vericiguat:

Acute oral toxicity	:	LD50 (Rat): > 60 mg/kg Remarks: No mortality observed at this dose.
		LD50 (Dog): > 30 mg/kg Remarks: No mortality observed at this dose.

#### Magnesium stearate:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Remarks: Based on data from similar materials

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Magnesium stearate:

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Magnesium stearate:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

# SAFETY DATA SHEET



## Vericiguat Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 5598522-00012      Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### **Magnesium stearate:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

##### **Germ cell mutagenicity**

Not classified based on available information.

#### Components:

##### **Cellulose:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

##### **Vericiguat:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Mouse Lymphoma Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal Result: negative

##### **Magnesium stearate:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test
-----------------------	---	---

# SAFETY DATA SHEET



## Vericiguat Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
5598522-00012

Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Cellulose:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

#### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **Cellulose:**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative

#### **Vericiguat:**

Effects on fertility	:	Test Type: Fertility Species: Rat Application Route: Oral Fertility: NOAEL: 50 mg/kg body weight Result: No effects on fertility
Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Some evidence of adverse effects on development,

# SAFETY DATA SHEET



## Vericiguat Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
5598522-00012

Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

based on animal experiments.  
Remarks: Maternal toxicity observed.

Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 2.5 mg/kg body weight  
Result: Postimplantation loss.  
Remarks: Maternal toxicity observed.

### Magnesium stearate:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs (Cardio-vascular system) through prolonged or repeated exposure if swallowed.

### Components:

#### Vericiguat:

Target Organs	: Cardio-vascular system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Cellulose:

Species	: Rat
NOAEL	: $\geq 9,000$ mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

#### Vericiguat:

Species	: Mouse
---------	---------

# SAFETY DATA SHEET



## Vericiguat Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 5598522-00012      Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

NOAEL	:	50 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Remarks	:	No significant adverse effects were reported
Species	:	Rat
LOAEL	:	15 mg/kg
Application Route	:	Oral
Exposure time	:	4 Weeks
Target Organs	:	Liver, Prostate, Adrenal gland
Species	:	Rat
NOAEL	:	3 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	small intestine
Species	:	Rat
NOAEL	:	30 mg/kg
Application Route	:	Oral
Exposure time	:	26 Weeks
Target Organs	:	Kidney
Species	:	Dog
NOAEL	:	2.5 mg/kg
LOAEL	:	7.5 mg/kg
Application Route	:	Oral
Exposure time	:	4 Weeks
Target Organs	:	Kidney, Gastrointestinal tract
Symptoms	:	Vomiting
Species	:	Dog
NOAEL	:	2.5 mg/kg
LOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Symptoms	:	No adverse effects
Species	:	Dog
NOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	39 Weeks
Symptoms	:	No adverse effects

### Magnesium stearate:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

## SAFETY DATA SHEET



## Vericiguat Formulation

Version Revision Date: SDS Number: Date of last issue: 04.12.2024  
4.0 14.04.2025 5598522-00012 Date of first issue: 25.03.2020

## Aspiration toxicity

Not classified based on available information.

## Experience with human exposure

## Components:

## Vericiguat:

Ingestion : Target Organs: Cardio-vascular system  
Symptoms: hypotension, Headache, Dizziness, Nausea, Diarrhoea, Vomiting, anemia, acid reflux, constipation

## Section 12: Ecological information

## Toxicity

## Components:

## Cellulose:

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)) : > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

### **Magnesium stearate:**

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)) : > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

NOELR (*Pseudokirchneriella subcapitata* (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

# SAFETY DATA SHEET



## Vericiguat Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 5598522-00012      Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

##### **Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### **Vericiguat:**

Partition coefficient: n-octanol/water : log Pow: 2.99

##### **Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## Section 13: Disposal considerations

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

#### **International Regulations**

##### **UNRTDG**

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable

# SAFETY DATA SHEET



## Vericiguat Formulation

Version 4.0      Revision Date: 14.04.2025      SDS Number: 5598522-00012      Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

### IATA-DGR

UN/ID No. : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
UN proper shipping name : Not applicable  
Transport hazard class(es) : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations  
Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## Section 16: Other information

# SAFETY DATA SHEET



## Vericiguat Formulation

---

Version 4.0	Revision Date: 14.04.2025	SDS Number: 5598522-00012	Date of last issue: 04.12.2024 Date of first issue: 25.03.2020
----------------	------------------------------	------------------------------	---

---

Revision Date : 14.04.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET



## Vericiguat Formulation

Version  
4.0

Revision Date:  
14.04.2025

SDS Number:  
5598522-00012

Date of last issue: 04.12.2024  
Date of first issue: 25.03.2020

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN