

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10607423-00010 Date of last issue: 06.04.2024
Date of first issue: 14.02.2022

SECTION 1: IDENTIFICATION

Product name : Sotatercept Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : Building A - Level 1/26 Talavera Rd
Macquarie Park NSW, Australia 2113

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Blood, Immune system, Liver)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs (Blood, Immune system, Liver) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10607423-00010	Date of last issue: 06.04.2024 Date of first issue: 14.02.2022
----------------	------------------------------	-------------------------------	---

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sucrose	57-50-1	>= 60 -<= 100
Sotatercept	1001080-50-7	>= 30 -< 60

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
May damage fertility. May damage the unborn child.
Causes damage to organs through prolonged or repeated

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10607423-00010	Date of last issue: 06.04.2024 Date of first issue: 14.02.2022
----------------	------------------------------	-------------------------------	---

Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfa-

Sotatercept Solid FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10607423-00010Date of last issue: 06.04.2024
Date of first issue: 14.02.2022

es, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

Sotatercept Solid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10607423-00010 Date of last issue: 06.04.2024
Date of first issue: 14.02.2022

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m ³	AU OEL
		TWA	10 mg/m ³	ACGIH
Sotatercept	1001080-50-7	TWA	20 µg/m ³ (OEB 3)	Internal
		Wipe limit	200 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white to off-white

Odour : No data available

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10607423-00010 Date of last issue: 06.04.2024
Date of first issue: 14.02.2022

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	160 kg/mol

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10607423-00010 Date of last issue: 06.04.2024
Date of first issue: 14.02.2022

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.
Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Sotatercept:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Components:

Sotatercept:

Remarks : No data available

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10607423-00010 Date of last issue: 06.04.2024
Date of first issue: 14.02.2022

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sotatercept:

||| Remarks : No data available

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Sotatercept:

||| Remarks : No data available

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Sucrose:

||| Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Sotatercept:

||| Genotoxicity in vitro : Remarks: No data available

||| Genotoxicity in vivo : Remarks: No data available

||| Germ cell mutagenicity - Assessment : No data available

Carcinogenicity

Not classified based on available information.

Components:

Sotatercept:

||| Remarks : No data available

||| Carcinogenicity - Assessment : No data available

Reproductive toxicity

May damage fertility. May damage the unborn child.

Sotatercept Solid FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10607423-00010Date of last issue: 06.04.2024
Date of first issue: 14.02.2022**Components:****Sotatercept:**

Effects on fertility

- : Test Type: reproductive and developmental toxicity study
- Species: Rat, male and female
- Application Route: Subcutaneous
- Fertility: LOAEL: 0.3 mg/kg body weight
- Method: Study of Fertility and Early Embryonic Development to Implantation
- Result: Reduced fertility, Increased resorptions., Increase of early resorptions, Effects on fertility, Postimplantation loss., alteration in sperm morphology

Test Type: Reproduction/Developmental toxicity screening test

Species: Rabbit, female

Application Route: Subcutaneous

General Toxicity - Parent: NOAEL: 5 mg/kg body weight

Early Embryonic Development: NOAEL: 0.5 mg/kg body weight

Method: Study of Fertility and Early Embryonic Development to Implantation

Test Type: Fertility/early embryonic development

Species: Rat, females

Application Route: Subcutaneous

General Toxicity - Parent: NOAEL: 5 mg/kg body weight

Method: Study of Fertility and Early Embryonic Development to Implantation

Effects on foetal development

- : Test Type: Embryo-foetal development
- Species: Rat
- Application Route: Subcutaneous
- General Toxicity Maternal: NOAEL: 50 mg/kg body weight
- Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Fertility/early embryonic development

Species: Rabbit

Application Route: Subcutaneous

General Toxicity Maternal: NOAEL: 5 mg/kg body weight

Developmental Toxicity: NOAEL: 0.5 mg/kg body weight

Reproductive toxicity - Assessment

- : Clear evidence of adverse effects on development, based on animal experiments., Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Sotatercept Solid FormulationVersion
3.0Revision Date:
14.04.2025SDS Number:
10607423-00010Date of last issue: 06.04.2024
Date of first issue: 14.02.2022**Components:****Sotatercept:**

	Remarks	: No data available
--	---------	---------------------

STOT - repeated exposure

Causes damage to organs (Blood, Immune system, Liver) through prolonged or repeated exposure.

Components:**Sotatercept:**

	Target Organs	: Blood, Immune system, Liver
	Assessment	: Causes damage to organs through prolonged or repeated exposure.
	Remarks	: Based on human experience.

Repeated dose toxicity**Components:****Sotatercept:**

	Species	: Rat, male and female
	NOAEL	: 3 mg/kg
	Application Route	: Intravenous
	Exposure time	: 3 Months
	Number of exposures	: Once weekly
	Target Organs	: Blood, male reproductive organs

	Species	: Monkey, male and female
	NOAEL	: 30 mg/kg
	Application Route	: Intravenous
	Exposure time	: 3 Months
	Number of exposures	: Once weekly
	Target Organs	: Blood, Kidney

	Species	: Monkey, male and female
	NOAEL	: 1 mg/kg
	Application Route	: Intravenous
	Exposure time	: 9 Months
	Number of exposures	: Once every 4 weeks
	Target Organs	: Blood, Kidney, Immune system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Sotatercept:**

	General Information	: Well tolerated in clinical use
--	---------------------	----------------------------------

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10607423-00010 Date of last issue: 06.04.2024
Date of first issue: 14.02.2022

Inhalation	:	Remarks: No data available
Skin contact	:	Remarks: No data available
Eye contact	:	Remarks: No data available
Ingestion	:	Remarks: No data available

Further information

Components:

Sotatercept:

Remarks	:	Well tolerated in clinical use
---------	---	--------------------------------

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Sucrose:

Partition coefficient: n-octanol/water	:	Pow: < 1
--	---	----------

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10607423-00010 Date of last issue: 06.04.2024
Date of first issue: 14.02.2022

Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 10607423-00010 Date of last issue: 06.04.2024 Date of first issue: 14.02.2022

the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Revision Date : 14.04.2025
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

SAFETY DATA SHEET



Sotatercept Solid Formulation

Version 3.0	Revision Date: 14.04.2025	SDS Number: 10607423-00010	Date of last issue: 06.04.2024 Date of first issue: 14.02.2022
----------------	------------------------------	-------------------------------	---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN