

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

---

### SECTION 1. IDENTIFICATION

Product identifier : ProQuad Formulation  
Product code : Measles, Mumps, Rubella, and Varicela Vaccine Live

#### Manufacturer or supplier's details

Company : MSD  
Address : Avenida Tanner de Melo, Quadra 10 Lote 4A, Galpão A  
Parque Industrial Vice Presidente José Alencar Aparecida de  
Goiás – GO, Brazil  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification in accordance with ABNT NBR 14725 Standard

Short-term (acute) aquatic hazard : Category 2

#### GHS label elements in accordance with ABNT NBR 14725 Standard

Signal Word : None  
Hazard Statements : H401 Toxic to aquatic life.  
Precautionary Statements : **Prevention:**  
P273 Avoid release to the environment.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form combustible dust concentrations in air during processing, handling or other means.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
---------------	---------	----------------	-----------------------

**ProQuad Formulation**

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

Sucrose	57-50-1		>= 50 -< 70
Sodium chloride	7647-14-5	Acute Tox. (Oral), 5	>= 5 -< 10
Antigen	Not Assigned		>= 1 -< 5
Neomycin, sulfate (salt)	1405-10-3	Acute Tox. (Oral), 5 Skin Sens., 1B Repr., 2 STOT RE, (Kidney, inner ear) , 2 Aquatic Acute, 1 Aquatic Chronic, 1	>= 0,0025 -< 0,025

---

**SECTION 4. FIRST AID MEASURES**

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Metal oxides  
Chlorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

# SAFETY DATA SHEET



## ProQuad Formulation

Version  
3.0

Revision Date:  
14.04.2025

SDS Number:  
11206667-00005

Date of last issue: 25.02.2025  
Date of first issue: 27.04.2023

---

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	ACGIH	
Neomycin, sulfate (salt)	1405-10-3	TWA	1.5 mg/m <sup>3</sup> (OEB 1)	Internal	
		Further information: DSEN, OTO			
		Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal	

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Color : white  
light yellow

## SAFETY DATA SHEET



## ProQuad Formulation

Version Revision Date: SDS Number: Date of last issue: 25.02.2025  
3.0 14.04.2025 11206667-00005 Date of first issue: 27.04.2023

Odor	:	No data available
Odor Threshold	:	No data available
pH	:	6,6 - 7,1
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

#### Components:

##### **Sucrose:**

Acute oral toxicity : LD50 (Rat): 29.700 mg/kg

##### **Sodium chloride:**

Acute oral toxicity : LD50 (Rat): 3.550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

##### **Neomycin, sulfate (salt):**

Acute oral toxicity : LD50 (Mouse): 2.880 mg/kg  
LD50 (Rat): 2.750 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 633 mg/kg  
Application Route: Subcutaneous  
LD50 (Mouse): 116 mg/kg

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023



Application Route: Intraperitoneal

LD50 (Mouse): 27,6 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg  
Application Route: Subcutaneous

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### **Sodium chloride:**

Species	:	Rabbit
Result	:	No skin irritation

#### **Neomycin, sulfate (salt):**

Species	:	Rabbit
Result	:	Mild skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

#### **Sodium chloride:**

Species	:	Rabbit
Result	:	No eye irritation

#### **Neomycin, sulfate (salt):**

Species	:	Rabbit
Result	:	No eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### Components:

#### **Sodium chloride:**

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	negative

#### **Neomycin, sulfate (salt):**

Routes of exposure	:	Dermal
--------------------	---	--------

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

Species	:	Humans
Result	:	positive

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Sucrose:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

##### **Sodium chloride:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: *Saccharomyces cerevisiae*, gene mutation assay (in vitro)  
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive

Test Type: Chromosome aberration test in vitro  
Result: positive

Test Type: Chromosome aberration test in vitro  
Result: negative

##### Genotoxicity in vivo

: Test Type: In vivo micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: positive

##### Germ cell mutagenicity - Assessment

: Weight of evidence does not support classification as a germ cell mutagen.

##### **Neomycin, sulfate (salt):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

	Result: negative
	Test Type: Chromosomal aberration Test system: Human lymphocytes Result: positive
	Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	: Test Type: Cytogenetic assay Species: Mouse Cell type: Bone marrow Application Route: Intravenous injection Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Sodium chloride:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

#### **Neomycin, sulfate (salt):**

Species	: Rat
Exposure time	: 2 Years
Result	: negative

### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **Neomycin, sulfate (salt):**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity Parent: NOAEL: 25 mg/kg body weight Result: No effects on fertility and early embryonic development were detected.
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Oral Embryo-fetal toxicity.: NOAEL: 275 mg/kg body weight Result: No adverse effects., No teratogenic effects.
	Test Type: Development Species: Rat Application Route: Subcutaneous Developmental Toxicity: LOAEL: 6 mg/kg body weight

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

#### Components:

##### **Neomycin, sulfate (salt):**

Target Organs : Kidney, inner ear  
Assessment : May cause damage to organs through prolonged or repeated exposure.  
Remarks : Based on human experience.

##### **Repeated dose toxicity**

#### Components:

##### **Sodium chloride:**

Species : Rat  
LOAEL : 2.533 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

##### **Neomycin, sulfate (salt):**

Species : Mouse  
LOAEL : 30 mg/kg  
Application Route : Subcutaneous  
Exposure time : 14 d  
Target Organs : Kidney

Species : Guinea pig  
NOAEL : 50 mg/kg  
LOAEL : 100 mg/kg  
Application Route : Intramuscular  
Exposure time : 30 - 60 Weeks  
Target Organs : ear

Species : Guinea pig  
NOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Remarks : No significant adverse effects were reported

Species : Guinea pig  
LOAEL : 100 mg/kg  
Application Route : Subcutaneous  
Exposure time : 34 d

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

Species	:	Dog
LOAEL	:	24 mg/kg
Application Route	:	Intramuscular
Exposure time	:	30 d
Target Organs	:	Kidney
Species	:	Rat
LOAEL	:	25 mg/kg
Application Route	:	oral (feed)
Exposure time	:	84 Weeks
Target Organs	:	ear
Symptoms	:	hearing loss
Remarks	:	mortality observed
Species	:	Dog
LOAEL	:	20 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	90 d
Target Organs	:	Kidney

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Neomycin, sulfate (salt):**

Skin contact	:	Symptoms: Sensitization Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.
Ingestion	:	Symptoms: Nausea, Vomiting, Diarrhea, tinnitus, hearing loss, Loss of balance

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Sodium chloride:**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.840 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 4.136 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50: > 2.000 mg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 252 mg/l Exposure time: 33 d
Toxicity to daphnia and other aquatic invertebrates (Chronic)	:	NOEC (Daphnia pulex (Water flea)): 314 mg/l Exposure time: 21 d

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

ic toxicity)	
Toxicity to microorganisms	: EC10: > 1.000 mg/l
<b>Neomycin, sulfate (salt):</b>	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 72 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	LC50 (Americamysis): 39 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae (cyanobacterium)): 0,00075 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Anabaena flos-aquae (cyanobacterium)): 0,0003 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Pseudokirchneriella subcapitata (green algae)): 0,0099 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0,0022 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1.000
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: EC50 (Natural microorganism): 107,6 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	EC10 (Natural microorganism): 2,8 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Neomycin, sulfate (salt):**

Biodegradability	: Result: rapidly degradable Biodegradation: 50 % Exposure time: 1,2 d Method: OECD Test Guideline 314
------------------	---

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025  
Date of first issue: 27.04.2023

---

### Bioaccumulative potential

#### Components:

##### **Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

##### **Neomycin, sulfate (salt):**

Partition coefficient: n-octanol/water : log Pow: < -2

##### **Mobility in soil**

No data available

##### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **UNRTDG**

Not regulated as a dangerous good

##### **IATA-DGR**

Not regulated as a dangerous good

##### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

#### **Domestic regulation**

##### **ANTT**

Not regulated as a dangerous good

#### **Special precautions for user**

Not applicable

---

## SECTION 15. REGULATORY INFORMATION

#### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

# SAFETY DATA SHEET



## ProQuad Formulation

Version 3.0 Revision Date: 14.04.2025 SDS Number: 11206667-00005 Date of last issue: 25.02.2025 Date of first issue: 27.04.2023

---

Brazil. List of chemicals controlled by the Federal Police : Not applicable

### **The ingredients of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

### **Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### **Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

# SAFETY DATA SHEET



## ProQuad Formulation

---

Version 3.0	Revision Date: 14.04.2025	SDS Number: 11206667-00005	Date of last issue: 25.02.2025 Date of first issue: 27.04.2023
----------------	------------------------------	-------------------------------	---

---

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8