

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : ProQuad Formulation

Product code : Measles, Mumps, Rubella, and Varicella Vaccine Live

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Short-term (acute) aquatic hazard : Category 2

GHS label elements

Hazard pictograms : None

Signal word : None

Hazard statements : H401 Toxic to aquatic life.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and outlines of the emergency assumed : Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form combustible dust concentrations in air during pro-

SAFETY DATA SHEET



ProQuad Formulation

Version 5.0 Revision Date: 2025/04/14 SDS Number: 11206662-00006 Date of last issue: 2025/02/25
Date of first issue: 2023/04/27

cessing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Sucrose	57-50-1	$\geq 50 - < 60$	
Antigen	Not Assigned	$\geq 1 - < 10$	-
Neomycin, sulfate (salt)	1405-10-3	$\geq 0.0025 - < 0.025$	-

4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Metal oxides
Chlorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE**Handling**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2025/04/14	11206662-00006	2025/02/25
			Date of first issue: 2023/04/27

Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m ³	ACGIH
Neomycin, sulfate (salt)	1405-10-3	TWA	1.5 mg/m ³ (OEB 1)	Internal
Further information: DSEN, OTO				
		Wipe limit	0.1 mg/100 cm ²	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2025/04/14	11206662-00006	2025/02/25
			Date of first issue: 2023/04/27

Material	: Chemical-resistant gloves
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Colour	: white light yellow
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point, initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	: Not applicable
Lower explosion limit and upper explosion limit / flammability limit	
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: Not applicable
Decomposition temperature	: No data available
pH	: 6.6 - 7.1
Evaporation rate	: Not applicable
Auto-ignition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Solubility(ies)	

SAFETY DATA SHEET



ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Density and / or relative density	:	
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Components:

Sucrose:

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Neomycin, sulfate (salt):

Acute oral toxicity : LD50 (Mouse): 2,880 mg/kg

LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 633 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 27.6 mg/kg
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg
Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Exposure routes : Dermal
Species : Humans
Result : positive

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

Germ cell mutagenicity

Not classified based on available information.

Components:**Sucrose:**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
-----------------------	---

Neomycin, sulfate (salt):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative Test Type: Chromosomal aberration Test system: Human lymphocytes Result: positive Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	: Test Type: Cytogenetic assay Species: Mouse Cell type: Bone marrow Application Route: Intravenous injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Species	: Rat
Exposure time	: 2 Years
Result	: negative

Reproductive toxicity

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 25 mg/kg body weight
----------------------	--

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2025/04/14	11206662-00006	2025/02/25
			Date of first issue: 2023/04/27

	Result: No effects on fertility and early embryonic development were detected.
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight Result: No adverse effects, No teratogenic effects
	Test Type: Development Species: Rat Application Route: Subcutaneous Developmental Toxicity: LOAEL: 6 mg/kg body weight Result: positive
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Target Organs	: Kidney, inner ear
Assessment	: May cause damage to organs through prolonged or repeated exposure.
Remarks	: Based on human experience.

Repeated dose toxicity**Components:****Neomycin, sulfate (salt):**

Species	: Mouse
LOAEL	: 30 mg/kg
Application Route	: Subcutaneous
Exposure time	: 14 d
Target Organs	: Kidney

Species	: Guinea pig
NOAEL	: 50 mg/kg
LOAEL	: 100 mg/kg
Application Route	: Intramuscular
Exposure time	: 30 - 60 Weeks
Target Organs	: ear

Species	: Guinea pig
NOAEL	: 10 mg/kg

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

Application Route	: Oral
Exposure time	: 90 d
Remarks	: No significant adverse effects were reported

Species	: Guinea pig
LOAEL	: 100 mg/kg
Application Route	: Subcutaneous
Exposure time	: 34 d

Species	: Dog
LOAEL	: 24 mg/kg
Application Route	: Intramuscular
Exposure time	: 30 d
Target Organs	: Kidney

Species	: Rat
LOAEL	: 25 mg/kg
Application Route	: oral (feed)
Exposure time	: 84 Weeks
Target Organs	: ear
Symptoms	: hearing loss
Remarks	: mortality observed

Species	: Dog
LOAEL	: 20 mg/kg
Application Route	: Subcutaneous
Exposure time	: 90 d
Target Organs	: Kidney

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Neomycin, sulfate (salt):**

Skin contact	: Symptoms: Sensitisation Remarks: May irritate skin.
Eye contact	: Remarks: May cause eye irritation.
Ingestion	: Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	2025/04/14	11206662-00006	2025/02/25
			Date of first issue: 2023/04/27

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Neomycin, sulfate (salt):

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 72 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 LC50 (Americamysis): 39 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1,000
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: EC50 (Natural microorganism): 107.6 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 EC10 (Natural microorganism): 2.8 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

Neomycin, sulfate (salt):

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

Biodegradability : Result: rapidly degradable
Biodegradation: 50 %
Exposure time: 1.2 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

Neomycin, sulfate (salt):

Partition coefficient: n-octanol/water : log Pow: < -2

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

Substances Subject to be Notified Names

Not applicable

Substances Subject to be Indicated Names

Not applicable

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Not regulated as a dangerous good

Aviation Law

Not regulated as a dangerous good

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)
Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

16. OTHER INFORMATION**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

ProQuad Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2025/02/25
5.0	2025/04/14	11206662-00006	Date of first issue: 2023/04/27

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN