

Aprepitant Formulation

Version **Revision Date:** SDS Number: Date of last issue: 24.01.2024 20584-00027 5.3 06.04.2024 Date of first issue: 09.10.2014

SECTION 1: IDENTIFICATION

Product name Aprepitant Formulation

Manufacturer or supplier's details

Company MSD

: Building A - Level 1/26 Talavera Rd Address

Macquarie Park NSW, Australia 2113

Telephone 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Specific target organ toxicity - : Category 2 (Prostate, Testis)

repeated exposure (Oral)

GHS label elements

Hazard pictograms

Signal word

Hazard statements H373 May cause damage to organs (Prostate, Testis) through

prolonged or repeated exposure if swallowed.

Precautionary statements Prevention:

P260 Do not breathe dust.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.





SDS Number: Date of last issue: 24.01.2024 Version Revision Date: 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Aprepitant	170729-80-3	>= 30 -< 60
Sucrose	57-50-1	>= 30 -< 60
Cellulose	9004-34-6	>= 10 -< 30

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

> Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

Notes to physician

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.





Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Hazardous combustion prod- :

ucts

Carbon oxides

Fluorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code : 2

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.





Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Aprepitant	170729-80-3	TWA	0.2 mg/m3 (OEB 2)	Internal
Sucrose	57-50-1	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH
Cellulose	9004-34-6	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH

Engineering measures : Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type



Aprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : coloured

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available



Aprepitant Formulation

Version SDS Number: Date of last issue: 24.01.2024 **Revision Date:** 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Minimum ignition energy $< 3 \, mJ$

Particle characteristics

No data available Particle size

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes Inhalation

> Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Aprepitant:

Acute oral toxicity LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg



Aprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Acute toxicity (other routes of : LD50 (Rat): 800 - 2,000 mg/kg

administration)

LD50 (Rat): 800 - 2,000 mg/kg Application Route: Intraperitoneal

LD50 (Mouse): > 2,000 mg/kg Application Route: Intraperitoneal

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Aprepitant:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Aprepitant:

Species : Rabbit

Result : No eye irritation Method : Draize Test

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



Aprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Components:

Aprepitant:

Remarks : No data available

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Aprepitant:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Test Type: Alkaline elution assay Test system: rat hepatocytes

Result: negative

Test Type: in vitro assay

Test system: human lymphoblastoid cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative



Aprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Carcinogenicity

Not classified based on available information.

Components:

Aprepitant:

Species : Mouse, male

Application Route : Oral Exposure time : 106 weeks

Dose : >=1000 mg/kg body weight

Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse, female

Application Route : Oral Exposure time : 106 weeks

Dose : >= 500 mg/kg body weight

Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse
Application Route : Oral
Exposure time : 105 weeks

Dose : 2000 mg/kg body weight

Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Aprepitant:

Effects on fertility : Test Type: Fertility

Species: Rat, male and female

Fertility: NOAEL: 2,000 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 2,000 mg/kg body weight

Result: No effects on foetal development

Test Type: Development

Species: Rabbit



Aprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: No effects on foetal development

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Prostate, Testis) through prolonged or repeated exposure if swallowed.

Components:

Aprepitant:

Target Organs : Prostate, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Target Organs

Application Route

Aprepitant:

Species : Dog

LOAEL : >= 50 mg/kg

Application Route : Oral Exposure time : 39 Weeks Target Organs : Prostate, Testis

Species : Rat

NOAEL : 125 mg/kg

Application Route : Oral

Exposure time : 27 Weeks

Species : Monkey
NOAEL : 0.240 mg/kg

Exposure time : 7 d

Remarks : No significant adverse effects were reported

Intravenous

: Liver, Thyroid



Aprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Species : Rat, female
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 106 Weeks
Target Organs : Kidney

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Aprepitant:

Ingestion : Symptoms: Headache, Fatigue, hiccups, constipation, anorex-

ia, liver function change, Rash, Nausea, Diarrhoea, hypoten-

sion

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Aprepitant:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.462 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0.345 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.184

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

EC50 (Pseudokirchneriella subcapitata (green algae)): >

0.184 mg/l

Exposure time: 72 h



Aprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.195 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.018 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Remarks: No toxicity at the limit of solubility

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Aprepitant:

Biodegradability : Result: not rapidly degradable

Biodegradation: 50 % Exposure time: 66 Days

Method: OECD Test Guideline 314

Cellulose:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Aprepitant:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 50.1 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 4.75

Sucrose:

Partition coefficient: n-

octanol/water

Pow: < 1



Aprepitant Formulation

Version SDS Number: Date of last issue: 24.01.2024 **Revision Date:** 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Mobility in soil

Components:

Aprepitant:

Distribution among environmental compartments

log Koc: 3.10

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste han-Contaminated packaging

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Aprepitant)

Class 9 Ш Packing group Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. **UN 3077**

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(Aprepitant)

956

Class 9 Packing group Ш

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-956

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Aprepitant)

Class 9



Aprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Packing group : III
Labels : 9
EmS Code : F-A

EmS Code : F-A, S-F Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Aprepitant)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Environmentally hazardous : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons:

Standard) Instrument

Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information



Aprepitant Formulation

SDS Number: Version Revision Date: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

Revision Date 06.04.2024

Sources of key data used to compile the Safety Data

Sheet

eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Date format dd.mm.yyyy

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV)

AU OEL Australia. Workplace Exposure Standards for Airborne Con-

Internal technical data, data from raw material SDSs, OECD

taminants.

ACGIH / TWA 8-hour, time-weighted average

AU OEL / TWA Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their



Aprepitant Formulation

Version Revision Date: SDS Number: Date of last issue: 24.01.2024 5.3 06.04.2024 20584-00027 Date of first issue: 09.10.2014

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN