according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Boceprevir Formulation

Manufacturer or supplier's details

Company : MSD

Address : 199 Wenhai North Road

HEDA, Hangzhou - Zhejiang Province - CHINA 310018

Telephone : 908-740-4000

Emergency telephone number: 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : powder Colour : white

Odour : No data available

Causes mild skin irritation. Suspected of damaging fertility. Harmful to aquatic life.

GHS Classification

Skin corrosion/irritation : Category 3

Reproductive toxicity : Category 2

Short-term (acute) aquatic

hazard

Category 3

GHS label elements

Hazard pictograms

Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

H361f Suspected of damaging fertility.

H402 Harmful to aquatic life.

Precautionary statements :

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes mild skin irritation. Suspected of damaging fertility.

Environmental hazards

Harmful to aquatic life.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Boceprevir	394730-60-0	>= 50 -< 70	
Starch	9005-25-8	>= 10 -< 20	
Cellulose	9004-34-6	>= 10 -< 20	
Sodium n-dodecyl sulfate	151-21-3	>= 3 -< 10	
Magnesium stearate	557-04-0	>= 1 -< 10	

4. FIRST AID MEASURES

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Protection of first-aiders

: Causes mild skin irritation. Suspected of damaging fertility.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/03/20

 5.1
 2023/09/26
 23670-00021
 Date of first issue: 2014/10/21

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres. Use only with adequate ventilation.

Local/Total ventilation Advice on safe handling

De not not an alsia on alathian

Do not get on skin or clothing. Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
Boceprevir	394730-60-0	TWA	2 mg/m3 (OEB 1)	Internal
Starch	9005-25-8	TWA	10 mg/m3	ACGIH
Cellulose	9004-34-6	PC-TWA	10 mg/m3	CN OEL
		TWA	10 mg/m3	ACGIH
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hand protection

Material : Chemical-resistant gloves

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Boceprevir:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Monkey): > 1,000 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Sodium n-dodecyl sulfate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes mild skin irritation.

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Components:

Boceprevir:

Species : Rabbit

Result : No skin irritation

Sodium n-dodecyl sulfate:

Species : Rabbit Result : Skin irritation

Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Boceprevir:

Species : Rabbit

Result : Mild eye irritation

Starch:

Species : Rabbit

Result : No eye irritation

Sodium n-dodecyl sulfate:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Components:

Boceprevir:

Test Type : Maximisation Test

Species : Guinea pig Result : negative

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Sodium n-dodecyl sulfate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Magnesium stearate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Boceprevir:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

rtocan: nogan

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Sodium n-dodecyl sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Boceprevir:

Species : Mouse Application Route : Oral

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Exposure time : 72 Weeks

Dose : 650 mg/kg body weight

Result : negative

Species : Rat Application Route : Oral

Exposure time : 104 Weeks

Dose : 125 mg/kg body weight

Result : negative

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Sodium n-dodecyl sulfate:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : negative

Remarks : Based on data from similar materials

Reproductive toxicity

Suspected of damaging fertility.

Components:

Boceprevir:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male

Fertility: LOAEL: 75 mg/kg body weight

Symptoms: Effects on fertility

Result: positive

Test Type: Fertility/early embryonic development

Species: Rat, female

Fertility: LOAEL: 150 mg/kg body weight

Symptoms: Effects on fertility

Result: positive

Effects on foetal develop-

ment

Test Type: Development

Species: Rabbit, male and female

Application Route: Oral

Developmental Toxicity: NOAEL: 300 mg/kg body weight

Result: negative

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Sodium n-dodecyl sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Repeated dose toxicity

Components:

Boceprevir:

Species : Monkey NOAEL : > 200 mg/kg

Application Route : Oral Exposure time : 365 d

Remarks : No significant adverse effects were reported

Species : Rat
NOAEL : 75 mg/kg
LOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 90 d

Target Organs : Testis, Prostate

Species : Rat

NOAEL : 15 mg/kg

LOAEL : 75 mg/kg

Application Route : Oral

Exposure time : 180 d

Target Organs : Testis

Species : Mouse
NOAEL : 250 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Kidney

Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Sodium n-dodecyl sulfate:

Species : Rat NOAEL : 488 mg/kg

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Application Route Ingestion Exposure time 90 Days

Remarks Based on data from similar materials

Magnesium stearate:

Species Rat

NOAEL > 100 mg/kg Application Route Ingestion Exposure time 90 Days

Remarks Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Boceprevir:

Ingestion Symptoms: Headache, Gastrointestinal disturbance, bitter

taste

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Boceprevir:

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.5

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 9.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): > 9 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 7.2 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50: > 959 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Method: OECD Test Guideline 209

NOEC: 959 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Sodium n-dodecyl sulfate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l

Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): >= 1.357

mg/I

Exposure time: 42 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l

Exposure time: 7 d

Toxicity to microorganisms

EC50: 135 mg/l

Exposure time: 3 h

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

plants mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Persistence and degradability

Components:

Boceprevir:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0.6 % Exposure time: 28 d

Cellulose:

Biodegradability : Result: Readily biodegradable.

Sodium n-dodecyl sulfate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 95 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Boceprevir:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 2.6

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 3.18

Sodium n-dodecyl sulfate:

Partition coefficient: n-

octanol/water

log Pow: 0.83

Magnesium stearate:

Partition coefficient: n-

log Pow: > 4

octanol/water

Mobility in soil
Components:

Boceprevir:

Distribution among environ-

log Koc: 1.9

mental compartments

Method: OECD Test Guideline 106

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Labels : Not applicable Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen: :

ger aircraft)

Not applicable

IMDG-Code

UN number Not applicable Not applicable Proper shipping name Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable **EmS Code** Not applicable Not applicable Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2023/09/26

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

Further information

Sources of key data used to compile the Safety Data

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only

according to GB/T 16483 and GB/T 17519



Boceprevir Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/03/20 5.1 2023/09/26 23670-00021 Date of first issue: 2014/10/21

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN