

Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

SECTION 1: IDENTIFICATION

Product name : Caspofungin Formulation

Manufacturer or supplier's details

Company : MSD

Address : Building A - Level 1/26 Talavera Rd

Macquarie Park NSW, Australia 2113

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irri-

tation

: Category 1

Effects on or via lactation

GHS label elements

Hazard pictograms

T. B.

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

H362 May cause harm to breast-fed children.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P263 Avoid contact during pregnancy and while nursing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Caspofungin	179463-17-3	>= 30 -< 60	
Sucrose	57-50-1	>= 30 -< 60	
Acetic acid	64-19-7	>= 1 -< 3	

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : Get medical attention.
In case of skin contact : Wash with water and soap.

Get medical attention.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed : Get medical attention.

Most important symptoms : Causes serious eye damage.

and effects, both acute and May cause harm to breast-fed children.

delayed Contact with dust can cause mechanical irritation or drying of

the skin.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code : 2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation

Use only with adequate ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.

Do not breathe dust. Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labelled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Caspofungin	179463-17-3	TWA	140 µg/m3 (OEB 2)	Internal
Sucrose	57-50-1	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH
Acetic acid	64-19-7	STEL	15 ppm 37 mg/m3	AU OEL
		TWA	10 ppm 25 mg/m3	AU OEL
		TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH

Engineering measures: Ensure adequate ventilation, especially in confined areas.



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection

Combined particulates and organic vapour type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn.

If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : off-white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Minimum ignition energy : 100 - 300 mJ

30 - 100 mJ

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.



Caspofungin Formulation

SDS Number: Date of last issue: 06.04.2024 Version **Revision Date:** 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Inhalation Exposure routes

> Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Caspofungin:

Acute oral toxicity LD50 (Mouse): > 2,000 mg/kg

administration)

Acute toxicity (other routes of : LD50 (Mouse): 19 mg/kg

Application Route: Intravenous

LD50 (Rat): 38 mg/kg

Application Route: Intravenous

Sucrose:

Acute oral toxicity LD50 (Rat): 29,700 mg/kg

Acetic acid:

LD50 (Rat): > 2,000 - 5,000 mg/kgAcute oral toxicity

Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity LD50 (Rabbit): > 5,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Caspofungin:

Species Rabbit



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

Result : Mild skin irritation

Acetic acid:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Caspofungin:

Species : Rabbit

Result : Irreversible effects on the eye Method : Bovine cornea (BCOP)

Acetic acid:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Caspofungin:

Genotoxicity in vitro : Test Type: Chromosomal aberration

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Alkaline elution assay Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster fibroblasts

Result: negative



Caspofungin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 10.0
 06.07.2024
 24268-00026
 Date of first issue: 21.10.2014

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Mouse

Cell type: Bone marrow

Result: negative

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Acetic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: equivocal

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Acetic acid:

Species : Mouse
Application Route : Skin contact
Exposure time : 32 weeks
Result : negative

Reproductive toxicity

May cause harm to breast-fed children.

Components:

Caspofungin:

Effects on fertility : Test Type: Fertility



Caspofungin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 10.0
 06.07.2024
 24268-00026
 Date of first issue: 21.10.2014

Species: Rat, male and female

Application Route: Intravenous injection Fertility: NOAEL Parent: 5 mg/kg body weight

Result: No effects on fertility and early embryonic develop-

ment were detected.

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intravenous injection

General Toxicity Maternal: LOAEL: 5 mg/kg body weight Embryo-foetal toxicity: NOAEL F1: 2 mg/kg body weight Symptoms: Abnormalities of the musculosketal system Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Test Type: Development

Species: Rabbit

Application Route: Intravenous injection

General Toxicity Maternal: NOAEL: 3 mg/kg body weight Developmental Toxicity: NOAEL F1: >= 6 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Reproductive toxicity - As-

sessment

Studies indicating a hazard to babies during the lactation peri-

od

Acetic acid:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Caspofungin:

Species : Monkey

NOAEL : 2 mg/kg

LOAEL : 5 mg/kg

Application Route : Intravenous

Exposure time : 27 Weeks

Number of exposures : daily

Target Organs : Liver

Species : Rat



Caspofungin Formulation

SDS Number: Date of last issue: 06.04.2024 Version **Revision Date:** 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

LOAEL 1.8 mg/kg Application Route Intravenous Exposure time 27 Weeks Symptoms : Swelling of tissue

Species Rat NOAEL 2 mg/kg LOAEL 5 mg/kg Application Route
Exposure time
Number of exposures Intravenous 14 Weeks daily

Symptoms Swelling of tissue

Acetic acid:

Species Rat NOAEL 290 mg/kg Application Route Ingestion Exposure time 8 Weeks

Aspiration toxicity

Not classified based on available information.

Components:

Caspofungin:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Caspofungin:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 2.4 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 22.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.1

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.05

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.084 mg/l

Exposure time: 32 d



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.67 mg/l Exposure time: 21 d

Method: OECD Test Guideline 211

Method. OECD Test Guideline 2

Toxicity to microorganisms : EC50: > 127 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 38 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Acetic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): > 100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

NOEC (Skeletonema costatum (marine diatom)): > 1 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

Toxicity to microorganisms

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

: NOEC (Pseudomonas putida): 1,150 mg/l

Exposure time: 16 h

Persistence and degradability

Components:

Caspofungin:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 71.9 % Exposure time: 28 d

Method: OECD Test Guideline 302B

Stability in water : Degradation half life (DT50): 2.8 h



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

П

Acetic acid:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 96 % Exposure time: 20 d

Bioaccumulative potential

Components:

Caspofungin:

Partition coefficient: n-

: log Pow: -1.6

octanol/water

Sucrose:

Partition coefficient: n-

: Pow: < 1

octanol/water

Acetic acid:

Partition coefficient: n-

octanol/water

log Pow: -0.17

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Caspofungin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR



Caspofungin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 10.0
 06.07.2024
 24268-00026
 Date of first issue: 21.10.2014

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Caspofungin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Caspofungin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Caspofungin)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Environmentally hazardous : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons :

Standard) Instrument

Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Revision Date : 06.07.2024

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data : eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this

document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-



Caspofungin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 24268-00026 Date of first issue: 21.10.2014

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN