

**Caspofungin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

**Section 1: Identification**

Product name : Caspofungin Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800  
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

**Section 2: Hazard identification****GHS Classification**

Serious eye damage/eye irritation : Category 1

Effects on or via lactation

Specific target organ toxicity - repeated exposure : Category 2

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

## Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

H362 May cause harm to breast-fed children.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

## Precautionary statements

:

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P263 Avoid contact during pregnancy and while nursing.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear eye protection/ face protection.

**Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Caspofungin	179463-17-3	>= 30 -< 50
Sucrose	57-50-1	>= 30 -< 50
Acetic acid	64-19-7	>= 1 -< 3

**Section 4: First-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : Get medical attention.

In case of skin contact : Wash with water and soap.

**Caspofungin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

In case of eye contact	:	Get medical attention. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	Get medical attention.
Most important symptoms and effects, both acute and delayed	:	Contact with dust can cause mechanical irritation or drying of the skin. Causes serious eye damage. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

**Section 5: Fire-fighting measures**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	:	2Z

---

**Section 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
---	---	--

---

**Caspofungin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
14.0	17.06.2025	24298-00028	14.04.2025
			Date of first issue: 21.10.2014

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid contact during pregnancy and while nursing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.

## Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
14.0	17.06.2025	24298-00028	14.04.2025
			Date of first issue: 21.10.2014

Materials to avoid : Keep tightly closed.  
Store in accordance with the particular national regulations.  
Do not store with the following product types:  
Strong oxidizing agents

## Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Caspofungin	179463-17-3	TWA	140 µg/m <sup>3</sup> (OEB 2)	Internal
Sucrose	57-50-1	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Acetic acid	64-19-7	WES-TWA	10 ppm 25 mg/m <sup>3</sup>	NZ OEL
		WES-STEL	15 ppm 37 mg/m <sup>3</sup>	NZ OEL
		TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

## Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:

## Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

Skin and body protection : Face-shield  
Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**Section 9: Physical and chemical properties**

Appearance	: powder
Colour	: off-white
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available

**Caspofungin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Minimum ignition energy	:	100 - 300 mJ 30 - 100 mJ
Particle characteristics		
Particle size	:	No data available

---

**Section 10: Stability and reactivity**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour

**Caspofungin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Caspofungin:**

Acute oral toxicity : LD50 (Mouse): > 2,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Mouse): 19 mg/kg  
Application Route: Intravenous  
LD50 (Rat): 38 mg/kg  
Application Route: Intravenous

**Sucrose:**

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

**Acetic acid:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.  
Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Expert judgement  
Remarks: Based on national or regional regulation.  
Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Caspofungin:**

Species : Rabbit  
Result : Mild skin irritation

**Acetic acid:**

Species : Rabbit  
Result : Corrosive after 3 minutes or less of exposure



**Caspofungin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Caspofungin:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	Bovine cornea (BCOP)

**Acetic acid:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Caspofungin:**

Genotoxicity in vitro	:	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Alkaline elution assay Test system: rat hepatocytes Result: negative
		Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster fibroblasts Result: negative
Genotoxicity in vivo	:	Test Type: Chromosomal aberration Species: Mouse Cell type: Bone marrow Result: negative

**Sucrose:**

**Caspofungin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

**Acetic acid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: equivocal  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****Acetic acid:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 32 weeks  
Result : negative

**Reproductive toxicity**

May cause harm to breast-fed children.

**Components:****Caspofungin:**

Effects on fertility : Test Type: Fertility  
Species: Rat, male and female  
Application Route: Intravenous injection  
Fertility: NOAEL Parent: 5 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat

## Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

Application Route: Intravenous injection  
 General Toxicity Maternal: LOAEL: 5 mg/kg body weight  
 Embryo-foetal toxicity: NOAEL F1: 2 mg/kg body weight  
 Symptoms: Abnormalities of the musculoskeletal system  
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development  
 Species: Rabbit  
 Application Route: Intravenous injection  
 General Toxicity Maternal: NOAEL: 3 mg/kg body weight  
 Developmental Toxicity: NOAEL F1:  $\geq$  6 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Reproductive toxicity - Assessment : Studies indicating a hazard to babies during the lactation period

**Acetic acid:**

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Components:****Acetic acid:**

Assessment : May cause damage to organs through prolonged or repeated exposure.  
 Remarks : Based on national or regional regulation.

**Repeated dose toxicity****Components:****Caspofungin:**

Species : Monkey  
 NOAEL : 2 mg/kg  
 LOAEL : 5 mg/kg  
 Application Route : Intravenous  
 Exposure time : 27 Weeks  
 Number of exposures : daily  
 Target Organs : Liver

Species : Rat

**Caspofungin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

LOAEL	: 1.8 mg/kg
Application Route	: Intravenous
Exposure time	: 27 Weeks
Symptoms	: Swelling of tissue

Species	: Rat
NOAEL	: 2 mg/kg
LOAEL	: 5 mg/kg
Application Route	: Intravenous
Exposure time	: 14 Weeks
Number of exposures	: daily
Symptoms	: Swelling of tissue

**Acetic acid:**

Species	: Rat
NOAEL	: 290 mg/kg
Application Route	: Ingestion
Exposure time	: 8 Weeks

**Aspiration toxicity**

Not classified based on available information.

**Components:****Caspofungin:**

|| No aspiration toxicity classification

---

**Section 12: Ecological information****Ecotoxicity****Components:****Caspofungin:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 2.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 22.6 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 0.1 mg/l Exposure time: 72 h  NOEC (Pseudokirchneriella subcapitata (green algae)): 0.05 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10

## Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.084 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.67 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: > 127 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209  NOEC: 38 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

**Acetic acid:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): > 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials  NOEC (Skeletonema costatum (marine diatom)): > 1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): 1,150 mg/l Exposure time: 16 h

**Persistence and degradability****Components:****Caspofungin:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 71.9 %
------------------	---	--

## Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

Exposure time: 28 d  
Method: OECD Test Guideline 302B

Stability in water : Degradation half life (DT50): 2.8 h

**Acetic acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 96 %  
Exposure time: 20 d

**Bioaccumulative potential****Components:****Caspofungin:**

Partition coefficient: n-octanol/water : log Pow: -1.6

**Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

**Acetic acid:**

Partition coefficient: n-octanol/water : log Pow: -0.17

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**Section 13: Disposal considerations****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**Section 14: Transport information****International Regulations****UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Caspofungin)  
Class : 9

## Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

Packing group : III  
Labels : 9  
Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Caspofungin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Caspofungin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****NZS 5433**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Caspofungin)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 2Z  
Marine pollutant : no

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Caspofungin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

**Section 15: Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**HSNO Approval Number**

|| not allocated

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**Section 16: Other information**

Revision Date : 17.06.2025

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

NZ OEL / WES-STEEL : Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-



**Caspofungin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
14.0	17.06.2025	24298-00028	Date of first issue: 21.10.2014

---

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN