

Daptomycin Injection Formulation - 2nd Generation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 28.09.2024
 679925-00020
 Date of first issue: 19.05.2016

SECTION 1. IDENTIFICATION

Product identifier : Daptomycin Injection Formulation - 2nd Generation

Manufacturer or supplier's details

Company : MSD

Address : Avenue Comendador Antônio Loureiro Ramos,

nº 1500 - Distrito Industrial

Montes Claros - MG, Brazil 39404-620

Telephone : +55 (38) 3229 7000

Emergency telephone : +55 (38) 3201 5670

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Specific target organ toxicity - : Category 2 (muscle, Kidney, Nervous system)

repeated exposure (Dermal)

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (muscle, Kidney, Nervous

system) through prolonged or repeated exposure in contact

with skin.

Precautionary Statements : Prevention:

P260 Do not breathe dust.

Response:

P314 Get medical advice/ attention if you feel unwell.



Daptomycin Injection Formulation - 2nd Generation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 28.09.2024 679925-00020 Date of first issue: 19.05.2016

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Sucrose	57-50-1		>= 50 -< 70
Daptomycin	103060-53-3	STOT RE, (Dermal)(muscle, Kidney, Nervous system), 2	>= 30 -< 50

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of contact, immediately flush skin with soap and plenty In case of skin contact

of water.

Get medical attention if symptoms occur.

: If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms

Protection of first-aiders

Notes to physician

and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure in contact with skin.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Water spray Suitable extinguishing media :

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.



Daptomycin Injection Formulation - 2nd Generation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 28.09.2024
 679925-00020
 Date of first issue: 19.05.2016

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : A

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.



Daptomycin Injection Formulation - 2nd Generation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 28.09.2024 679925-00020 Date of first issue: 19.05.2016

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m ³	ACGIH
Daptomycin	103060-53-3	TWA	800 μg/m3 (OEB 2)	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

Particulates type

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Material : Chemical-resistant gloves



Daptomycin Injection Formulation - 2nd Generation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 28.09.2024
 679925-00020
 Date of first issue: 19.05.2016

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : lyophilized cake

Color : light brown

Odor : No data available

Odor Threshold : No data available

pH : 6,5 - 7,3

(as aqueous solution)

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable



Daptomycin Injection Formulation - 2nd Generation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 28.09.2024 679925-00020 Date of first issue: 19.05.2016

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

Sucrose:

Acute oral toxicity : LD50 (Rat): 29.700 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Daptomycin:

Species : Rabbit

Result : Mild skin irritation



Daptomycin Injection Formulation - 2nd Generation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 28.09.2024 679925-00020 Date of first issue: 19.05.2016

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Daptomycin:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Daptomycin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Hamster

Application Route: Intraperitoneal injection

Result: negative



Daptomycin Injection Formulation - 2nd Generation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 28.09.2024
 679925-00020
 Date of first issue: 19.05.2016

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Daptomycin:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Intravenous injection Fertility: NOAEL: 150 mg/kg body weight

Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Intravenous injection

Developmental Toxicity: NOAEL: 75 mg/kg body weight Result: No significant adverse effects were reported

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Intravenous injection

Developmental Toxicity: NOAEL: 75 mg/kg body weight Result: No significant adverse effects were reported

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (muscle, Kidney, Nervous system) through prolonged or repeated exposure in contact with skin.

Components:

Daptomycin:

Target Organs : muscle, Kidney, Nervous system

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Daptomycin:

Species : Dog
NOAEL : 20 mg/kg
LOAEL : 40 mg/kg
Application Route : Intravenous
Exposure time : 3 Months
Target Organs : Skeletal muscle



Daptomycin Injection Formulation - 2nd Generation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 28.09.2024 679925-00020 Date of first issue: 19.05.2016

Species : Monkey
NOAEL : 10 mg/kg
Application Route : Intravenous
Exposure time : 1 Months

Remarks : No significant adverse effects were reported

Species : Dog

Application Route : Intravenous Exposure time : 28 Days

Target Organs : Skeletal muscle, Nervous system

Symptoms : muscle twitching

Species : Juvenile dog LOAEL : 50 mg/kg Application Route : Intravenous Exposure time : 28 Days

Target Organs : Skeletal muscle, Nervous system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Daptomycin:

General Information : Symptoms: Rash, Diarrhea, vaginitis

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Sucrose:

Partition coefficient: n- : Pow: < 1

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available



Daptomycin Injection Formulation - 2nd Generation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 28.09.2024
 679925-00020
 Date of first issue: 19.05.2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans -

Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal

Not applicable

Police

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION



Daptomycin Injection Formulation - 2nd Generation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.2
 28.09.2024
 679925-00020
 Date of first issue: 19.05.2016

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific



Daptomycin Injection Formulation - 2nd Generation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.2 28.09.2024 679925-00020 Date of first issue: 19.05.2016

context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8